













B E A M S C H E D U L E											
FLOOR LEVEL	BEAM MARK	BEAM DIMENSIONS (b / mm)		STEEL REINFORCEMENTS						STIRRUPS Ø10mm (UNLESS NOTED OTHERWISE)	
				REBAR (mm Ø)	LEFT		MID SPAN		RIGHT		
		b	h		TOP	BOTTOM	TOP	BOTTOM	TOP	BOTTOM	
ROOF LEVEL	RG-1	180	400	Ø12mm	2	2	2	2	2	2	1Ø50, 8Ø100, REST@200
	RG-2	150	400	Ø12mm	2	2	2	2	2	2	1Ø50, 6Ø100, REST@200
	EB-1	150	250	Ø10mm	2	2	2	2	2	2	1Ø50, REST@200



SCHEDULE OF FOOTINGS						
FOOTING MARK	FOOTING DIMENSIONS (mm)				REINFORCEMENT	
	LENGTH (L)	WIDTH (W)	DEPTH (D)	THICKNESS (t)	BAR X	BAR Y
F-1	800	800	1200	250	4-16mmØ	4-16mmØ

COLUMN SCHEDULE	
LEVEL	C-1
FOUNDATION LEVEL TO ROOF LEVEL	

	PREPARED BY:	CHECKED BY:	RECOMMENDING APPROVAL:	APPROVED BY:	PROJECT TITLE:	PROJECT NO:	OWNER:	SHEET NO: S-1 1
	MAXIMO M. CALBANG	ANTONIA M. ALHAMBRA	LUIS G. PURISIMA JR.	OLIVER R. HERNANDEZ	ONE STOREY ONE-CLASSROOM SCHOOLBUILDING (7x7m modified)	DESIGNED BY:	DEPARTMENT OF EDUCATION DepED	
	PDO - II	Civil Engineer/Master Plumber	HEAD, PLANNING AND DESIGN UNIT	CHEF, PFSD-OPS	ENCODER BY:	CHECKED BY:	SHEET CONTENTS:	
	PFSD-DepED	PFSD-DepED	PFSD-DepED	DepED	DATE:	DATE:	FOUNDATION PLAN, ROOF FRAMING PLAN, FOOTING DETAIL, COLUMN DETAIL, WF-1, RAMP DET., ELEV., TYP. CONNECTION DET.	

NOTE: THIS DRAWING, AS AN INSTRUMENT OF SERVICE IS THE PROPERTY OF PHYSICAL FACILITIES AND SCHOOLS ENGINEERING DIVISION AND AS SUCH MUST NOT BE REPRODUCED OR COPIED IN PART OR IN WHOLE WITHOUT THEIR PERMISSION. ALL DRAWINGS ARE TO BE RETURNED WHEN NO LONGER IN USE.