

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

REGIONAL OFFICE VI

Fort San Pedro, Iloilo City



Contract ID No.: 25G00090

Contract Name: Construction of Evacuation Center, Altavas, Aklan

Location of the Contract: Altavas, Aklan

BID BULLETIN NO. 01

June 16, 2025

This bid bulletin is issued pursuant to the request of the Chief, Planning and Design Division, this Office, to correct the advertised Bill of Quantities (BOQ), scope of works, contract duration, and major categories of work, for the above-mentioned project.

FROM	ТО
Major Categories of Work: BICWOPLC - Buildings: Construction - without Piles - Low Rise - Concrete (Frame) (1 to 5 Storeys) Similar Categories of Work:	Major Categories of Work: BICWPLCDP - Buildings: Construction — with Piles - Low Rise - Concrete (Frame) - Driven Piles (1 to 5 Storeys) Similar Categories of Work:
BICWPHCCP - Buildings: Construction - with Piles – High Rise - Concrete (Frame) - Cast-in-Place Piles; BICWPLCCP - Buildings: Construction - with Piles – Low Rise - Concrete (Frame) - Cast-in-Place Piles;	BICWPHCDP - Buildings: Construction - with Piles - High Rise - Concrete (Frame) - Driven Piles; BIL - Buildings: Industrial Plant - Low Rise;
BICWPHCDP - Buildings: Construction - with Piles - High Rise - Concrete (Frame) - Driven Piles; BICWPLCDP - Buildings: Construction - with Piles - Low Rise - Concrete (Frame) -	BIM - Buildings: Industrial Plant - Medium Rise; BIH - Buildings: Industrial Plant - High Rise;
Driven Piles; BICWOPHC- Buildings: Construction - without Piles - High Rise - Concrete (Frame); BIL - Buildings: Industrial Plant - Low Rise;	
BIH - Buildings: Industrial Plant - High Rise; BIM - Buildings: Industrial Plant - Medium Rise	
Scope of works: Construction of multi-purpose building adapted from the Design of Construction of a Permanent Evacuation Multi-Purpose Covered Court from BOD including Anaerobic Baffled Reactor, Cistern Tank, Generator Set with Gensethouse, Transformer and Drop Off Shed, Parking Area and Access Road	Scope of works: Construction of multi-purpose building adapted from the Design of Construction of a Permanent Evacuation Multi-Purpose Covered Court from BOD including Anaerobic Baffled Reactor, Cistern Tank, Generator Set with Gensethouse, Transformer and Drop Off Shed,

Contract Duration: 255 C	C.D	Contract Duration: 264 C.D			
PART A. FACILITIES F	OR THE ENGINEE	R	1 1 V 1 2		
A.1.1(8)	7	A.1.1(8)	ä		
Provision of Field Office	8.50 mo.	Provision of Field Office	0.00		
or the Engineer	0.50 1110.	for the Engineer (Rental	8.80 mo. <		
Rental Basis)	/	Basis)			
PART C. EARTHWORK	S \				
303(1)a		803(1)a			
Structure Excavation	1,133.67 cu.m.	Structure Excavation	395.81 cu.m.		
Common Soil)	,	(Common Soil)	- Cannin		
304(1)a	-	804(1)a			
mbankment from		Embankment from			
Structure Excavation	962.27 cu.m.	Structure Excavation	264.92 cu.m.		
Common Soil)		(Common Soil)	1		
04(2)a	,	(Common Soll)			
Embankment from	6,928.59 cu.m.	DELET	ED		
Borrow (Common Soil)	0,920.39 Cu.III.	DELEI			
304(7)	and a	904(7)	1		
Gravel Fill	189.38 cu.m. \	804(7)	170.84 cu.m.		
PART D. PLAIN AND R	ETNEODCED CON	Gravel Fill			
00(1)c	ETHLOKCED COM				
tructural Concrete		900(1)c	7		
	224.13 cu.m. \	Structural Concrete	289.05 cu.m.		
3000 psi, Class A, 28	\	(3000 psi, Class A, 28			
ays)		days)			
00(1)c		900(1)c			
Structural Concrete	179.27 cu.m.	Structural Concrete	81.15 cu.m.		
3000 psi, Class A, 28	17 5127 Cd.III.	(3000 psi, Class A, 28	OLILO CU.III.		
lays)		days)	\\		
002(1)a1		902(1)a1	11 60		
Reinforcing Steel	19,055.62 kg.	Reinforcing Steel	17,132.07 kg.		
Deformed), Grade 40	- >	(Deformed), Grade 40	3. 5		
002(1)a2		902(1)a2			
Reinforcing Steel	62,207.96 kg.	Reinforcing Steel	45,189.68 kg.		
Deformed), Grade 60		(Deformed), Grade 60			
03(2)		903(2)			
ormworks and	1,147.63 sq.m.	Formworks and	1,080.23 sq.m.		
alseworks		Falseworks	_,		
ART E. FINISHING A	ND OTHER CIVIL				
05(1)a					
subgrade Preparation	2,850.67 sq.m.				
Common Material)	_,				
00(1)					
aggregate Sub-base	570.13 cu.m.				
Course 500 base 770.13 cd.m.					
11(1)c1		DELET	E D		
Portland Cement					
Concrete Pavement	2,850.67 sq.m.				
Unreinforced, 230mm	, , , , , , , , , , , , , , , , , , , ,				
hk, 14 Days)					

	1052(4)a2 Precast Concrete Piles, furnished (450mm x 450mm)	1,338.00 m.
ADDITIONAL	1052(14) Precast Concrete Piles, driven	1,291.00 m.
	1052(16) Test Piles, Furnished and Driven	88.00 m.
	1052(27) High Strain Dynamic Load Testing (PDA)	3.00 ea.

This bid bulletin shall form an integral part in the Bidding Documents.

Attached herewith is the corrected Bill of Quantities (BOQ) and Bid Data Sheet for reference.

For the guidance, notice and information of all concerned.

MARILOU G. ZAMORA BAC Chairperson a

Department of Public Works and Highways

Contract ID: 25G00090 🦟

Mobilization /

Demobilization

B.9(1)

Part No.

Contract Name: Construction of Evacuation Center, Altavas, Aklan

Location of the Contract: Altavas, Aklan

BILL OF QUANTITIES

Part Description: _____ ABC: **P 57,900,000.00**

In Figures: Php

In words: Pesos

In Figures: Php

In Figures: Php

), (2), (3) and (4) are to Procuring Entity		up by the	(Columns (5) and th	(6) are to be filled up by e Bidder)
Pay Item No.	Description	Unit	Quantity	Unit Price (Pesos)	Amount Pesos
(1)	(2)	(3)	(4)	(5)	(6)
PART A	FACILITIES FOR T	HE ENGI	NEER -		(5)
A.1.1(8)	Provision of field Office for the Engineer (Rental	mo.	8.80	In words: Pesos	In Figures: Php
<i>Y Y</i>	Basis)		1	In Figures: Php	
PART B	OTHER GENERAL R	EQUIRE	MENTS ,		
				In words: Pesos	In Figures: Php
B.3 (1)	Permits and Clearances	l.s.	1.00	In Figures: Php	
			8	In words: Pesos	In Figures: Php
B.5(1)	Project Billboard/ Sign Board	ea.	2.00	In Figures: Php	
B.7(1)	Occupational Safety	l.s.	1.00	In words: Pesos	In Figures: Php

1.00

l.s.

PART C	EARTHWORKS \				
				In words: Pesos	In Figures: Php
800(1)	Clearing and Grubbing	sq.m.	1,445.00		
1		**		In Figures: Php	
χ.				In words: Pesos	In Figures: Php
803(1)a	Structure Excavation	cu.m.	395.81		
	(Common Soil)	-	(In Figures: Php	
	Embankment from			In words: Pesos	In Figures: Php
804(1)a	Structure Excavation	cu.m.	264.92		
, 4	(Common Soil)			In Figures: Php	_
				In words: Pesos	In Figures: Php
804(7)	Gravel Fill	cu.m.	170.84		
21	* \	- \		In Figures: Php	-
PART D	PLAIN AND REINFO	DRCED C	ONCRETÉ W	/ORKS	
				In words: Pesos	In Figures: Php
900(1)c	Structural Concrete (3000 psi, Class A,	cu.m.	289.05		
1	28 days)	1	- '\	In Figures: Php	-
	-			In words: Pesos	In Figures: Php
900(1)c	Structural Concrete (3000 psi, Class A,	cu.m.	81.15		
	28 days)	•	1.1	In Figures: Php	
				In words: Pesos	In Figures: Php
902(1)a1	Reinforcing Steel (Deformed), Grade	kg.	17,132.07		-
40"			In Figures: Php		
				In words: Pesos	In Figures: Php
902(1)a2	Reinforcing Steel (Deformed), Grade	kg.	45,189.68		
	60			In Figures: Php	-

				In words: Pesos	In Figures: Php
903(2)	Formworks and Falseworks	sq.m.	1,080.23		
- \	. diservortis	- 3	1	In Figures: Php	
PART E	FINISHING AND O	THER CI	VIL WORKS		_
				In words: Pesos	In Figures: Php
1000(1)	Soil Poisoning	L	273.51		
/\	4		1,	In Figures: Php	_
				In words: Pesos	In Figures: Php
1001(5)b	Catch Basin (CHB)	ea.	37.00		
		- 2		In Figures: Php	
				In words: Pesos	In Figures: Php
1001(8)	Sewer Line Works	l.s.	1.00	-	
	*	* '	1	In Figures: Php	
				In words: Pesos	In Figures: Php
1001(9)	Storm Drainage and Downspout	l.s.	1.00		
	and bownspout	(;	1	In Figures: Php	_
				In words: Pesos	In Figures: Php
1001(11)	Septic Vault/Tank (Concrete/CHB)	l.s.	1.00		
- /	(3000)	- 1		In Figures: Php	
				In words: Pesos	In Figures: Php
1002(4)	Plumbing Fixtures	l.s.	1.00		
-			, X	In Figures: Php	
				In words: Pesos	In Figures: Php
.002(24)	Cold Water Lines	l.s.	1.00	·	
		_		In Figures: Php	÷

				In words: Pesos	In Figures: Php
1002(26)	Cistern	l.s.	1.00		_
			1	In Figures: Php	_
1000(1) 1	Ceiling (4.5mm,			In words: Pesos	In Figures: Php
1003(1)a1	Metal Frame, Fiber Cement Board)	sq.m.	810.90	In Figures: Php	
				In words: Pesos	In Figures: Php
1003(1)e	Ceiling (Metal Frame, Prepainted Metal Panel)	sq.m.	277.12		
	Metal Pallel)	- 1		In Figures: Php	
				In words: Pesos	In Figures: Php
1003(23)	Modular Partition	l.s.	1.00		
`				In Figures: Php	
				In words: Pesos	In Figures: Php
1006(6)	Steel Doors and Frames	l.s.	1.00		
-				In Figures: Php	
	Aluminum Glass			In words: Pesos	In Figures: Php
1008(1)a	Windows (Sliding Type)	sq.m.	15.30		
	Турсу	4	2	In Figures: Php	_
	Alamaia a	Ý		In words: Pesos	In Figures: Php
1008(1)c	Aluminum Glass Windows (Awning	sq.m.	18.18		
7	Type)	, ,	- 1	In Figures: Php	
	Alimatini, Gl	<i>f.</i>		In words: Pesos	In Figures: Php
1008(1)d	Aluminum Glass Windows (Fixed	sq.m.	14.40		
-	Type)	1	//	In Figures: Php	

1010(1)	Frames (Jambs, Sills, Head, Transoms and	set	34.00	In words: Pesos	In Figures: Php
× ,	Mullions)			In Figures: Php	
				In words: Pesos	In Figures: Php
1010(2)b	Doors (Wood Panel)	sq.m.	55.34		
		\ \ \	~ \	In Figures: Php	
	Fabricated Metal Roofing Accessory			In words: Pesos	In Figures: Php
1013(2)a	(Gauge 26 (0.551	l.m.	34.00		
	mm), Ridge Roll)		4	In Figures: Php	
-	F.1	-		In words: Pesos	In Figures: Php
1012/2)5	Fabricated Metal Roofing Accessory		220.24		_
1013(2)b	(Gauge 26, 0.551	l.m.	230.34		
-	mm thk., Flashing)		- /	In Figures: Php	
	Fals to a line of			In words: Pesos	In Figures: Php
1012/2\-	Fabricated Metal Roofing Accessory		160 50		
1013(2)c	(Gauge 24, 0.701	I.m.	162.50	In Figures, Dhn	
	mm thk., Gutters)		/	In Figures: Php	_
				In words: Pesos	In Figures: Php
1013(4)	Roof Ventilators	ea.	4.00		
- \	* *	7	-	In Figures: Php	_
/		1			-4
	Prepainted Metal			In words: Pesos	In Figures: Php
1014(1)-2	Sheets (above		1 001 63	-	-
1014(1)a2	0.427 mm, Corrugated Long	sq.m.	1,891.62	In Figures: Php	
	Span)		1		
		e		In words: Pesos	In Figures: Php
	Waterproofing				_
1016(1)a	(Cement-base)	sq.m.	79.20		
1	- 1	_ <	Age	In Figures: Php	

				In words: Pesos	In Figures: Php
1018(1)	Glazed Tiles and Trims	sq.m.	348.43		
	() () () () () () () () () ()	-	1	In Figures: Php	_
				In words: Pesos	In Figures: Php
1018(2)	Unglazed Tiles	sq.m.	300.18		_
				In Figures: Php	
				In words: Pesos	In Figures: Php
1021(1)b	Cement Floor Finish (Colored)	sq.m.	1,141.51		
	(66.6.64)		- 1	In Figures: Php	
				In words: Pesos	In Figures: Php
1021(6)	Nonslip Finish	sq.m.	48.87		
5	- \		1	In Figures: Php	
				In words: Pesos	In Figures: Php
1027(1)	Cement Plaster Finish	sq.m.	1,518.41		
	-	Š	< 1	In Figures: Php	
				In words: Pesos	In Figures: Php
1032(1)a	Painting Works (Masonry/Concrete)	sq.m.	2,242.10		
				In Figures: Php	
	1			In words: Pesos	In Figures: Php
1032(1)b	Painting Works	sq.m.	120.77		
	(Wood)	1		In Figures: Php	
		-/-		In words: Pesos	In Figures: Php
1022(1)	Painting Works				- In Figure 5. Trip
1032(1)c	(Steel)	sq.m.	1,296.67	In Figures: Php	

				In words: Pesos	In Figures: Php
1033(1)	Metal Deck Panel	l.m.	14.44	In Figures: Php	
				In words: Pesos	In Figures: Php
1038(1)	Reflective Insulation	sq.m.	888.03	In Figures: Php	
1046/2)-1	100mm CHB Non-Load Bearing		250.00	In words: Pesos	In Figures: Php
1046(2)a1	(including Reinforcing Steel)	sq.m.	250.00	In Figures: Php	=
	150mm CHB Non-Load Bearing			In words: Pesos	In Figures: Php
1046(2)a2	(including Reinforcing Steel)	sq.m.	j.m. 766.42	In Figures: Php	
	/			In words: Pesos	In Figures: Php
1046(3)	Louver Block	sq.m.	6.67	In Figures: Php	
			_	In words: Pesos	In Figures: Php
1047(2)	7(2) Metal Structures	l.s.	1.00	In Figures: Php	
	Metal Structure			In words: Pesos	In Figures: Php
1047(4)b	Accessories (Turnbuckle)	ea.	172.00	In Figures: Php	
	Metal Structure			In words: Pesos	In Figures: Php
1047(5)a	Accessories (Bolts and Rods)	kg.	628.73	In Figures: Php	

				In words: Pesos	In Figures: Php
1047(5)b	Metal Structure Accessories	ka	2,082.99	s 	
ח(ר) ובחד	(Sagrods)	kg.	2,002.99	In Eigeness Phys	-
	(,	>		In Figures: Php	
				In words: Pesos	In Figures: Php
1047(5)c	Metal Structure Accessories (Cross	kg.	10,770.46		
3	Bracing)			In Figures: Php	
	~			In words: Pesos	In Figures: Php
1047(5)d	Metal Structure Accessories (Steel	kg.	8,276.55		
1017(3)4	Plates)	ivg.	0,270.55	In Figures: Php	_
	/			In words: Pesos	In Figures, Dhe
					In Figures: Php
1047(6)	Structural Steel	kg.	15,179.83		
	/- /-		_/ \	In Figures: Php	
				In words: Pesos	In Figures: Php
1047(8)a	Structural Steel	kg.	45,641.35	-	
1017(0)4	(Trusses)	kg.	19,011.55	In Figures: Php	
			100		_
				In words: Pesos	In Figures: Php
1047(8)b	Structural Steel	kg.	30,930.54		
_ \	(Purlins)	1	1	In Figures: Php	
		-		In words: Pesos	In Figures: Php
	Precast Concrete				
1052(4)a2	Piles, furnished (450mm x 450mm)	m.	1,338.00	To Figure 2. Disc	
1	(+30IIIII X 430IIIII)	>	67	In Figures: Php	_
17		- 5		In words: Pesos	In Figures: Php
1052(14)	Precast Concrete	m.	1,291.00	y	_
T/1/1/2/1 1 "T 1	Piles, driven		1,252.00		

				In words: Pesos	In Figures: Php
1052(16)	Test Piles, Furnished and	m.	88.00	A	
2002(10)	Driven		\$	In Figures: Php	-
- 2		24			_
				In words: Pesos	In Figures: Php
1052(27)	High Strain Dynamic Load	ea.	3.00		-
1032(27)	Testing (PDA)	ca.	5.00	In Figures: Php	-
1	1	- 2			-
				In words: Pesos	In Figures: Php
1051(0)	Dailing	1.5	1.00		_
1051(8)	Railing	l.s.	1.00	In Figures: Php	_
					_
PART F	ELECTRICAL WORK	s .		1	-
	Conduit Payer 9			In words: Pesos	In Figures: Php
1100(10)	Conduit, Boxes & Fittings (Conduit	l.s.	1.00		
1100(10)	Works/Conduit Rough-in)	113.	1.00	In Figures: Php	-
7	. tough my				
				In words: Pesos	In Figures: Php
1101(33)	Wires and Wiring Devices	l.s.	1.00	-	_
Y	Devices	-		In Figures: Php	
	/		- ; -	In words: Pesos	In Figures: Php
	Panelboard with			3	_
1102(1)	Main & Branch Breakers	l.s.	1.00		
	Di cultoro		1	In Figures: Php	
	Pole Mounted Distribution			In words: Pesos	In Figures: Php
1102(10)	Transformer (OISC)	l.s.	1.00		
1102(10)	with Complete Accessories, Pole	1131	1.00	In Figures: Php	-
46	Type -		- Y		T. Fin. Di
	Congrator (single			In words: Pesos	In Figures: Php
1102(16)a1	Generator (single or three phase,	l.s.	1.00		
	Stand-by)	Z	-	In Figures: Php	

1103(1)	Lighting Fixtures	l.s.	1.00	In words: Pesos In Figures: Php	In Figures: Php
Total					In words: Pesos In Figures: Php

Submitted by:
Name and Signature of Bidder's Representative
Date:
Position:
Name of Bidder:

Bid Data Sheet

ITB Clause	
1.0	The Procuring Entity, Department of Public Works and Highways Regional Office VI invites Bids for the 25G00090 - Construction of Evacuation Center, Altavas, Aklan
	The scope of the Works under this Contract is
	Construction of multi-purpose building adapted from the Design of Construction of a Permanent Evacuation Multi-Purpose Covered Court
	from BOD including Anaerobic Baffled Reactor, Cistern Tank, Generator Set with Gensethouse, Transformer and Drop Off Shed,
2.1	The GOP through the source of funding for FY 2025 General Appropriations Act (GAA) in the amount of Php 57,900,000.00 (ABC).
2.2	The source of funding is:
	NGA, the General Appropriations Act or Special Appropriations.
3.0	All prospective bidders are expected to have visited the project site prior to the opening of bids. Bidder may submit an affidavit of site inspection in the technical component of their bid as proof that they have visited the site.
5.2	The following are the "Major Categories of Works" involved in the contract to be bid: BICWPLCDP - Buildings: Construction - with Piles - Low Rise - Concrete (Frame) - Driven Piles (1 to 5 Storeys)
	The following are the "Similar Categories of Works" that shall be considered in the evaluation of the work experience required for the contract to be bid:
	> BICWPHCDP - Buildings: Construction - with Piles - High Rise - Concrete (Frame) - Driven Piles
	BIL —Buildings: Industrial Plant - Low Rise * BIM — Buildings: Industrial Plant - Medium Rise * BIH — Buildings: Industrial Plant - High Rise *
	The following "Qualifiers" shall be applied to this contract: Not Applicable
7.1	a. Subcontracting is not allowed.
8.1	The Procuring Entity will hold a Pre-Bid Conference for this Project or June 10, 2025 at Bidding Room, Procurement Section {Insert is applicable and through video-conferencing/ webcasting via [insert website, application or technology to be used]} which shall be open to prospective bidders.