



Republic of the Philippines  
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS  
**APAYAO 2<sup>ND</sup> DISTRICT ENGINEERING OFFICE**  
San Isidro Sur, Luna, Apayao, Cordillera Administrative Region



Name of Procuring Entity Revised on	Request for Quotation (P.R. No.) Date	2024-03-06 MAR 06 2024
Standard Form/Title	REQUEST FOR QUOTATION	Office/End-User: MAINTENANCE SECTION
COMPANY NAME:		
ADDRESS		
TEL/FAX NO.	TIN. NO.	
Please quote your lowest price on the item(s) listed below, subject to the Terms and conditions stated below and submit your quotation duly signed by your representative not later than 2:00 p.m. of <b>MAR 13 2024</b> in the return envelope attached herewith to the BAC Secretariat for Goods, DPWH-Apayao 2nd District Engineering Office, Luna, Apayao.		

**TERMS AND CONDITIONS**

- All entries must be typewritten or legibly written.
- Delivery period within 60 cd upon receipt of the approved funded Purchase order (P.O.), Administrative penalties pursuant to Sec. 09 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
- Warranty shall be for a minimum of three (3) months for supplies & materials, one year for equipment from date of acceptance by the end-user.
- Price validity shall be for a period of sixty (60) calendar days.
- e-GEPS Registration Certificate/Mayor's Permit and Income Tax Return/Business Tax shall be attached upon submission of the quotation.
- Bidders shall submit Omnibus Sworn Statement.
- Bidders shall submit original brochures showing certifications of the product if applicable.
- Please indicate the brand for each items being offered.
- The approved budget ceiling for this procurement is **P 738,625.00**

**AUREL A. PEREZ**  
BAC Chairperson

Item No.	DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL PRICE
I	<b>FOR USE OF MITSUBISHI STRADA L200 H1-5982 / ADX 666</b>				
1	Tires 265/60 R18 Tubeless Radial w/ tire valve Plies: Tread polyester 2 + Steel 2 Sidewall polyester 2 Load range Max load 1120 kg (2469 LBS) at 300 kPa (44PSI) MAX. PRESS. (for All Terrain)	4	Pcs		
II	<b>FOR USE OF MITSUBISHI L300 FB H1-6302 / CS: B2G372</b>				
1	Tires 185 R14 Tubeless Max. Load Single 850kg (1875 lbs) at 450 kPa (65psi) cold Max. Load Dual 800kg (1765 lbs) at 450 kPa (65psi) cold Tread: 2 Polyester + 2 Steel + 2 Nylon Sidewall: 2 Plies (Polyester)	4	Pcs		
III	<b>FOR USE OF TOYOTA HI-LUX ( 2KD ) H1-5029 / SKA-465</b>				
1	Front cushion sub-assembly (Original)	4	Pcs		
2	Center cushion sub-assembly (Original)	4	Pcs		
3	Rear cushion sub assembly (Original)	4	Pcs		
IV	<b>FOR USE OF ISUZU MINI DUMPTRUCK (4KH1) H3-7081 / CS: U5 T059</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	10	Lits		
2	Oil filter	1	Pc		
3	Fuel filter	1	Pc		
4	fuel filter with water separator	1	Pc		
5	Air filter	1	Pc		
6	Super Heavy Duty Brake fluid DOT 3	1	Pc		
7	Grease Multipurpose 3 NLGI 3 (2kg/pc)	1	Pc		
V	<b>FOR USE OF HINO D/T (JO8C) H3-6402 / SKC 578</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	20	Lits		
2	fuel filter	1	Pc		
3	oil filter	1	Pc		
4	Fuel filter with water separator	1	Pc		
5	Super Heavy Duty Brake fluid DOT 3	1	900ml		
6	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pc		
7	Gear oil SAE 90	12	Lits		
8	Gear oil SAE 140	24	Lits		
9	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pails		



<b>VI</b>	<b>FOR USE OF ISUZU D/T (6WF1) H3-6584 / SIC 777</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	25	Lits		
2	Fuel filter Element	1	Pc		
3	Oil filter C-406	1	Pc		
4	Oil filter 1	1	Pc		
5	Oil filter 2	1	Pc		
6	Filter w/ water separator	1	Pc		
7	Super Heavy Duty Brake fluid DOT 3	1	900ml		
8	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pc		
9	Gear oil SAE 90	12	Lits		
10	Gear oil SAE 140	24	Lits		
<b>VII</b>	<b>FOR USE OF JAC SWORD D/T (YC6J190) H3-6905 / CS: XM2017</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	24	Lits		
2	oil filter	1	Pc		
3	fuel filter Primary	1	Pc		
4	fuel filter Secondary	1	Pc		
5	Fuel filter with water separator	1	Pc		
6	Super Heavy Duty Brake fluid DOT 3	1	900ml		
7	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pcs		
8	Gear oil SAE 90	12	Lits		
9	Gear oil SAE 140	24	Lits		
<b>VIII</b>	<b>FOR USE OF SINOTRUK DUMPTRUCK (YC6J220) H3-6939/ CS: U8 W791</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	20	Lits		
2	oil filter	1	Pc		
3	fuel filter	1	Pc		
4	fuel filter with water separator	1	Pc		
5	Super Heavy Duty Brake fluid DOT 3	1	900ml		
6	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pc		
7	Gear oil SAE 90	12	Lits		
8	Gear oil SAE 140	24	Lits		
9	Adblue fluid (Diesel Exhaust Fluid) 20 lits	2	Pail		
<b>IX</b>	<b>FOR USE OF SINOTRUK DUMPTRUCK (YC6J220) H3-6968 / NAN 7069</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	20	Lits		
2	oil filter	1	Pc		
3	fuel filter	1	Pc		
4	fuel filter with water separator	1	Pc		
5	Super Heavy Duty Brake fluid DOT 3	1	900ml		
6	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pc		
7	Gear oil SAE 90	12	Lits		
8	Gear oil SAE 140	24	Lits		
9	Adblue fluid (Diesel Exhaust Fluid) 20 lits	2	Pail		
<b>X</b>	<b>FOR USE OF SD-LG LG936 PAYLOADER (6BT5.9 - C130) L2-1462</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	20	Lits		
2	oil filter	1	Pc		
3	fuel filter 1	1	Pc		
4	fuel filter 2	1	Pc		
5	fuel filter with water separator	1	Pc		
6	Transmission oil Multigrade SAE 15W40 API-CH-4 (by liters only)	12	Lits		
7	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pails		
8	Super Heavy Duty Brake fluid DOT 3	1	900ml		
9	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pc		
<b>XI</b>	<b>FOR USE OF BULL HD936 PAYLOADER (6P18F) L2-1570</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	20	Lits		
2	oil filter	1	Pc		
3	fuel filter 1	1	Pc		
4	fuel filter 2	1	Pc		
5	Transmission oil Multigrade SAE 15W40 API-CH-4	12	Lits		
6	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pails		
7	Super Heavy Duty Brake fluid DOT 3	1	900ml		
8	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pc		
<b>XII</b>	<b>FOR USE OF XCMG LW300FN PAYLOADER PT (WP6G) L2-1603</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	25	Lits		
2	oil filter	1	Pc		
3	fuel filter 1	1	Pc		
4	fuel filter 2	1	Pc		
5	Automatic Transmission Fluid (ATF)	40	Lits		
6	Super Heavy Duty Brake fluid DOT 3	1	900ml		
7	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pcs		
8	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pails		



<b>XIII</b>	<b>FOR USE OF XCMG LW300FN PAYLOADER PT (WP6G) L2-1611</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	25	Lits		
2	oil filter	1	Pc		
3	fuel filter 1	1	Pc		
4	fuel filter 2	1	Pc		
5	Super Heavy Duty Brake fluid DOT 3	1	900ml		
6	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pcs		
7	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pails		
8	Side bucket tooth L & R	2	Pcs		
9	Bucket tooth	4	Pcs		
10	Side & Bucket tooth bolt LW300	12	Pcs		
11	Side & Bucket tooth nut LW300	12	Pcs		
<b>XIV</b>	<b>FOR USE OF XCMG LW300FN PAYLOADER (WP6G) L2-1658</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	25	Lits		
2	oil filter	1	Pc		
3	fuel filter 1	1	Pc		
4	fuel filter 2	1	Pc		
5	Automatic Transmission Fluid (ATF)	40	Lits		
6	Super Heavy Duty Brake fluid DOT 3	1	900ml		
7	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pcs		
8	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pails		
9	Side bucket tooth L & R	2	Pcs		
10	Bucket tooth	4	Pcs		
11	Side & Bucket tooth bolt LW300	12	Pcs		
12	Side & Bucket tooth nut LW300	12	Pcs		
<b>XV</b>	<b>FOR USE OF XCMG LW300FN PAYLOADER (WP6G) L2-1659</b>				
1	Diesel Engine oil Multigrade SAE 15W40 API-CH-4 (by liters only)	25	Lits		
2	oil filter	1	Pc		
3	fuel filter 1	1	Pc		
4	fuel filter 2	1	Pc		
5	Automatic Transmission Fluid (ATF)	40	Lits		
6	Super Heavy Duty Brake fluid DOT 3	1	900ml		
7	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pcs		
8	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pails		
9	Side bucket tooth L & R	2	Pcs		
10	Bucket tooth	4	Pcs		
11	Side & Bucket tooth bolt LW300	12	Pcs		
12	Side & Bucket tooth nut LW300	12	Pcs		
<b>XVI</b>	<b>FOR USE OF HYDRAULIC EXCAVATOR DOOSAN DX225LCA ( DB58 TIS ) F16-43</b>				
1	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pcs		
2	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pail		
<b>XVII</b>	<b>FOR USE OF VOLVO EW145B HYDRAULIC EXCAVATOR F17-205</b>				
1	Grease Multipurpose 3 NLGI 3 (2kg/pc)	2	Pcs		
2	Hydraulic Oil / Fluid ISO 68 (18lits/pail)	2	Pail		
<b>XVIII</b>	<b>FOR USE OF TOYOTA HILUX 2.4L 4X4 E MT H1-8195 / BAB 8801</b>				
1	TIRES 265/65 R17 Tubeless Extra Load Steel Belted radial Plies Tread 2 Steel + 2 Polyester + 1 Nylon Plies Sidewall 2 polyester Max Load 1250 kg (2756 LBS) Max Pressure 340 kPa (50 PSI) All Terrain	4	Pcs		
	The awarding of this RFQ will be on a lumpsum basis				
	Prospective Suppliers must quote for all the items				
	otherwise they will be subjected for disqualification.				

Brand and Model \_\_\_\_\_

Warranty \_\_\_\_\_

Delivery period \_\_\_\_\_

Price validity \_\_\_\_\_

After having carefully read and accepted your General Conditions, I/We quote you on the item(s) at prices note above. If the space for Delivery Period, Warranty and price Validity are left blank, it means disqualification.

\_\_\_\_\_  
Printed Name/Signature/Date