

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CENTRAL OFFICE



		Manila			_			
Name o	of Procuring Entity :	Request for Quotation (P.R. M	lo.):		2025-03-104 (Re	bidding)		
Revise		Date: May 27, 2025			ABC: Php 82,673.			
	rd Form/Title: REQUEST FOR QUOTATION		Of	fice/End-User:		VISION, PLANNING		
	of Procurement: Shopping (Section 52.1(b))				-	ERVICE		
	ANY NAME:			PHILGEPs I	No.:			
ADDR		100		TCC No.:				
	AX NUMBER:			TIN:				
Please Service of Quota terms TERM 1. All 2. Del Adm deliv 3. Wa of a 4. Pric 5. Phill DTI 6. To equ 7. For 8. For 9. Bidd awa	e submit your quotation for the item(s) listed by the submit your quotation for the item(s) listed by the submitted open or sealed and submitted open or sealed a	ritten. on receipt of the approved the Revised IRR-RA 9184 s months for supplies and calendar days. mit shall be attached upon bmitted before the award of tach/include in its quotation cial or Universal Bank. above Php 500,000.00, Include Php50,000.00, Omnil Il submit a proposal on each of sum basis.	funded Puhall be implemented in a Committee and Ebus Sworn item and item an	person at Rinail, facsiminal,	le or E-mail, not horized represent ler (P.O). on- ffice equipment otation. O.). Credit (CLC) x Return shall be shall be attached and	tative subject to the		
non- 11. Th all b 12. Th 13. Bic	y erasure, correction or alteration made by complying, hence, a ground for disqualificate DPWH reserves the right to accept or rejected at any time prior to contract award with the brand and model for each item/s being of the smay be submitted: (a) in-person at the Gossed to: bacg_co@dpwh.gov.ph (docume	tion. ect any bid to annul the bid nout thereby incurring any l fered must be indicated. bods and Services Division.	ding proce iability to t	ss, and to r the affected	reject 1 bidder. or (b) through e	lectronic mail nents, if any.)		
				. TO A	at 5 1			
				7.0 1	Mension: June 11, 2025			
		, ,	end x			Henrion: June 18, 2025		
	A	MEDMIER G. MALIC Assistant Secretary for Lennica and Information Management Chairperson, BAC for Go SO No.48, Series of 202:	al Services t Service ods	361 TX	envion: June	25, 2025		
Item No.	ITEMS and DESCRIF	TION	QTY	UNIT	UNIT PRICE	TOTAL PRICE		
	Surveying Instruments used for the cor and Inventory Survey, VOC/RUC Survey WHEEL METER - 12" Aluminum wheel cor	ys and Technology Enhar	/ and other	er related I	Road and Bridge A activities and	- Road Condition		
1	(1,000m) with convenient push-button rese handle with ergonomic handle (Telescopic) Protective bag, light and handy measuring	et, 2-section snap-lock), Built-in Kickstand, with	6	рс				

LONG TAPE MEASURE - Corrosion-Resistant with Rubber Grip, Reinforced Blade End, End Loop for easy pulling and anchoring, 50m Long Tape, 19mm, Steel - Coated Blade, 3:1 Gear Ratio.	6	рс			
STEEL TAPE MEASURE - 10m Long tape with Rubber grip, ABS case, Metal belt clip is fastened on the back of case, Yellow Metricinch scale (with fraction), With three rivets hook, 0.15mm blade thickness, Nylon coated blade	6	pc			
STRAIGHT EDGE and MEASURING WEDGE - Customized 1.2m Long made with lightweight, Aluminum Alloys, two 10mm high feet attached at the 400mm and 800mm points on one face of the aluminum with handle, with corresponding measurements on the measuring wedge.	2	рс			
(please see attached photo and details)					
TOTAL AMOUNT (Php)					
Please specify total amount in words (Php)					
having carefully read and accepted your general conditions. I / We guote you on the ite	am/c) at ari	icos noto obeve. T	If the space for Delivery Period, Warrant		
Tel. Nos.5304-3188/5304-3530/5304-3208		Signature Over Printer Name/Date			
<u>ldress:</u> bacg_co@dpwh.gov.ph					
T/MVSG		Tel. no.,	/Cellphone No./E-mail Address		
the distance of the distance o	Reinforced Blade End, End Loop for easy pulling and anchoring, 50m Long Tape, 19mm, Steel - Coated Blade, 3:1 Gear Ratio. STEEL TAPE MEASURE - 10m Long tape with Rubber grip, ABS case, Metal belt clip is fastened on the back of case, Yellow Metric-inch scale (with fraction), With three rivets hook, 0.15mm blade thickness, Nylon coated blade STRAIGHT EDGE and MEASURING WEDGE - Customized 1.2m Long made with lightweight, Aluminum Alloys, two 10mm high feet attached at the 400mm and 800mm points on one face of the aluminum with handle, with corresponding measurements on the measuring wedge. (please see attached photo and details) TOTAL AMOUNT (Php) Please specify total amount in words (Php) Please specify total amount in words (Php) **Specify brand names & model, if applicable.** d Name & Model: **Very Period:** **Landing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your general conditions, I / We quote you on the ite availing carefully read and accepted your gene	LONG TAPE MEASURE - Corrosion-Resistant with Rubber Grip, Reinforced Blade End, End Loop for easy pulling and anchoring, 50m Long Tape, 19mm, Steel - Coated Blade, 3:1 Gear Ratio. STEEL TAPE MEASURE - 10m Long tape with Rubber grip, ABS case, Metal belt clip is fastened on the back of case, Yellow Metric-inch scale (with fraction), With three rivets hook, 0.15mm blade thickness, Nylon coated blade STRAIGHT EDGE and MEASURING WEDGE - Customized 1.2m Long made with lightweight, Aluminum Alloys, two 10mm high feet attached at the 400mm and 800mm points on one face of the aluminum with handle, with corresponding measurements on the measuring wedge. (please see attached photo and details) TOTAL AMOUNT (Php) Please specify total amount in words (Php) Please specify total amount in words (Php) **Specify brand names & model, if applicable.** d Name & Model: Very Period: Price Vanaving carefully read and accepted your general conditions, I / We quote you on the item(s) at price validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH. Tel. Nos.5304-3188/5304-3530/5304-3208 Iddress: bacg_co@dpwh.gov.ph	LONG TAPE MEASURE - Corrosion-Resistant with Rubber Grip, Reinforced Blade End, End Loop for easy pulling and anchoring, 50m Long Tape, 19mm, Steel - Coated Blade, 3:1 Gear Ratio. STEEL TAPE MEASURE - 10m Long tape with Rubber grip, ABS Case, Metal belt clip is fastened on the back of case , Yellow Metricinch scale (with fraction), With three rivets hook, 0.15mm blade thickness, Nylon coated blade STRAIGHT EDGE and MEASURING WEDGE - Customized 1.2m Long made with lightweight, Aluminum Alloys, two 10mm high feet attached at the 400mm and 800mm points on one face of the aluminum with handle, with corresponding measurements on the measuring wedge. (please see attached photo and details) TOTAL AMOUNT (Php) Please specify total amount in words (Php) Please specify total amount in words (Php) Specify brand names & model, if applicable. d Name & Model: Very Period: Price Validity: Price Vali		

STRAIGHT EDGE and MEASURING WEDGE

-1.2 m Long made with lightweight, Aluminum Alloys, two 10mm high feet attached at the 400mm and 800mm points on one face of the aluminum with handle, with corresponding measurements on the measuring wedge.



