



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2ND DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

Name of Procuring Entity: DPWH ZN 2nd District Engineering Office

Revised on:

Standard Form/Title:

COMPANY NAME: _____

ADDRESS: _____

TEL. NO./FAX NO.: _____

Request for Quotation : **P.R. No. 24-04-062**

Date: **04/03/2024**

Office/End-User: **Maintenance Section**

TIN: _____

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below, and submit your quotation duly signed by your representative not later than 10:00 A.M. of _____ with the return envelope attached herewith, to the BAC Secretariat for Goods, Sta. Isabel, Dipolog City.

TERMS AND CONDITIONS:

1. All entries must be typewritten or legibly written.
2. Delivery period within ten (10) calendar days upon receipt of the approved funded Purchase Order (P.O.) Administrative Penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar Days.
5. PhilGEPS Registration Certificate/Mayor's Permit/DTI shall be attached upon submission of the quotation.
6. Bidders shall submit original brochures showing certifications of the product, (If applicable)
7. Please indicate the brand for each items being offered.
8. The approved budget ceiling for this procurement is **Php999,237.94**


CHARITY D. RELLOSA

BAC Chairperson

REQUEST FOR QUOTATION

Item No.	ITEMS & DESCRIPTIONS	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
1	Thermoplastic Paint (White)	415	bag		
2	Glass Beads (Pre-Mix)	42	bag		
3	Primer (White)	166	ltr		
4	LPG (50kg)	9	cyl		
5	LPG (12kg)	5	cyl		
6	Calsumine	166	kg		
	X-X-X-X-X-X-X-X-X-X-X-X				
Purpose:	Purchase of materials for use in Thermoplastic Road				
	Marking Kneading and Applicator Machine for the				
	Maintenance of road markings along National Roads &				
	Bridges for the 2nd quarter CY-2024, this district.				

Brand Model: _____

Delivery Period: _____

Total Amount P -----

Warranty: _____

Price Validity: _____

After having carefully read and accepted your General Conditions, I/We quote you on the item(s) at prices above.

If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.


BAC - SECRETARIAT:

Tel. No. 212 - 2538

Fax. No. (065) 212 - 2538

Printed Name/Signature/Date

Tel. No./Cellphone No./E-mail Address



2nd DISTRICT ENGINEERING OFFICE

REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

APPROVED BUDGET FOR THE CONTRACT (ABC)

Summary of Costs


Fill out all the spaces provided. Write (N/A) if not applicable.

No.	Item	Cost
1	Actual Market Price of Product	PHP 999,237.94
2	Incidental Expenses	
	• Taxes/Customs/Duties	N/A
	• Licenses/Registration	N/A
	• Insurance	N/A
	• Storage/Freight/Hauling	N/A
	• Installation/Removal	N/A
	• Training Costs	N/A
	• Cost of Inspection	N/A
	• Others: (Specify)	
3	Cost of Money/Adjustment for Inflation	N/A
4	Discounts (for Bulk Buying)	N/A
5	Spare Parts/Maintenance Costs/Warranty	N/A
6	Adjustment for currency valuation	N/A
	(if procured from a foreign country/abroad)	
7	Life cycle cost	N/A
	Grand Total	PHP 999,237.94

Prepared by:


ILDE DEXTÉ T. ALFARO
Engineer III/Maintenance Section

Approved by:


NORMAN C. CARPIO
OFFICER-IN-CHARGE
OFFICE OF THE DISTRICT ENGINEER



DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2nd DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City


Technical Specifications for
REFLECTIVE THERMOPLASTIC PAINT
(WHITE)

TECHNICAL SPECIFICATIONS	MINIMUM REQUIRED
	WHITE
COMPONENT	COMPOSITION OF CONSTITUENTS
Binder, min.	18
Glass Beads	30-40
Titanium Dioxide, min.	10
Chrome Yellow, Medium, min.	
Calcium Carbonate and Inert Filler, Max.	42

Note: The pigment, beads and filler shall be uniformly dispersed in the resin. The material shall be free from all skins, dirt and foreign objects and shall comply with the requirements as specified.

TECHNICAL SPECIFICATIONS	MINIMUM REQUIRED
	WHITE
PROPERTY	PHYSICAL CHARACTERISTICS
Specific Gravity, max.	2.15
Drying Time, minutes max.	10
Bond Strength to Portland Cement Concrete after heating for four (4) hours ± 5 min. @ 218°C , MPa, max.	1.24
Cracking Resistance @ low temp. after heating for four (4) hours ± 5 min. @ $218 \pm 2^{\circ}\text{C}$	No Cracks
Impact Resistance after heating for four (4) hours ± 5 min. @ $218 \pm 2^{\circ}\text{C}$ and forming test specimens, mm/kg, min.	115
Softening Point after heating for four (4) hours ± 5 min. @ $218 \pm 2^{\circ}\text{C}$	$102.5 \pm 9.5^{\circ}\text{C}$
Daylight reflectant @ 45 Degrees – 0 Degrees, % min.	75

Source: DPWH Standard Specifications for Highways, Bridges and Airports 2013 conforming to AASHTO M249.


ROLLY JAY B. BACARA
Engineer II
Maintenance Section