	Republic of the second s					
	Department of Public		0	iys		
	NATIONAL CA	PITAL RE	GION		-	
	Manila					1 of 3
Name of Pro	curing Entity				otation (P.R.): 202	5-03-016
Revised on Standard Fo	rm/Title REQUEST FOR QUOTATION			Date: 03/20/2025 Office/End-User: DPWH-NCR		
COMPANY N				Office/End-Ose	I. DPWH-INCK	
	RESS :					
TEL. NO./F						
	puote your lowest price on the item(s) listed below, subject to the	Terms an	d Conditio	listed below and	submit your quotation	
	y your representative not later than 9:00 A.M. of March 24, 202					
	iat, 2nd Floor, 2nd St., Port Area, Manila					
TERMS and C					$\frown$	
1. All entries must be type written or lightly written				Very truly yours,		
2. Delivery period within <u>Five (5)</u> calendar days upon receipt of the approved funded						
Purchase Or	der (P.O.), Administrative penalties pursuant to Sec. 69 of the Revis	sed		(	// .	/
IRR-RA 9184	4 shall be imposed for non-delivery without valid reason.			\	-// /	/
3. Warranty sha	all be for a minimum of three (3) months for supplies & materials, or	ie (1) year			ND ACHAKES N. DAN	
Equipment, f	rom date of acceptance by the end-user			Chief, Adminir rative Division		
	shall be for a period of sixty (60) calendar days.				BAC Chairperson	
	Registration Certificate or Registration No./ Mayor's Permit/ DTI or S					
	ax Clearance / Omnibus Sworn Statement (For ABCs above ₱50K)		lusiness			
-	For ABCs above ₱500k) shall be attached upon submission of the o	juotation.				
	I submit brochures showing certifications of the product applicable	lite and war	rent (			
	ate the brand for each item being offered, delivery period, price valic ts must be CERTIFIED TRUE COPY.	iity and war	ranty.			
	d budget ceiling for this procurement is <b>Php 801,000.00</b>					
		I				BRAND AND
ITEM NO.	ITEM & DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL AMOUNT	MODEL
1	Customized Self Inking Stamp	2	рс	Р	Р	
	<ul> <li>Text template: at least 82 x 25mm</li> </ul>					
	- Rubber Text Line: Max. 8 lines					
	- End user will provide the design					
2	Self-inking Dating Stamp	5	рс	Р	Р	
	Format: Month-Day-Year			Ī		
3	Storage Box, with lid	100	рс	Р	Р	
4	Mobile Pedestal	5	pc	P	P	
-	Powder-coated steel					
	With 3 Drawers including 1 Central Lock, 1 Pen Ti	rav				
	and File Divider					
5	Storage Cabinet - Sliding Glass Door	2	unit	Р	Р	
	All steel fabricated in cold rolled sheets (CRS) Gau			l. 		
	with Four (4) adjustable shelves, sliding glass doc	0	. <u>_</u>			
	4mm thickness with metal frame provided with flu					
		1911		+		
	handle with lock and duplicate keys					
6	Dimension: 84"H x 36"W x 18"D	~		D		
6	Storage Cabinet - Sliding Glass Door	3	unit	Р	Р	
	All steel fabricated in cold rolled sheets (CRS) Gau		2			
	with Four (4) adjustable shelves, sliding glass doc		ļ			
	4mm thickness with metal frame provided with flu	ısh				
	4mm thickness with metal frame provided with flu					

Delivery Period :\_\_\_\_\_

\_\_\_\_\_

Price Validity : \_\_\_\_

Warranty :\_\_\_\_\_

After having carefully read and accepted your General condition I / We quote you on the item(s) at prices noted above.

Printed Name/Signature

	Republic of th	e Philippi	nes			
	Department of Public		0	ays		
	NATIONAL CAP	PITAL RE	GION			
	Manila					2 of 3
Name of Pro	curing Entity				otation (P.R.): 202	5-03-016
Revised on				Date: 03/20/20		
Standard Fo				Office/End-Use	r: DPWH-NCR	
COMPANY N						
TEL. NO./F						
	puote your lowest price on the item(s) listed below, subject to the	Terms and	d Conditio	n listed below and	submit your quotation	
	y your representative not later than 9:00 A.M. of March 24, 2025					
	iat, 2nd Floor, 2nd St., Port Area, Manila					
TERMS and C				/		
	ust be type written or lightly written			Very truly	yours,	]
2. Delivery peri	od withinFive (5)calendar days upon receipt of the approved f	unded		, (	_ // •	/
Purchase Or	der (P.O.), Administrative penalties pursuant to Sec. 69 of the Revis	ed		\	-// /	
IRR-RA 9184	4 shall be imposed for non-delivery without valid reason.			`		
3. Warranty sha	all be for a minimum of three (3) months for supplies & materials, on	e (1) year			RD ACH ES R. DAV	
	rom date of acceptance by the end-user			Chief	, Administrative Div	sion
	shall be for a period of sixty (60) calendar days.				BAC Chairperson	
	Registration Certificate or Registration No./ Mayor's Permit/ DTI or SI				1	
	ax Clearance / Omnibus Sworn Statement (For ABCs above ₱50K)		usiness			
	For ABCs above ₱500k) shall be attached upon submission of the q I submit brochures showing certifications of the product applicable	uotation.				
	ate the brand for each item being offered, delivery period, price valid	ty and war	antv			
	ts must be CERTIFIED TRUE COPY.	ty and wan	anty.			
	d budget ceiling for this procurement is Php 801,000.00					
ITEM NO.	ITEM & DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL AMOUNT	BRAND AND MODEL
	handle with lock and duplicate keys					
	Dimension: 84"H x 36"W x 17"D					
7	Storage Cabinet - Sliding Glass Door	9	unit	Р	P	
,	All steel fabricated in cold rolled sheets (CRS) Gau					
	with Four (4) adjustable shelves, sliding glass doo		۷.			
	4mm thickness with metal frame provided with flu					
	handle with lock and duplicate keys	511				
	Dimension: 74"H x 36"W x 17"D (three (3) adjusta	abla chai	voc)			
8			unit	Р	P	
0	Refillable Ink Tank Printer, A4 / Legal size	5	unit	r	r	
	Print, Scan, Copy, Fax with ADF					
	Borderless printing, transparent ink tanks					
	Input capacity: up to 250 sheets of Plain Paper					
	With warranty and user manual					
	Max resolution: 4800 x 1200 dpi					
	Print speed: at least 33.0 ppm (black), 20.0 ppm (	colored)				
	Max copy resolution: 600 x 600 dpi					
	Scanner type: Flatbed color image scanner					
	Optical Resolution: 1200 x 2400 dpi					
	Type of Fax: Black-and-white, Color Fax Capability	'				
	Network: Ethernet, Wi-Fi, Wi-Fi Direct					
9	Ink bottle black (compatible with delivered printer)	15	btl	Р	Р	
10	Ink bottle cyan (compatible with delivered printer)	15	btl	Р	Р	

Delivery Period :\_\_\_\_\_

:\_\_\_

\_\_\_\_\_

Price Validity

Warranty :\_\_\_\_\_

After having carefully read and accepted your General condition I / We quote you on the item(s) at prices noted above.

Printed Name/Signature

	Republic of the Philippines							
Department of Public Works and Highways								
	NATIONAL CAP	PITAL RE	GION					
	Manila					3 of 3		
Name of Pro	curing Entity		Request for Quotation (P.R.): 2025-03-016					
Revised on				Date: 03/20/2025				
Standard For				Office/End-Use	r: DPWH-NCR			
COMPANY N								
	RESS :							
TEL. NO./F		_						
	uote your lowest price on the item(s) listed below, subject to the							
	y your representative not later than 9:00 A.M. of March 24, 2025	in the retu	urn sealed	envelope attached	herewith to the			
	at, 2nd Floor, 2nd St., Port Area, Manila			1		$\mathbf{i}$		
TERMS and CONDITION :				Very truly yours,				
<ol> <li>All entries must be type written or lightly written</li> <li>Delivery period within <u>Five (5)</u> calendar days upon receipt of the approved funded</li> </ol>								
	der (P.O.), Administrative penalties pursuant to Sec. 69 of the Revis				-/1. /	/		
	4 shall be imposed for non-delivery without valid reason.	eu						
	all be for a minimum of three (3) months for supplies & materials, one	e (1) vear		JOF	ACH ES P. DAV	/ID		
-	rom date of acceptance by the end-user	o (i) you		Chief, Adminis rative Division				
	shall be for a period of sixty (60) calendar days.			•	BAC Chairperson	0.011		
-	Registration Certificate or Registration No./ Mayor's Permit/ DTI or SI	EC Registra	ation					
	ax Clearance / Omnibus Sworn Statement (For ABCs above ₱50K)	-			1			
	For ABCs above ₱500k) shall be attached upon submission of the q							
	submit brochures showing certifications of the product applicable							
	ate the brand for each item being offered, delivery period, price validi	ty and wari	ranty.					
8. All document	ts must be CERTIFIED TRUE COPY.	-	-					
9. The approve	d budget ceiling for this procurement is Php 801,000.00							
ITEM NO.		0.T)(				DDAND AND		
	ITEM & DESCRIPTION	QTY	UNIT	UNIT PRICE	TOTAL AMOUNT	BRAND AND MODEL		
11		15 15	UNIT btl	UNIT PRICE	TOTAL AMOUNT			
_	Ink bottle magenta (compatible with delivered printer)							
<u>11</u> 12	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer)	15	btl	Р	P			
11	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type	15 15	btl btl	P P	P P			
<u>11</u> 12	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz	15 15 1	btl btl	P P	P P			
<u>11</u> 12	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa	15 15 1	btl btl	P P	P P			
11 12 13	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1	15 15 1 nel	btl btl unit	P P P	P P P			
<u>11</u> 12	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation	15 15 1 nel	btl btl	P P	P P			
11 12 13	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28.	15 15 1 nel	btl btl unit	P P P	P P P			
11 12 13	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness.	15 15 1 nel	btl btl unit	P P P	P P P			
11 12 13	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12.	15 15 1 nel 1 3/8,5/8.	btl btl unit	P P P	P P P			
11 12 13	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN #	15 15 1 nel 3/8,5/8. #10 Supp	btl btl unit lot	P P P	P P P			
11 12 13	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin	15 15 1 nel 3/8,5/8. #10 Supp	btl btl unit lot	P P P	P P P			
11 12 13	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts.	15 15 1 nel 3/8,5/8. #10 Supp g 2"x2"x	btl btl unit lot oly wire. 3/16"	P P P	P P P			
11 12 13 14 14	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a	15 15 1 1 3/8,5/8. #10 Supp g 2"x2"x pplicable	btl btl unit lot oly wire. 3/16"	P P P P	P P P P P P P P P P P P P P P P P P P			
11 12 13	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a Water dispenser, Hot & Cold	15 15 1 nel 3/8,5/8. #10 Supp g 2"x2"x	btl btl unit lot oly wire. 3/16"	P P P	P P P			
11 12 13 14 14	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a	15 15 1 1 3/8,5/8. #10 Supp g 2"x2"x pplicable	btl btl unit lot oly wire. 3/16"	P P P P	P P P P P P P P P P P P P P P P P P P			
11 12 13 14 14	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a Water dispenser, Hot & Cold	15 15 1 1 3/8,5/8. #10 Supp g 2"x2"x pplicable	btl btl unit lot oly wire. 3/16"	P P P P P P P P P P P P P P P P P P P	P P P P P P P P P P P P P P P P P P P			
11 12 13 14 14	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a Water dispenser, Hot & Cold Free-standing, Compressor type cooling	15 15 1 1 3/8,5/8. #10 Supp g 2"x2"x pplicable	btl btl unit lot oly wire. 3/16"	P P P P P P P P P P P P P P P P P P P	P P P P P P P P P P P P P P P P P P P			
11 12 13 14 14	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a Water dispenser, Hot & Cold Free-standing, Compressor type cooling x x x	15 15 1 1 3/8,5/8. #10 Supp g 2"x2"x pplicable	btl btl unit lot oly wire. 3/16"	P P P P P P P P P P P P P P P P P P P	P P P P P P P P P P P P P P P P P P P			
11 12 13 14 14	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a Water dispenser, Hot & Cold Free-standing, Compressor type cooling X X X GRAND TOTAL =	15 15 1 1 3/8,5/8. #10 Supp g 2"x2"x pplicable	btl btl unit lot oly wire. 3/16"	P P P P P P P P P P P P P P P P P P P	P P P P P P P P P P P P P P P P P P P			
11 12 13 14 14	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a Water dispenser, Hot & Cold Free-standing, Compressor type cooling x x x	15 15 1 1 3/8,5/8. #10 Supp g 2"x2"x pplicable	btl btl unit lot oly wire. 3/16"	P P P P P P P P P P P P P P P P P P P	P P P P P P P P P P P P P P P P P P P			
11 12 13 14	Ink bottle magenta (compatible with delivered printer) Ink bottle yellow (compatible with delivered printer) Air-Conditioner, 3HP Inverter Wall Split Type Cooling Capacity: 29,520 kJ/h, 1P, 230V, 60Hz With Remote Control, removable and washable pa EER Rating: at least 12.1 Installation - High grade copper tubes standard thickness .28. - Rubber Insulation using 3/4" thickness. - Control Wire using Royal Cord #12. - Circuit Breaker with all weather box with THHN # - With ACCU/Condenser support floor bracket usin with bolts & nut, dyna bolts. - Dismantling of existing Air conditioning unit (if a Water dispenser, Hot & Cold Free-standing, Compressor type cooling X X X GRAND TOTAL =	15 15 1 1 3/8,5/8. #10 Supp g 2"x2"x pplicable	btl btl unit lot oly wire. 3/16"	P P P P P P P P P P P P P P P P P P P	P P P P P P P P P P P P P P P P P P P			

Delivery Period :\_\_\_\_\_

Price Validity : \_\_\_\_\_

Warranty :\_\_\_\_\_

After having carefully read and accepted your General condition I / We quote you on the item(s) at prices noted above.

Printed Name/Signature