D.		Republic of th DEPARTMENT OF PUBLIC AGUSAN 1ST DISTRICT ENG REGIONAL (WORKS AND DEL SUR INEERING O DFFICE XIII	OFFICE		
		Patin-ay, Prosperid	ad, Agusan del Si	ur		
ame of Procurir	ng Entity	DPWH - DEO1 Agusan del Sur	Request for Que	otation (P.R. No.):		24-08-0066
evised on:			Date:			3/2024
tandard Form/T		REQUEST FOR QUOTATION	Office/End-Us	er:	Office of the District	t Engineer (ICT Unit)
COMPANY NAME	:					
DDRESS: EL. NO./FAX No	.			T	IN:	
Please quote your	lowest price on t	he item(s) listed below, subject to the Terms and Conditions stated below a	nd submit your dul	ly signed		
y your representativ	ve not later than	2:00 p.m. of of - 12,2021 in the return envelope attached herewith, to	the Procurement U	init		
PWH DEO-1, Patin-	ay, Prosperidad,	Agusan del Sur. Quotation and others document required may sent electron	ically to balagtas.k	hristine@dpwh.gov.	ph	
ectronically submit	ted proposals/quo	ptation and documents must be submitted on or before the deadline of subr	nission in this reque	est for quotation.		
			n.			
ERMS and CONDIT						
. All entries must be Delivery period w		egibly written. ar days upon receipt of the approved funded	1		1 Nor	
		penalties pursuant to Sec. 69 of the		(EAR	
		d for non-delivery without valid reason.			MAURO S. AGUERO, JR.	
Warranty shall be	e for a mininum of	three (3) months for supplies &			Assistant District Engineer	X
		years IT Equipment from date of acceptance by the end-user.			BAC Chairperson	1
		of sixty (60) calendar days.				
		, Mayor's Permit, DTI, BIR Certificate, Omnibus Sworn Statement			V	
		urns, shall be attached upon submission of the quotation ures showing certifications of the product.				
		items being offered.				
		is procurement is Php673,600.00				
		retention money on special bank guarantee is required for	r.			
nanufactured goods						
0. The award of th	nis procurement si	hall be made as a whole contract and not by lot/item				
incomplete quotatio	n shali be automa			T T		
ITEM	shali be automa STOCK	atically disqualified.	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION	QTY.	Lot	UNIT PRICE	TOTAL PRICE
ITEM	shali be automa STOCK	atically disqualified.			UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P			UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller			UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P			UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P			UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	Atcally disqualified. Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC			UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	ATCS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC			UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot			UNIT PRICE	
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire			UNIT PRICE	TOTAL PRICE
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type			UNIT PRICE	
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN)			UNIT PRICE	
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator			UNIT PRICE	
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN)				
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization AVB				
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician				
ITEM No	shali be automo STOCK No.	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC			UNIT PRICE	TOTAL PRICE
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)			UNIT PRICE	TOTAL PRICE
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC				
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE
ITEM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE
11EM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE
11EM No 1	n shall be automotive strock No. ES150	ATS DESCRIPTION Motorized Change-over, 250A, 230VAC Enclosure Control Panel 750x550x300 MCCB 150A, 2P HAT600N Smart Gen ATS Controller MCB, 6A, 2P MCB, 6A, 1P Control RELAY 230VAC Battery Charger 12VDC, Supply 230VAC Battery 9AH, 12VDC Terminal Block 10A, 12 slot 0.75mm2 TF wire Terminal lugs Y-type PILOT Light LED, 230VAC (RED & GREEN) Synchronizing ATS to Generator Mobilization and Demobilization AVR Supply, Delivery, Manpower Electrical Technician Mobilization and Demobilization and Installation of AC Automatic Voltage Regulator 30000VA (Single Phase)				TOTAL PRICE

Delivery Period P After having carefully read and acceptance your General Conditions, I / We quote you on the items at prices note above. If the space for Delivery Period, Warranty and Price Validity are left blank, It means that I concur with the Terms and Conditions specified by DPWH.

Tel. No. 83215

Telefax: 343-7091

Printed Name/Signature/Date Tel No./Cellphone No./E-mail Address