



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE 2ND DISTRICT ENGINEERING OFFICE
Sta. Isabel, Dipolog City, Region IX

Name of Procuring Entity: DPWH ZN 2nd District Engineering Office
Revised on:
Standard Form/Title:


Request for Quotation: **P.R. No. 25-06-133**
Date: **06/09/2025**
Office/End-User: **Administrative Section**
TIN:

COMPANY NAME: _____
ADDRESS: _____
TEL. NO./FAX NO.: _____

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below, and submit your quotation duly signed by your representative not later than 10:00 A.M. of _____ with the return envelope attached herewith, to the BAC Secretariat for Goods, Sta. Isabel, Dipolog City.

TERMS AND CONDITIONS:

1. All entries must be typewritten or legibly written.
2. Delivery period within thirty (30) calendar days upon receipt of the approved funded Purchase Order (P.O.) Administrative Penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar Days.
5. PhilGEPS Registration Certificate/Mayor's Permit/DTI shall be attached upon submission of the quotation.
6. Bidders shall submit original brochures showing certifications of the product, (If applicable)
7. Please indicate the brand for each items being offered.
8. The approved budget ceiling for this procurement is **Php910,526.62**


JOSE TEOVY S. OCHOTORENA
BAC Chairperson

REQUEST FOR QUOTATION

Item No.	ITEMS & DESCRIPTIONS	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Aluminum Paint	96	gal		
	Epoxy Primer w/ Catalyst (set)	49	gal		
	Glass Beads (pre-mix)	15	bag		
	Paint Thinner	165	gal		
	Primer (Yellow)	53	liter		
	Quick Drying Enamel Paint (International Orange)	99	gal		
	Quick Drying Enamel Paint (White)	165	gal		
	Thermoplastic Paint (Yellow)	143	bag		
	Red Oxide, Metal Primer	107	gal		
	X-X-X--X-X-X-X-X-X-X-X-X-X-X				
Purpose:	Consolidation of Painting Supplies for use in the Maintenance Section for the 2nd quarter CY-2025, this district.				

Brand Model: _____
Delivery Period: _____

Total Amount P -----
Warranty: _____
Price Validity: _____

After having carefully read and accepted your General Conditions, I/We quote you on the item(s) at prices above.
If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.

BAC - SECRETARIAT:
Tel. No. 212 - 2538
Fax. No. (065) 212 - 2538

Printed Name/Signature/Date

Tel. No./Cellphone No./E-mail Address



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE 2nd DISTRICT ENGINEERING OFFICE
Sta. Isabel, Dipolog City


APPROVED BUDGET FOR THE CONTRACT (ABC)

Summary of Costs

Fill out all the spaces provided. Write (N/A) if not applicable.

No.	Item	Cost
1	Actual Market Price of Product	PHP 910,526.62
2	Incidental Expenses	
	• Taxes/Customs/Duties	N/A
	• Licenses/Registration	N/A
	• Insurance	N/A
	• Storage/Freight/Hauling	N/A
	• Installation/Removal	N/A
	• Trainig Costs	N/A
	• Cost of Inspection	N/A
	• Others: (Specify)	
3	Cost of Money/Adjustment for Inflation	N/A
4	Discounts (<i>for Bulk Buying</i>)	N/A
5	Spare Parts/Maintenance Costs/Warranty	N/A
6	Adjustment for currency valuation	N/A
	(<i>if procured from a foreign country/abroad</i>)	
7	Life cycle cost	N/A
	Grand Total	PHP 910,526.62

Prepared by:


ILDE DEXIE T. ALFARO
 Engineer III
 Chief, Maintenance Section

Approved by:


AMINODINO T. MANIRI
 District Engineer



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE 2ND DISTRICT ENGINEERING OFFICE
Sta. Isabel, Dipolog City, Region IX

Technical Specifications for **Thermoplastic Paint (White and Yellow)**

TECHNICAL SPECIFICATIONS	MINIMUM REQUIRED	
	WHITE	YELLOW
	COMPOSITION OF CONSTITUENTS	
Binder	18 Min.	18 Min.
Glass Beads	30-40	30-40
Titanium Dioxide	10 Min.	-
Calcium Carbonate and Inert Filler	42 Max.	*Note
Yellow Pigment	As Required	

Note: Amount of yellow pigment calcium carbonate and inert filler shall be the option of the manufacture, providing all other requirements of this specification are met.

TECHNICAL SPECIFICATIONS	MINIMUM REQUIRED	
	WHITE	YELLOW
	PHYSICAL CHARACTERISTICS	
Specific Gravity, max.	2.15	2.15
Drying Time, minutes max.	10	10
Bond Strength to Portland Cement Concrete after heating for four (4) hours ± 5 min. @ 218°C, MPa, max.	1.24	1.24
Cracking Resistance @ low temp. after heating for four (4) hours ± 5 min. @ 218°C ± 2 °C	No Cracks	No Cracks
Impact Resistance after heating for four (4) hours ± 5 min. @ 218°C ± 2 °C and forming test specimens, mm/kg, min.	115	115
Softening Point after heating for four (4) hours ± 5 min. @ 218°C ± 2 °C	102.5 \pm 9.5°C	102.5 \pm 9.5°C
Daylight reflectant @ 45 Degrees – 0 Degrees, % min.	75	45

ROLLY JAY B. BACARA
Engineer II
Maintenance Section