



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
REGIONAL OFFICE X
Engineers' Hill, Bulua, Cagayan de Oro City



Name of Procuring Entity: Request for Quotation (P.R. No.): X7-24-07-278
Revised on: Date: July 2, 2024
Standard Form/Title: **REQUEST FOR QUOTATION** Office/End-User: PDD

COMPANY NAME:

ADDRESS:

TEL. NO./FAX NO.:

TIN:

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 10:00 am of **SEP 23 2024**, the return envelope attached herewith, to the BAC Secretariat, 2nd Floor Administration Building, DPWH Regional Office X, Engineers' Hill, Bulua, Cagayan de Oro City.

TERMS and CONDITIONS:

1. All entries must be typewritten or legibly written.
2. Delivery period within **thirty (30) c.d.** upon receipt of the approved funded Purchase Order (P.O.) Administrative penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one (1) year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar days.
5. Attach Certified True Copy of PhilGeps Registration Number, Mayor's Permit and **Omnibus Sworn Statement (if ABC is above 50K), Income/Business Tax Return if ABCs above P500K.**
6. The Approved budget ceiling for this procurement is **Php 999,973.34**
7. RFQ must be signed by an authorized signatory.
8. Bidders shall submit original brochures of the product (if applicable)
9. Please indicate the brand for each items being offered.
10. Bidder/s shall submit sealed quotation.


VIRGIE G. NAYVE, AEr
Chief, Construction Division
BAC Chairman

Supplier must quote for all of the items. Any erasure, correction or alteration made by the Supplier in any of the items shall render the bid non-complying, hence, a ground for disqualification.

Item No.	ITEMS & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Concrete Rebound Hammer & Testing Anvil	2	unit		P
	Specifications:				
	1. Testing Standard: Should be compliant with ASTM C805 (Standard Test Method for Rebound Number of Hardened Concrete); High precision compressive strength estimation and strength uniformity assessment;				
	2. Battery: Rechargeable;				
	3. Spring Extension: At least 75 mm;				
	4. Impact Energy: 2.207 Nm (N), 0.735 Nm (L);				
	5. Measuring Range: 10 MPa to 100 MPa or better;				
	6. Operation Temperature: 0 to 50 deg. Celsius or better;				
	7. Storage Temperature: -10 to 70 deg. Celsius or better;				
	8. Testing Anvil: used for calibration of concrete rebound hammer;				
	9. Other requirements: With a digital display, Units in MPa, should include software, carrying strap, battery charger with USB cable, grinding stone, documentation, and carrying bag; with good memory capacity; With Calibration Certificate from the Manufacturer/Supplier, if available. Include Other General Requirements found at the end of this document;				
	Additional Note: The inclusion of an Android/iOS Device in the procurement may be obtainable, when necessary, for the use of specific types of Rebound Hammer and Testing Anvil				

