

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CENTRAL OFFICE



Bonifacio Drive, Port Area Manila

EMERGENCY RESPONSE EQUIPMENT FOR TRANSPORT & MOBILITY RESTORATION (ERETMR) UNDER IBRD LOAN 9251-PH: PHILIPPINES SEISMIC RISK REDUCTION AND RESILIENCE PROJECT (PSRRRP)

Name of Project : Philippines Seismic Risk Reduction and Resilience Project

(PSRRRP)

Loan No. : ÌBRD Loan No. 9251-PH
Reference No. : PH-DPWH-GO-03-RFB

SUPPLEMENTAL BULLETIN NO. 4

June 11, 2025

This Supplemental Bulletin is issued to amend certain provisions of the Bidding Documents (BDs) and shall form an integral part of it, to wit:

1. Item No. 8 of Section 1 – Invitation to Bid will be replaced with:

Original Provision on the Bidding Document	Amendment
	8. Bids must be duly received by the BAC Secretariat at the address below on or before <i>July 9, 2025</i> , 10:00AM
Bid opening shall be on June 18, 2025	Bid opening shall be on July 9, 2025

Page 6-7 shall be replaced with 6R3-7R4 (Please see Annex A)

2. BDS 21 of Section 3 – Bid Data Sheet on page 47 will be replaced with:

Original Provision on the Bidding Document	Amendment
The deadline for Bid Submission is:	The deadline for Bid Submission is:
Date: June 18, 2025 Time: 10:00AM (Philippine Standard Time)	Date: July 9, 2025 Time: 10:00AM (Philippine Standard Time)

Page 47 shall be replaced with 47R3 (Please see Annex B)

3. Technical Specifications (Section VII of the Bidding Document) for the indicated lots on page 84 will be replaced with:

Ref. No.	Original Provision on the Bidding Document	Amendment
Section VII -	Lot 19 - Portable Generator Set	Lot 19 – Portable Generator Set
Technical	3. ENGINE	3. ENGINE
Specifications	c. Speed, rpm [min.] – 3000	c. Speed, rpm [min.] - 1800
	e. Number of Cylinders, [min.] - 4, in	e. Number of Cylinders, [min.] - 2,
	line	in line
	f. Bore and Stroke [min.] - 86 x 70	f. Bore and Stroke [min.] - 65 x 65
	in.	mm.

0	to 1 20.4 Debte Feets 1 40.4
g. Compression Ratio [m	
j. Combustion System –	Indirect j. Combustion System – Indirect or
	Direct
k. Cooling System - Air C	Cooled k. Cooling System - Air Cooled or
	Water Cooled
I. Fuel Consumption, (L/I	n) I. Fuel Consumption, (L/h) [max]
100% of Prime Pow	er – 2 100% of Prime Power – 3.5
75% of Prime Powe	r - 1.6 75% of Prime Power – N/A
50% of Prime Powe	r - 1.2 50% of Prime Power – N/A
Lot 19 – Portable Genera	tor Set Lot 19 – Portable Generator Set
4. ALTERNATOR	4. ALTERNATOR
c. Frequency, Hz – 50	c. Frequency, Hz [min] – 50
e. Rated Power Factor -	0.8 e. Rated Power Factor - 0.8 to 1.0
Lot 19 – Portable Genera	tor Set Lot 19 – Portable Generator Set
5. BODY	5. BODY
c. ELCB - IP66 Enclosed	Earth c. ELCB – at least IP22 Enclosed
leakage Circuit Breaker/I	RCBO Earth leakage Circuit Breaker/RCBO

Page 84 shall be replaced with 84R1 (Please see Annex C)

For the information and guidance of all concerned.

MEDMIER G. MALIG
Assistant Secretary for Technical Services and Information Management Service
Chairperson, BAC for Goods and Services S.O. No. 48, Series of 2025



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CENTRAL OFFICE

BAGONG PILIPINAS

Bonifacio Drive, Port Area Manila

ANNEX "A"

SUPPLEMENTAL BULLETIN NO. 4

CONTRACT ID NO. 25GZ00007

The cost of the Bidding Documents shall depend on the number of lots to be bid for as indicated in the table below. Bidders shall pay the corresponding total amount based on the specific lots they intend to participate in.

Lot	Amount in PHP	Amount in USD
Lot 14 – Portable Gas Detector	PHP 5,000.00	USD 90.00
Lot 15 – Tent	PHP 5,000.00	USD 90.00
Lot 17 – Portable Toilet	PHP 10,000.00	USD 180.00
Lot 18 – Air Conditioning Unit	PHP 5,000.00	USD 90.00
Lot 19 – Portable Generator Set	PHP 25,000.00	USD 440.00

It may also be downloaded free of charge from the website of the Philippine Government Electronic Procurement System (PhilGEPS) and at the website of DPWH provided that Bidders shall pay the applicable fee for the Bidding Documents not later than the submission of their bids to be eligible in participating in this bidding.

- 1. DPWH will hold a Pre-Bid Conference on May 7, 2025, 09:00AM at Room 503 (Bidding Room), 5th Floor, Department of Public Works and Highways, Bonifacio Drive, Port Area, Manila, which shall be open to prospective bidders.
- 2. Bids must be duly received by the BAC Secretariat at the address below on or before July 9, 2025, 10:00AM. All Bids must be accompanied by a bid security in the form of a Bid Securing Declaration, or any of the following forms and amounts:

LOT	BID SECURITY	Amount in PHP	Amount in USD
Lot 14 – Portable Gas Detector	Cash, Cashier's/ Manager's Check, Bank Draft/ Guarantee, or Irrevocable Letter of Credit	PHP 75,840.00	USD 1,330.00
	Surety Bond	PHP 189,600.00	USD 3,310.00
Lot 15 – Tent	Cash, Cashier's/ Manager's Check, Bank Draft/ Guarantee, or Irrevocable Letter of Credit	PHP 43,840.00	USD 770.00
	Surety Bond	PHP 109,600.00	USD 1,920.00
Lot 17 – Portable Toilet	Cash, Cashier's/ Manager's Check, Bank Draft/ Guarantee, or Irrevocable Letter of Credit	PHP 153,600.00	USD 2,680.00
	Surety Bond	PHP 384,000.00	USD 6,700.00
Lot 18 – Air Conditioning Unit	Cash, Cashier's/ Manager's Check, Bank Draft/ Guarantee, or Irrevocable Letter of Credit	PHP 49,280.00	USD 860.00
Unit	Surety Bond	PHP 123,200.00	USD 2,150.00
Lot 19 – Portable Generator Set	Cash, Cashier's/ Manager's Check, Bank Draft/ Guarantee, or Irrevocable Letter of Credit	PHP 203,520.00	USD 3,550.00
	Surety Bond	PHP 508,800.00	USD 8,880.00

Bid opening shall be on July 9, 2025 at Multipurpose Hall, 5th Floor, Department of Public Works and Highways, Bonifacio Drive, Port Area, Manila. Bids will be opened immediately after the deadline of the submission and receipt of bids, and in the presence of the Bidders' representatives who choose to attend at the address stated above. Late bids shall not be accepted.

- 3. DPWH reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.
- 4. For further information, please refer to:

SOLEDAD R. FLORENCIO

Project Director, BSPMC-UPMO BSPMC-UPMO Office, 2nd Floor, DPWH-NCR Compound, 2nd Street, Port Area, Manila florencio.soledad@dpwh.gov.ph

Cc: pua.jerson@dpwh.gov.ph

(02) 5304.3999

Yours truly,

MEDMIER G. MALIG

Assistant Secretary for Technical Services and Information Management Service Chairperson, BAC for Goods S.O. No. 72, Series of 2024

MA. VICTORIA S. GREGORIO

Director, Procurement Service DPWH (Central Office) Bonifacio Drive, Port Area, Manila gregorio.ma_victoria@dpwh.gov.ph (02) 5304 3259 www.dpwh.gov.ph



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CENTRAL OFFICE Bonifacio Drive, Port Area Manila



ANNEX "B"

SUPPLEMENTAL BULLETIN NO. 4

CONTRACT ID NO. 25GZ00007

20.3	Sealing and Marking of Bids	
	Each Bidder shall submit one (1) original and three (3) copies of the first and second components of its bid.	
	Additionally, each Bidder shall submit one (1) electronic Portable Document Format (PDF) file of the Original Bid in flash drive/Compact Disc (CD).	
	NOTE: In the event of any discrepancy between the original and the copies (including the electronic file), the original hard copy shall prevail.	
21	Submission of Bids For Bid Submission purposes only, the address is:	
	Attention: MEDMIER G. MALIG Assistant Secretary for Technical Services and Information Management Service	
	Chairperson, BAC for Goods Address: Room 502, 5 th Floor, Department of Public Works and Highways, Bonifacio Drive, Port Area, Manila, Philippines 1018	
	The deadline for Bid Submission is:	
	Date: July 9, 2025 Time: 10:00AM (Philippine Standard Time)	
	Bidders shall not have the option of submitting their bid electronically.	
24.1	Opening and Preliminary Examination of Bids	
	The BAC shall open the bids in public immediately after the deadline of submission of bids at the Multipurpose Hall, 5 th Floor, Department of Public Works and Highways (DPWH) Building, Bonifacio Drive, Port Area, Manila, Philippines 1018.	
	Rescheduling the date of the opening of bids shall not be considered except for force majeure, such as natural calamities. In re-scheduling the opening of bids, the BAC shall issue a Notice of Postponement to be posted at the PhilGEPS and the procuring entity's websites.	
24.2	Opening and Preliminary Examination of Bids	
	During Bid opening, if the first envelope lacks any of the documents listed in BDS Clause 12.1, the bid shall be declared non-responsive but the documents shall be kept by the Procuring Entity.	
24.3	Opening and Preliminary Examination of Bids	



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CENTRAL OFFICE



Bonifacio Drive, Port Area Manila

ANNEX "C"

SUPPLEMENTAL BULLETIN NO. 4

CONTRACT ID NO. 25GZ00007

Lot	Lot 19 — Portable Generator Set				
A.					
	Coi	impliance shall be checked during Bid Evaluation and Inspection and Acceptance of Portable			
	Ge	enerator Set.			
	NO	OTE: All features or standard accessories/attachments not mentioned in the specifications which			
	are	standard with the unit offered shall be supplied.			
I.	GEN	IERATOR SET			
1.	Mai	te and Model: New and Unused			
2.	Bra	nd New, Diesel-fed, 7 kVa/Single (1) - Phase			
3.	ENC	SINE			
	a.	Standby Power, kVa [min.] - 7.00kVA equal to 5.60kW			
	b.	Prime Power, kVa [min.] - 6.0kVA			
	c.	Speed, rpm [min.] - 1800			
	d.	Displacement, cc [min.] - 456			
	e.	Number of Cylinders, [min.] - 2, in line			
	f.	Bore and Stroke [min.] - 65 x 65 mm.			
	g.	Compression Ratio [min.] - 18:1			
	h.	Governor Type - Mechanical			
	i.	Induction - Natural			
	j.	Combustion System – Indirect or Direct			
	k.	Cooling System - Air Cooled or Water Cooled			
	1.	Fuel Consumption, (L/h) [max]			
		100% of Prime Power - 3.5			
		75% of Prime Power – N/A			
		50% of Prime Power – N/A			
	m.	Oil Type & Capacity, L - 15W/40 -1.6			
	n.	Starter System - 12-volt Electric - large 45A/H Battery included			
		Controller - 2 Wire / Remote Start Capable, Low Oil Protection			
	0.	Changeable air, fuel and oil filter			
	p.	Diesel gen-set maintenance and operating instructions and electrical circuit diagram			
4.	ALT	ERNATOR			
	a.	Brushed with Automatic Voltage Regulation			
	b.	ATS - Easy Connect Plug			
	c.	Frequency, Hz [min] - 50			
	d.	Voltage, V - 240			
	e.	Rated Power Factor - 0.8 to 1.0			
5.	BODY				
	a.	Chassis Enclosure: Silenced Cabinet, Sound Deadening, Weather Resistant			
	b.	Safety Systems - Battery isolator, Emergency Stop			
	c.	ELCB - IP22 Enclosed Earth leakage Circuit Breaker/RCBO			
	d.	Dimension, cm (W X L X H) - 69 X 101 X 83			
	e.	Weight, Kg - 260			
	f.	Fuel tank capacity, L - 22			