

16		WD 40	can	0	0	75	75	34,312.50	0	0	75	75	34,312.50	0	0	75	75	34,312.50	0	0	75	75	34,312.50	0	0	75	75	34,312.50	0	0	75	75	34,312.50	0	0	75	75	34,312.50	300	497.50		137,250.00
17		2T OIL	liter	0	0	100	100	51,500.00	0	0	150	150	77,250.00	0	0	200	200	103,000.00	0	0	250	250	128,122.50	0	0	300	300	153,750.00	0	0	350	350	179,500.00	0	0	400	400	205,250.00	450	515.00		231,750.00
18		Engine Oil Additives -	pail	0	0	2	2	108,122.50	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	0	0	2	54,061.25		108,122.50		
		Boiling Point: 260 mm Hg - 100°C (212°F),						0.00					0.00					0.00					0.00					0.00										0.00				
		Freezing Point - 80C (32°F), Vapour Density						0.00					0.00					0.00					0.00					0.00										0.00				
		(air=1) - 10. Solubility in water: % by						0.00					0.00					0.00					0.00					0.00										0.00				
		wt - Insoluble, % Volatiles by volume - Nil,						0.00					0.00					0.00					0.00					0.00										0.00				
		Specific Gravity (H2O=1) - 0.86						0.00					0.00					0.00					0.00					0.00										0.00				
19		Radiator Coolant -	pail	0	0	2	2	118,750.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	0	2	59,375.00		118,750.00			
		Specific Gravity @ 60°F (16.6°C) - 0.950						0.00					0.00					0.00					0.00					0.00										0.00				
		Kinematic Viscosity cSt @ 100°F - 38.5 Flash						0.00					0.00					0.00					0.00					0.00										0.00				
		Point (Closed) °F - 155°F, Pour Points °F - +10						0.00					0.00					0.00					0.00					0.00										0.00				
		(-120C), TH @ 5% Dilution - 9-45,						0.00					0.00					0.00					0.00					0.00										0.00				
		Note: Must Pass Emulsion Stability and						0.00					0.00					0.00					0.00					0.00										0.00				
		Thermal Stability: Stable in Corrosion Test (No Corrosion)						0.00					0.00					0.00					0.00					0.00										0.00				
20		Grease -	pail	0	0	2	2	107,850.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	0	2	53,925.00		107,850.00			
		NUGA Grade - 2, Base Oil Viscosities ,						0.00					0.00					0.00					0.00					0.00										0.00				
		Via @ 40°C cSt - 600-700, Via @ 100°C cSt - 32 min,						0.00					0.00					0.00					0.00					0.00										0.00				
		Viscosity Index - 80 min,Dropping Point - 534 °F,						0.00					0.00					0.00					0.00					0.00										0.00				
		Flash Point - 425 °F,						0.00					0.00					0.00					0.00					0.00										0.00				
		Four Ball EP Performance Weld Point - 315 kgf,						0.00					0.00					0.00					0.00					0.00										0.00				
		Four Ball Wear Scar Diameter - 0.45 mm,						0.00					0.00					0.00					0.00					0.00										0.00				
		Timken OK Load, lbs - 55 min,						0.00					0.00					0.00					0.00					0.00										0.00				
		Note: Must Pass Rust Protection Test.						0.00					0.00					0.00					0.00					0.00										0.00				
21		Brake Fluid	pint	0	0	100	100	43,500.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	0	0	200	435.00		87,000.00		
22		Brake Fluid DOT 3	pint	0	0	100	100	69,375.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	0	200	693.75		138,750.00			
23		ACETYLENE Tank with Content	cylinder	0	0	5	5	212,187.50	0	0	0	0	0.00	0	0	5	5	212,187.50	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	10	42,437.50		424,375.00				
24		OXYGEN Tank with Content	cylinder	0	0	5	5	202,375.00	0	0	0	0	0.00	0	0	5	5	202,375.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	10	40,475.00		404,750.00				
25		ACETYLENE Content Only	tank	0	0	20	20	106,250.00	0	0	0	0	0.00	0	0	20	20	106,250.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	80	5,312.50		425,000.00				
26		OXYGEN Content Only	tank	0	0	20	20	58,000.00	0	0	0	0	0.00	0	0	20	20	58,000.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	80	2,900.00		232,000.00				
27		LPG - Contents Only (12kgs.)	cylinder	0	0	75	75	149,062.50	0	0	0	0	0.00	0	0	75	75	149,062.50	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	150	1,987.50		288,125.00				
28		LPG - Contents Only (50kgs.)	cylinder	0	0	50	50	336,250.00	0	0	0	0	0.00	0	0	50	50	336,250.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	100	6,725.00		672,500.00				
29		NITROGEN contents only	tank	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	0	0	0	0.00				

CONSTRUCTION MATERIALS AND HAND TOOLS

1		ANGLE BAR, 1/4" x 1 1/2" x 6m	length	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	950.00		0.00	
2		ANGLE BAR, 1/4" x 1" x 6m length	length	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	700.00		0.00	
3		ANGLE BAR, 1/4" x 2" x 2" x 6m length	length	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	1,450.00		0.00	
4		ANGLE BAR, 1/4 x 3 x 3 x 6m	length	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	2,700.00		0.00	
5		ANGLE BAR, 1 1/2 x 1/4 x 6m	length	0	0	80	80	35,000.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	437.50		35,000.00	
6		ANGLE BAR, 10.80mm x 2" x 6m	length	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	1,500.00		0.00	
7		Hard Plastic Barrier L-122 x W-46 x H-92	piece	0	0	100	100	318,333.00	0	0	101	101	321,516.33	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	201	3,183.33		639,849.33
8		Hard Plastic Barrier L-122 x W-46 x H-92 cm with interlocking L-127 cm w/ Customized Logo DPMHT	piece	0	0	200	200	2,900,000.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	200	14,500.00		2,900,000.00
9		TRAFFIC CONE, rubber, 30"/E, HD	piece	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	0	2,000.00		0.00
10		WELDING ROD	kg	0	0	0	0	60	60	11,520.00	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	60	192.00		11,520.00
11		WELDING ROD, 1/8 #6012	box	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	3,351.85		0.00	
12		WELDING ROD (ELECTRODE) HOLDER	unit	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	2,000.00		0.00	
13		PAINT, latex, black	gallon	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	694.76		0.00	
14		PAINT, multicoat, yellow	gallon	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	1,100.00		0.00	
15		PAINT, gloss latex, white	gallon	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	688.00		0.00	
16		CASTER WHEEL, HD, 6"	piece	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	2,000.00		0.00	
17		CEMENT (portland)	bag	0	0	1100	1100	330,000.00	0	0	112	112	33,600.00	0	0	1000	1000	300,000.00	0	0	222	222	66,600.00	2494	300.00			730,200.00							730,200.00		0.00
18		CUT-OFF MACHINE BLADE	piece	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	300.00		0.00	
19		CUT- OFF MACHINE 2419NB	unit	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0.00	0	0	0	0	0	0.00	0	0	0	0	0.00	0	0	0	0	0	50,000.00		0.00	
20		DEFORMED BAR, 10mmØ x 6m length	kg	0	0	0	300	82,380.00	0	0	250	250	68,650.00	0	0	250	250	68,650.00	0	0	250	250	68,650.00	1050	274.60			288,330.00							288,330.00		0.00
21		DEFORMED BAR, 12mmØ x 6m length	kg	0	0	0	300	113,820.00	0	0	500	500	189,700.00	0	0	500	500	189,700.00	0	0	415	415	157,451.00	1715	379.40			650,671.00							650,671.00		0.00

