




Republic of the Philippines  
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS  
**NEGROS ORIENTAL 3<sup>RD</sup> DISTRICT ENGINEERING OFFICE**  
Siaton, Negros Oriental, Region VII



October 4, 2023



**MEMORANDUM**

**FOR : ERNESTO S. GREGORIO, JR.**  
Regional Director

**THRU : ODILON N. ANDRINO**  
Head, Procurement

In compliance with the memorandum received from the Central Office dated January 3, 2023, submitted is the FY 2023 Final Annual Procurement Plan (APP) Updated (Non-CSE) for Civil Works using the prescribed format and electronic copy in excel and pdf format.

  
**OSCAR U. DELA CRUZ, DPA**  
District Engineer

R07.21.5/mle/RSD



Republic of the Philippines  
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS  
**NEGROS ORIENTAL 3<sup>RD</sup> DISTRICT ENGINEERING OFFICE**  
Siaton, Negros Oriental, Region VII



October 4, 2023

**MEMORANDUM**

**FOR : MA. VICTORIA S. GREGORIO**  
OIC-Director, Procurement Service  
DPWH Central Office  
Bonifacio Drive, Port Area, Manila

In compliance with the memorandum received from the Central Office dated January 3, 2023, submitted is the FY 2023 Final Annual Procurement Plan (APP) Updated (Non-CSE) for Civil Works using the prescribed format and electronic copy in excel and pdf format.

  
**OSCAR U. DELA CRUZ, DPA**  
District Engineer

R07.21.5/mle/RSD




Republic of the Philippines  
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS  
**NEGROS ORIENTAL 3<sup>RD</sup> DISTRICT ENGINEERING OFFICE**  
Siaton, Negros Oriental, Region VII



October 4, 2023

**GOVERNMENT PROCUREMENT POLICY BOARD  
TECHNICAL SUPPORT OFFICE**

Unit 2506, Raffles Corporate Center, F. Ortigas Jr. Road  
Ortigas Center, Pasig City



Sir/Madam:

In compliance with the memorandum received from the Central Office dated January 3, 2023, submitted is the FY 2023 Final Annual Procurement Plan (APP) Updated (Non-CSE) for Civil Works using the prescribed format and electronic copy in excel and pdf format.

Very Truly yours,

  
**OSCAR U. DELA CRUZ, DPA**  
District Engineer

R07.21.5/mle/RSD