

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

MISAMIS ORIENTAL 2nd DISTRICT ENGINEERING OFFICE

Balase Street, El Salvador City, Region X

Name of Procuring Entity: DPWH-Misamis Oriental 2nd DEO	Request for Quotation P.R. No. 1043-2025-02-057			
Revised No.	Date: <u>February 11, 2025</u>			
Standard Form/Title: REQUEST FOR QUOTATION	Office/End-User: Quality Assurance Section			
Company Name:				
Address:				
TEL. No./FAX No.:	TIN:			

Please quote your lowest price on the item/s listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 1:00 PM on February 17, 2025 in the return envelope attached herewith, to the BAC Secretariat for GOODS, DPWH-Misamis Oriental 2nd District Engineeriung Office, Balase Street, El Salvador City, Misamis Oriental.

TERMS &	COND	TTTONS:	

- 1. All entries must be typewritten or legibly written.
- 2. Delivery Period within (Thirty) 30 working days upon reciept of the approved funded Purchase Order.
- Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of Acceptance by the end-user.
- Price Validity shall be for a period of one hundred twenty (120) calendar days.
- PhilGEPS Registration Certificate, Mayor's Permit, Tax Clearance and DTI Registration Certificate/SEC Certificate of Incorporation shall be attached upon submission of the quotation.
- 6. Bidders shall submit original brochures showing certifications of the product (if applicable).
- 7. Please indicate the brand for each items being offered (if applicable).
- 8. The approved budget ceiling (ABC) for this procurement is PHP 155,750.00
- All Documentary Requirements for Small Value Procurement including the signed & notarized Omnibus Sworn Statement shall be attached upon submission of the quotation.

Chief, Quality Assurance Section
BAC - Chairperson

ITEM NO.	ITEMS & DESCRIPTION	QTY.	UNIT	Unit Price	TOTAL PRICE
	Barrium Chloride	1	Bottle		
	Ammonium Phosphate. Dibasic	1	Bottle		
	Ammonium Oxalate	1	Bottle		
	Sodium Hydroxide	1	Bottle		
	Ammonia, Sp. Gr. 0.90	2	Bottle		
	Hydrochloric Acid, 36.5-38%	2	Bottle		
	Potassium Nitrate	1	Bottle		
. ~	Potassium Permanganate	1	Bottle		
	Nitric Acid, Sp. Gr. 1.42	1:	Bottle		Market 1997
	Muriatic Acid (Technical Grade, 29%)	1	Bottle		
	Graded Standard Sand	1	Bag		
	Laboratory Filter Paper #42	5	Box		
	Laboratory Filter Paper #40	5	Box		R
	Laboratory Filter Paper #50	5	Box	-	No. of Contrast of
	pH nad ORP Electrode Storage Solution	1	Bottle		
	TDS Calibration Solution, 6.44 ppt	1	Bottle		
	Conductivity Standard Solution, 12880 µS/cm	1	Bottle		Name of the Control o
	Buffer Solution, pH 4.01	1	Bottle		
	Buffer Solution, pH 7.01	1	Bottle		
	Buffer Solution, pH 10.01	1	Bottle		
	-x-x-x-x-x-x-x- nothing follows -x-x-x-x-x-x-x-x-				
			TOTAL	BID PRICE:	A. The Control of the

Buffer Solution, pH 10.01

-x-x-x-x-x-x-x-nothing follows -x-x-x-x-x-x
Delivery Period:

After having carefully read and accepted your General Conditions, I / We quote you on the item(s) at prices noted above. If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.

Printed Name / Signature / Date		
Tel	. No. / Cellphone No. / E-mail Address	
	Data	