



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2ND DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

Name of Procuring Entity: DPWH ZN 2nd District Engineering Office

Revised on:

Standard Form/Title:

Request for Quotation: **P.R. No. 24-06-113**

Date: **06/07/2024**

Office/End-User: **Maintenance Section**

TIN:

COMPANY NAME: _____

ADDRESS: _____

TEL. NO./FAX NO.: _____

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below, and submit your quotation duly signed by your representative not later than 10:00 A.M. of _____ with the return envelope attached herewith, to the BAC Secretariat for Goods, Sta. Isabel, Dipolog City.

TERMS AND CONDITIONS:

1. All entries must be typewritten or legibly written.
2. Delivery period within thirty (30) calendar days upon receipt of the approved funded Purchase Order (P.O.). Administrative Penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar Days.
5. PhilGEPS Registration Certificate/Mayor's Permit/DTI shall be attached upon submission of the quotation.
6. Bidders shall submit original brochures showing certifications of the product, (if applicable)
7. Please indicate the brand for each item being offered.
8. The approved budget ceiling for this procurement is **Php590,290.97**

CHARITY D. RELLOSA

BAC Chairperson

REQUEST FOR QUOTATION

Item No.	ITEMS & DESCRIPTIONS	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Gabion Wire Mesh (1m x 1m x 2m) PVC Coated and Complete Accessories	102	pcs		
	Boulders	214.2	cu.m.		
	Filter Cloth	245.13	sq.m.		
	X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X				
Purpose:	Purchase of Materials for use in Repair/Maintenance of National Roads & Bridges				
	41X-Emergency Projects (Bridge) Supply & Delivery of Gabion Materials for use				
	in the Repair of Damaged Bridge Abutment for the 3rd quarter CY 2024, this district.				

Total Amount P _____

Brand Model: _____

Delivery Period: _____

Warranty: _____

Price Validity: _____

After having carefully read and accepted your General Conditions, I/We quote you on the item(s) at prices above.

If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.

Printed Name/Signature/Date _____

BAC - SECRETARIAT:

Tel. No. 212 - 2538

Fax. No. (065) 212 - 2538

Tel. No./Cellphone No./E-mail Address _____



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2nd DISTRICT ENGINEERING OFFICE

REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

APPROVED BUDGET FOR THE CONTRACT (ABC)

Summary of Costs

Fill out all the spaces provided. Write (N/A) if not applicable.

No.	Item	Cost
1	Actual Market Price of Product	
2	Incidental Expenses	PHP 590,290.97
	• Taxes/Customs/Duties	
	• Licenses/Registration	N/A
	• Insurance	N/A
	• Storage/Freight/Hauling	N/A
	• Installation/Removal	N/A
	• Training Costs	N/A
	• Cost of Inspection	N/A
	• Others: (Specify)	N/A
3	Cost of Money/Adjustment for Inflation	
4	Discounts (for Bulk Buying)	N/A
5	Spare Parts/Maintenance Costs/Warranty	N/A
6	Adjustment for currency valuation	N/A
	(if procured from a foreign country/abroad)	N/A
7	Life cycle cost	N/A
	Grand Total	PHP 590,290.97

Prepared by:


ILDE DEXIE T. ALFARO
Engineer III/Maintenance Section

Approved by:


AMINODIN P. MANIRI
District Engineer



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2nd DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

Technical Specifications for
GABIONS

ITEM 1714 – GABIONS AND MATTRESSES

The minimum size of the galvanized and PVC coated wire to be used in the fabrication of the wire mesh gabions and mattresses shall be follows:

Table 1714.2 Wire Diameters


GABIONS WIRES	GABIONS
	PVC Coated (mm)
Body Wires	2.70
Selvedge or Perimeter Wire	3.40
Tying and Connecting Wire	2.20

Note: The nominal and the minimum thickness of PVC coating shall be 0.50 mm and 0.38 mm, respectively.

Table 1714.3 Strength Requirement of Zinc-Coated Wires

GABIONS WIRES	Strength, MPa
	Gabions
Body Wires	350-485
Selvedge or Perimeter Wire	350-485
Tying and Connecting Wire	350-515

Based on DPWH Blue Book Standard Specifications for Public Works Structures (Buildings, Ports and Harbors, Flood Control and Drainage Structures, and Water Supply System) Volume III 2019.


ROLLY JAY B. BACARA
Engineer II
Maintenance Section