

Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2ND DISTRICT ENGINEERING OFFICE
~~REGIONAL OFFICE IX~~
Sta. Isabel, Dipolog City

Name of Procuring Entity: DPWH ZN 2nd District Engineering Office

Revised on:

Standard Form/Title:

Request for Quotation: **P.R. No. 24-06-114**

Date: **06/07/2024**

COMPANY NAME: _____

Office/End-Use: **Maintenance Section**

ADDRESS: _____


TIN: _____

TEL. NO./FAX NO.: _____

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below, and submit your quotation duly signed by your representative not later than 10:00 A.M. of _____ with the return envelope attached herewith, to the BAC Secretariat for Goods, Sta. Isabel, Dipolog City.

TERMS AND CONDITIONS:

1. All entries must be typewritten or legibly written.
2. Delivery period within thirty (30) calendar days upon receipt of the approved funded Purchase Order (P.O.). Administrative Penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar Days.
5. PhilGEPS Registration Certificate/Mayor's Permit/DTI shall be attached upon submission of the quotation.
6. Bidders shall submit original brochures showing certifications of the product, (If applicable)
7. Please indicate the brand for each items being offered.
8. The approved budget ceiling for this procurement is **Php981,749.70**


CHARITY D. RELLOSA
BAC Chairperson

REQUEST FOR QUOTATION

Item No.	ITEMS & DESCRIPTIONS	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Emulsified Asphalt, CSS1 (200ltr/drm)	45	drm		
	X-X-X-X-X-X-X-X-X-X-X-X				
Purpose:	Purchase of materials for use in the Routine Maintenance				
	activities patching of potholes along National Roads and				
	Bridges for the 3rd quarter CY-2024, this district.				

Total Amount P -----

Brand Model: _____

Warranty: _____

Delivery Period: _____

Price Validity: _____

After having carefully read and accepted your General Conditions, I/We quote you on the item(s) at prices above.

If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.

Printed Name/Signature/Date _____

BAC - SECRETARIAT:

Tel. No. 212 - 2538

Fax. No. (065) 212 - 2538

Tel. No./Cellphone No./E-mail Address _____



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2nd DISTRICT ENGINEERING OFFICE

REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

APPROVED BUDGET FOR THE CONTRACT (ABC)

Summary of Costs

Fill out all the spaces provided. Write (N/A) if not applicable.

No.	Item	Cost
1	Actual Market Price of Product	PHP 981,749.70
2	Incidental Expenses	
	• Taxes/Customs/Duties	N/A
	• Licenses/Registration	N/A
	• Insurance	N/A
	• Storage/Freight/Hauling	N/A
	• Installation/Removal	N/A
	• Trainig Costs	N/A
	• Cost of Inspection	N/A
	• Others: (Specify)	
3	Cost of Money/Adjustment for Inflation	N/A
4	Discounts <i>(for Bulk Buing)</i>	N/A
5	Spare Parts/Maintenance Costs/Warranty	N/A
6	Adjustment for currency valuation	N/A
	<i>(if procured from a foreign country/abroad).</i>	
7	Life cycle cost	N/A
	Grand Total	PHP 981,749.70

Prepared by:


ILDE DEXTIE T. ALFARO
Engineer III/Maintenance Section

Approved by:


AMINODIN P. MANIRI
District Engineer



DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2nd DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

Technical Specifications for
EMULSIFIED ASPHALT CSS-1

Type: Slow-Setting
Grade: Cationic
Standard: ASTM D2397M -13

TECHNICAL SPECIFICATIONS	MINIMUM REQUIRED		
	MINIMUM	MAXIMUM	TEST METHOD
	TEST ON EMULSIONS		
Viscosity, Saybolt Furol at 25 °C	20	100	ASTM D244
Storage Stability test, 24-h, %	-	1	ASTM D6930
Particle charge Test	POSITIVE		ASTM D244
Sieve Test, %	-	0.1	ASTM D6933
Cement Mixing Test, %	-	2.0	ASTM D6935
	DISTILLATION		
Residue, %	57	-	ASTM D244
	TEST ON RESIDUE FROM DISTILLATION TEST		
Penetration 77°F (25 °C) 100g, 5s mm	100	250	ASTM D5
Ductility 77°F (25 °C) 5cm/min cm	40	-	ASTM D113
Solubility in trichloroethylene %	97.50	-	ASTM D2042

Based on AASHTO M208-2

ROLLY JAY B. BACARA
Engineer II
Maintenance Section