

Republic of the Philippines **Department of Public Works and Highways** Region III **OFFICE OF THE DISTRICT ENGINEER** Pampanga 2nd District Engineering Office San Antonio, Guagua, Pampanga



Invitation to Bid for

24GCH0038: Purchase of Laboratory Equipment For Use in Quality Assurance Section at DPWH-Pampanga 2nd D.E.O., San Antonio, Guagua, Pampanga (CY-2024)

- The DPWH- Pampanga 2nd District Engineering Office, San Antonio, Guagua, Pampanga through the EAO FY-2024 intends to apply the sum of P8, 900,000.00 being the ABC to payments under the contract for <u>24GCH0038: Purchase of</u> <u>Laboratory Equipment For Use in Quality Assurance Section at DPWH-Pampanga</u> <u>2nd D.E.O., San Antonio, Guagua, Pampanga.</u> Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The DPWH-Pampanga 2nd District Engineering Office now invites bids for the above Procurement Project. Delivery of the Goods is required by <u>within 7 day upon</u> receipt of Notice to Proceed Bidders should have completed, within 7 days from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.
- 4. Prospective Bidders may obtain further information from *DPWH-Pampanga* 2nd *District Engineering Office* and inspect the Bidding Documents at the address given below during *Monday to Friday, between 8:00 A.M. to 5:00 P.M.*
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on <u>August 01, 2024 to August 22, 2024</u> from the given address and website(s): and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of <u>P10,000.00</u> The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.

- 6. The **DPWH-Pampanga** 2nd **District Engineering Office** will hold a Pre-Bid Conference¹ on <u>August 08, 2024 at 10:00 A.M.</u> at <u>DPWH- Pampanga 2nd DEO-</u> <u>Conference Room</u> and/or through video conferencing or webcasting via Facebook at DPWH-Pampanga 2nd -BAC, which shall be open to prospective bidders.
- Bids must be duly received by the BAC Secretariat through for manual submission at the office of the BAC-DPWH-Pampanga 2nd DEO or electronic submission at electronicbids_pampanga2@dpwh.gov.ph on or before <u>August 22, 2024 at 10:00</u> <u>A.M.</u> Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on <u>August 22, 2024 at 10:10 A.M.</u> at <u>DPWH- Pampanga 2nd</u> <u>DEO-Conference Room</u> and/or via through video conferencing or webcasting via Facebook at DPWH-Pampanga 2nd -BAC Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.
- 10. The **DPWH-Pampanga** 2nd **District Engineering Office** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

AMBROCIO Z. AZARES Head, BAC Secretariat DPWH- Pampanga 2nd District Engineering Office San Antonio, Guagua, Pampanga 2003 Email: pamp2nd_deo@yahoo.com

12. You may visit the following websites:

For downloading of Bidding Documents: www.dpwh.gov.ph/ www.philgeps.gov.ph

For online bid submission: electronicbids_pampanga2@dpwh.gov.ph

August 01, 2024

John Paolo S. Ta Chairpersor



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS CENTRAL OFFICE

Manila



SOCOTEC

CERTIFICATION

This is to certify that the goods stated below have been evaluated and passed the requirement for technical specification of DPWH, Pampanga 2nd District Engineering Office request and are in accordance with the standard specifications of the Department, to wit:

a.		
		Non states -
1	set	Complied as per evaluation
	aj	
	vh.gov.ph 2) 165-02	

Rope Speed - (A) 15 : 40 : 75 (B) 25 : 75 : 145m/min Drum Capacity - φ9mm x 20 m			
Oil Hydraulic Type - Constant Delivery, Gear Type · Delivery Capacity - 18 Liter/min at 1000r.p.m. Max. Pressure - 6.0 MPa {61kgf/cm ² } Cat - head - Cone Type φ120mm x 110 mm Power - 3.7 kW/4P or 5PS / 1800r.p.m. Dimension - 1225 x 655 x 1255mm			
Remarks * Drill capacity calculated based on rod weight only. ** (A) is standard, (B) is optional. *** Manual chuck and Oil-hydraulic chuck: Standard			
DRILLING AND GROUTING PUMP Used to Circulate Muddy Water for Drilling or to Pump Cement Milk			
Features Easy Maintenance High Durability Efficient Valve Small Size * Lightweight Specifications Type - Double Acting, Piston Type No. of Cylinder – 1 Discharge Volume - 54 L/min Discharge Pressure - 1.5 MPa{15kgf·cm ² }	1	unit	Complied as per evaluation
Piston Diameter - 70mm Piston Stroke - 45mm Power - 2.2kW/4P, 3PS Dimensions (L x W x H) - 678x450x569 mm Net Weight	anna an Anna Al	ay	
PUMP STANDARD ACCESSORIES Suction Hose, with metal fitting and foot valve, 38 x 3m Delivery Hose, with metal fitting, 25 x 20m Return Hose, 19 x 10m	1 1 1	set set set	Complied as per evaluation
DRILLING ACCESSORIES FOR SPT (50 METERS) NW Casing 1.5 mtrs	10	pcs	
NQ Rod 3 mtrs	10	pcs	6
NQ Rod 1.5 mtrs	14	pcs	Complied
NQ Overshot Assy	1	рс	as per evaluation
Double Tube Core Barrel	1	assy	Craidadon
NQ Diamond Bit	2	pcs	
NW IMP Casing Shoe Bit NQ Diamond Reaming Shell	2	pcs	
Ny Diamona Keaming Shen	1	рс	

	2	pcs	
	2	pcs	
NQ Landing Ring NQ Stabilizer Heracles Steel Wire 6mm x 130m	1	roll	
TOOLS			
Pipe Wrench 24 in	2	pcs	Complied
Pipe Wrench 36 in	2	pcs	as per
Rod Holder AW Rod	1	рс	evaluation
Tripod	1	set]
Combination Wrench	1	set	
TRAILER FOR DO-D TECHNICAL SPECIFICATION: LOCALLY FABRICATED FRAME DIMENSION: 125 CM X 165 CM X 250 CM MADE OF STEEL CHANNEL 5.05CM (2") THICK x 10.16 CM (4") WIDTH AND GALVANIZED IRON TUBING 5.08 CM (2") DIAMETER WITH 2 PCS RUBBER TIRE SIZE 6.50-13 LT 2 SETS LEAF SPRING ON EACH TIRE TO WITHSTAND THE WEIGHT OF THE RIG AND ANCHOR IS PLACED ON THE FRONT CENTER OF THE FRAME ACCESSIBLE TO PULLED BY A SERVICE VEHICLE	1	unit	Complied as per evaluation

Issued on July 17, 2024, upon request of District Engineer GREGORIO D. AUDEA, JR., DPWH, Pampanga 2nd District Engineering Office for procurement purposes.

CAS REYNALDO P. FAUSTINO

Director IV Bureau of Research and Standards

14.1.4. MCESD/ACDG/JDV



DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS OFFICE OF THE DISTRICT ENGINEER Fampanga 2nd District Engineering Office San Antonio, Guagua, Pampanga



PURCHASE REQUEST

			Fund Cluster		
Offica/Section :		PR No.:		Date:	
DPWH-Pampang	a 2nd DEO				
Stock/ Property No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
	units	DRILLING MACHINE	1		
		Drilling Capacity : 80 mtrs			
		Manual Chuck Two (2) Jaw Type 47mm spindle ID, Fitted AW Rod Chuck Jaw			
		47mm spindle ID, Filled AW Rod Cildok Vaw	1		
		Spindle Stroke: 400mm			
		With prime mover			
		9.5PS/2400rpm(Max), Electric Starting Type			
		FEATURES			
		Small and Lightweight			
		Easy to disassemble, transport and reassemble			
		Low Speed and High Torque			
		Rotary Spindle			
		Both Right and Left Side			
		Operation Available			
		Oil Hydraulic Slide Base			
		as a Standard Equipment			
		SPECIFICATIONS			
	-	SWIVEL HEAD Drilling Capacity - *Drill Rod / Depth: 40.5 /100m			
		Type - Twin Cylinder, Oil Hydraulic Feed System, Spindle Type			
		Angle Range - 360 °			
		I.D. of Spindle - 43 mm (OPTIONAL 47mm)			
		Stroke of Spindle - 400 mm			
		r.p.m.			
		Thrust Force - 17.6 kN {1800 kgf}			
		Balance Force - 23.5 kN {2400 kgf}			
		Rod Chuck - *** Manual 2 Jaw & Oil Hydraulic 3 Jaw	_		
		Transmission - Sliding Gear, 3 Speed			
		Main Clutch - Single Plate, Dry Disc Type			
	1	CERTIFICATION		L	
Thi	s is to certify	that the herein requested Laboratory Equipment & Apparatus were inch	ided in the An	nual Procuremen	nt Plàn (Goods and
Supplies) for CY					11
11 2				AMBROC	IO Z. AZARES
	1.4			/	AC Secretariat
	- Mariana and			1	. \
Purpose:	Purchase of Pampanga	f Laboratory Equipment For Use in Quality Assurance Section at DPWR	-1 - Pampanga	2nd D.E.O., San	Antonio, Guagua,
	Requested		Appr	oved by:	and the second se
Signature 1	requested			1	
Signature :	1	JIMMY B. ALFONSO	· CP	EGORIO D. AT	IDEA IR
Printed Name :		OIC, Chief, Qualtiy Assurance Section	<u>GR</u>	Distric Engi	
Designation :			1	District Engl	
		page 1 of 4			· · · · · · · · · · · · · · · · · · ·
		Website: w	ww.dpwh.go	v.ph	BOROL
	8	Tel No(s)	:0921-213-3	3960 000	
			0. /	SOCOT	
		TSIMA ICLA	W.	77.5.1.5.1.1	
		. Administrat	ive Oldern P	VALUNC.	
		* (4 Sheet # 11 1 17 1 4 4)	AN OF MERINGER 11	is constant By	



i

۲.

DEPARTMENT OF, PUBLIC WORKS AND HIGHWAYS OFFICE OF THE DISTRICT ENGINEER Pampanga 2nd District Engineering Office San Antonio, Guagua, Pampanga



PURCHASE REQUEST

		DD M.	Fund Cluster	Date:	
ffice/Section :	1.1000	PR No.:		Dute.	
DPWH-Pampanga	a 2nd DEO			1	
Stock/ Property No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
110.		HOIST DRUM			
		Hoisting Capacity - Planetary Gear, Hand Brake Type			
		Hoisting Capacity - 5.88 kN (600 kgf)			
		Rope Speed - (A) 15 : 40 : 75 (B) 25 : 75 : 1450m/min			
		Drum Capacity - ø9mm x 20 m			
		OIL HYDRAULIC			
		Type - Constant Delivery, Gear Type			
		Delivery Capacity - 18 Liter/min at 1000r.p.m.			
		Max. Pressure - 6.0 MPa (61kgf/cm²)			
	•	Cat - head - Cone Type @120mm x 110 mm			
		Power - 3.7 kW/4P or 5PS / 1800r.p.m.			
		Dimension - 1225 x 655 x 1255mm			
		Demotio			
		Print Remarks * Drill capacity calculated based on rod weight only.			
		** (A) is standard, (B) is optional.			
		*** Manual chuck and Oil-hydraulic chuck: Standard			
		Manual Chuck and Oli-Hydraulic Chuck. Standard			
		DRILLING AND GROUTING PUMP	1.00		
	unit	Used to Circulate	1.00		
		Muddy Water for Drilling or			
		to Pump Cement Milk			
		FEATURES			
		Easy Maintenance			-
		High Durability			
		Efficient Valve			
		Small Size * Lightweight			
		SPECIFICATIONS			
		Type - Double Acting, Piston Type			
		No. of Cylinder - 1			
		Discharge Volume - 54 L/min			
		Discharge Pressure - 1.5 MPa{15kgf·cm ² }			
		Piston Diameter - 70mm			
	and the second second	CERTIFICATION			Concession of the second second
		that the herein requested Laboratory Equipment & Apparatus	were included in the An	nual Procuremen	t Plan (Goods :
Supplies) for CY-2	2024, this d	istrict.		(1	X
				AMBROO	IO Z. AZARE
					AC Secretariat
Purpose:	Purchase of	Laboratory Equipment, For Use in Quality Assurance Section	at DPWH - Pampanga		
	Pampanga (CY-2024)				1
	Requested 1		Appro	oved by:	and the second second
Signature :	- selenoted (Imilal		1	
Printed Name :		JIMMY B. ALFONSO	GR	EGORIO . AL	JDEA, JR.
		OIC, Chief, Qualtiy Assurance Section	010	District Engin	
Designation :		(III) Chief Chialtiv A schrance Section			1991

Website: www.dpwh.gov.ph Tel. No(s).: 0921-213-3960

> ARLIA IOLARY SEL. VALUE Administrative Officer III (8.6. 19

() ··· 110 1001



.1

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS OFFICE OF THE DISTRICT ENGINEER Pampanga 2nd Disttrict Engineering Office San Antonio, Guagua, Pampanga



PURCHASE REQUEST

			Fund Cluster	Date:	
Office/Section : DPWH-Pampang	a and DEO	PR No.:		Dino.	
Stock/ Property				11.11.0.1	m . 1.0
No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
		Piston Stroke - 45mm			
		Power - 2.2kW/4P, 3PS			
		Dimensions (L x W x H) - 678x450x569 mm			
		Net Weight			
			1.00		
	set	PUMP STANDARD ACCESSORIES	1.00		
		Suction Hose, with metal fitting and foot valve, 38 x 3m	1.00		
	set	Delivery Hose, with metal fitting, 25 x 20m	1.00		
	set	Return Hose, 19 x 10m	1.00		
		DRILLING ACCESSORIES FOR SPT (50 METERS)			
	pcs.	NW Casing 1.5 mtrs	10.00		
	pcs.	NQ Rod 3 mtrs	10.00		
	pcs.	NQ Rod 1.5 mtrs	14.00		
	pc.	NQ Overshot Assy	1.00		
	assy	Double Tube Core Barrel	1.00		
	pcs.	NQ Diamond Bit	2.00		
	pcs.	NW IMP Casing Shoe Bit	2.00		
	pc.	NQ Diamond Reaming Shell	1.00		
	pcs.	NQ Landing Ring	2.00		
	pcs.	NQ Stabilizer	2.00		
	roll	Heracles Steel Wire 6mm x 130m	1.00		
	pcs.	Pipe Wrench 24 in	2.00		
	pcs.	Pipe Wrench 36 in	2.00		
	pc.	Rod Holder AW Rod	1.00		
	set	Tripod	1.00		
	set	Combination Wrench	1.00		
			_		
		CERTIFICATION			CA COMPANY COLORIS
This Supplies) for CY-		that the herein requested Laboratory Equipment & Apparatus were in strict.	cluded in the Ani	X	t)Plan (Goods :
					AC Secretariat
ourpose:	Purchase of	Laboratory Equipment For Use in Quality Assurance Section at DPV	VH - Pampanga 2		
	Pampanga (\sim
	Requested b		Appro	ved by:	
Signature :		men		\mathcal{N}	
Printed Name :		JIMMY B. ALFONSO	GRI	GORIO D. AU	
Designation :		OIC, Chief, Qualtiy Assurance Section		District Engin	cer
		' page 3 of 4 Website: www.d Tel. NG(s).: 092	1-213-3960		130 5031
		Allin. Allin.		e L. Valo	



- 19 - 1² -

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS OFFICE OF THE DISTRICT ENGINEER Pampanga 2nd District Engineering Office

San Antonio, Guagua, Pampanga



PURCHASE REQUEST

Office/Section : DPWH-Pampang			Fund Cluster	A DESCRIPTION OF THE OWNER	the second s
PWH-Pampang		PR No.:		Date:	
	a 2nd DEO	Responsibility Center Code :			Contraction of the second second
tock/ Property No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
	unit	TRAILER FOR DO-D	1		
		TECHNICAL SPECIFICATION:			
		LOCALLY FABRICATED FRAME			
		DIMENSION: 125 CM X 165 CM X 250 CM			
		MADE OF STEEL CHANNEL			
		5.05CM (2") THICK x 10.16 CM (4") WIDTH			
		AND GALVANIZED IRON TUBING 5.08 CM (2*) DIAMETER		and the second second	
		WITH 2 PCS RUBBER TIRE SIZE 6.50-13 LT			
		2 SETS LEAF SPRING ON EACH TIRE TO WITHSTAND			
		THE WEIGHT OF THE RIG			
		AND ANCHOR IS PLACED ON THE FRONT CENTER			in the second
		OF THE FRAME ACCESSIBLE			
		TO PULLED BY A SERVICE VEHICLE			
					and concerns sound
	and the second second				
	and the second second		TOTAL	Р	
					0 000 000 0
		CERTIFICATION	TOTAL	I	8,900,000.0
		CERTIFICATION that the herein requested Laboratory Equipment & Apparatus were inc strict.			Plan (Goods ar O Z. AZARES
pplies) for CY-2	2024, this di	that the herein requested Laboratory Equipment & Apparatus were inc strict.	luded in the An	nual Procurement AMBROCI Head, B/	Plan (Goods ar O Z. AZARES AC Secretariat
pplies) for CY-2	2024, this di Purchase of	that the herein requested Laboratory Equipment & Apparatus were inc strict. Laboratory Equipment For Use in Quality Assurance Section at DPW	luded in the An	nual Procurement AMBROCI Head, B/	Plan (Goods ar O Z. AZARES AC Secretariat
pplies) for CY-2 rpose:	2024, this di Purchase of Pampanga (that the herein requested Laboratory Equipment & Apparatus were inc strict. 'Laboratory Equipment For Use in Quality Assurance Section at DPW CY-2024)	luded in the An /H - Pampanga 2	AMBROCI Head, B/ 2nd D.E.O., San	Plan (Goods ar O Z. AZARES AC Secretariat
pplies) for CY-: rpose:	2024, this di Purchase of	that the herein requested Laboratory Equipment & Apparatus were inc strict. 'Laboratory Equipment For Use in Quality Assurance Section at DPW CY-2024)	luded in the An /H - Pampanga 2	nual Procurement AMBROCI Head, B/	Plan (Goods ar O Z. AZARES AC Secretariat
pplies) for CY-: rpose: gnature :	2024, this di Purchase of Pampanga (that the herein requested Laboratory Equipment & Apparatus were inc strict. Laboratory Equipment For Use in Quality Assurance Section at DPW CY-2024)	luded in the And /H - Pampanga 2 Appro	AMBROCI Head, B/ 2nd D.E.O., San	Plan (Goods an O Z. AZARES AC Secretariat Antonio, Guagua
pplies) for CY-: rpose:	2024, this di Purchase of Pampanga (that the herein requested Laboratory Equipment & Apparatus were inc strict. 'Laboratory Equipment For Use in Quality Assurance Section at DPW CY-2024)	luded in the And /H - Pampanga 2 Appro	AMBROCI Head, B/ 2nd D.E.O., San	O Z. AZARES AC Secretariat Antonio, Guagua DEA, JR.