

TERMS AND SPECIFICATIONS:

Item 1: Heavy Duty Production COPIER

GENERAL SPECIFICATION

Print speed up to 70 ppm
 Printing method Color Laser Beam Printing
 Print resolution Up to 2,400 dpi x 2,400 dpi
 Paper capacity
 Standard 1,650 sheets (550 sheets x 3)
 Long Sheet Tray Standard size: A3, A4, A4R, A5R, SRA3, 13 "x19 "
 (330 x 483 mm)
 Free size: 100 x 148 mm to 330.2 x 487.7 mm
 Long sheet: 210 x 487.8 mm to 330.2 x 1,300 mm
 Paper Weight: 52 to 350 gsm
 Supported media types Paper cassette 1/2/3
 Standard size: A3, A4, A4R, A5R, SRA3, 13" x 19" (330 x 483 mm)
 Free size: 100 x 148 mm to 330.2 x 487.7 mm
 Envelopes: No.10 (COM10), Monarch, DL, ISO-C5
 Multi-purpose tray:
 Thin paper, Plain paper, Recycled paper, Colour paper, Heavy
 paper, Coated paper, pre-punched paper, Tab
 paper, Bond, Transparency, Label, Envelopes, Letterhead
 Supported media weights Cassettes: 52 to 300 gsm
 Multi-purpose tray: 52 to 350 gsm
 Memory 6 GB
 Hard disk drive (Main Unit) 512 GB SSD
 Control panel 10.1-inch Electrostatic WSVGA
 Operating environment Temperature: 20 to 27 °C (50 to 86 °F)
 Humidity: 15 to 60 % RH (no condensation)
 Power Source 220-240 V (±10%), 50/60 Hz (±2 Hz), 16A x 2
 Power Consumption Maximum: Approx 6,560 Watts (at power supply)
 Sleep mode: Approx. 1.5Wh or less
 Dimensions (Main Unit):
 (W x D x H) 882 mm x 872 mm x 1,040 mm
 Document Feeder: Original Copy Speed (A4):
 1-sided scanning: 80 pages/minute (600 dpi)
 2-sided scanning: 160 pages per minute B/W (600 dpi)
 90 pages per minute FC (600 dpi)

 Original Scanning Speed (A4):
 1-sided scanning: 135 pages per minute (300 dpi)
 2-sided scanning: 270 pages per minute Full color & B/W (300 dpi)

 Print Server - Intel Core-i5 8500 (8th Gen Coffee Lake CPU)
 - Windows 10 LTSC lot
 - Enterprise Embedded 64 bits
 - 1 x DDR4-2400 8GB 8GB total
 - 1 x 500 GB 2.5 inch
 - 1 x TB 3.5 inch
 - nVidia GT1030
 - 42 cm (16.5 inch) x 20 cm (7.9 inch) x 43 cm (16.9 inch)
 - 18kg
 - 100-240V, 10-5k 50-60Hz

- Operator panel on arm attached to the engine
 - Front side 2 x USB 3.0. Backside 6 x USB 3.0
- Software and Security Features: Enables easy booklet creation, provides several gang-up and supports cutting and stacking.

- Gang up layout styles
- Booklet layout styles.
- Job Duplication and Numbering for Tickets
- Imposition tools
- VDP support
- Page assembly
- Media definition
- Automation

Media Library:

- Configure settings for and register paper types
- Assign registered paper types to paper sources
- Favorite paper
- Adjustment for the printer
- Registering Paper Types

- Microsoft Office-style ribbon user interface to minimize the learning curve and maximize productivity.
- Integrated create and convert add-ons for Microsoft Word, Excel, PowerPoint, Outlook, and Internet Explorer
- Supports Evernote, Box, Google Drive, Microsoft OneDrive, and Dropbox cloud storage services
- PDF/A compliance checking for PDF/A-1, PDF/A-2, PDF/A-3 and PDF/A-4
- One-click professional scanning with auto find-and-mark technology
- Create and apply self-sign digital signatures
- Sign or send PDFs for signature with the integrated eSignature service
- Microsoft Crypto API/third-party digital signature compatibility
- Add, manage, view, and navigate document digital signatures
- Redact text and graphics from PDF files
- Apply redaction text properties including color, redaction codes, and custom overlay text
- Convert PDF to Word (.doc, .docx)
- Convert PDF to Excel workbooks and worksheets (.xls, .xlsx)

- Convert PDF to PowerPoint (.pptx)
- Convert PDF to WordPerfect (.wpd)
- Convert PDF to XPS (.xps)
- Convert XPS to PDF
- Auto-detects scanned (image) PDF files and offers to convert them to searchable PDF files
- Convert scanned color (image) PDF files to compressed MRC-PDF files (average 8x smaller)
- Batch conversion of PDF files to target formats
- Superior conversion accuracy with OmniPage OCR engine
- Retains hyperlinks (.doc,.docx,.wpd, .xls, .xlsx)
- Convert a select area of a page using OCR and convert to Word, Excel, PowerPoint, or WordPerfect—for scanned (image) PDF files as well as text-based PDF files
- Open and save files through the File menu to popular cloud document storage: Box, Evernote, Google Drive, Microsoft OneDrive, Dropbox
- Save, track, and open revisions within a PDF document

Color Management Tool Equipped with built-in high precision In-line spectral sensor to provide color adjustment with hands-free operation. Output charts and automatically perform the color measurement and color correction without user intervention.

Finishing

Inner Finisher • Collate

The printouts are collated into sets arranged in page order of the original.

- Group

All printouts of the same original page are grouped into sets.

- Offset

Each printout group is shifted into alternating layers.

- Staple + Collate

The printouts are collated into sets arranged in page order and stapled (Corner/Double).

- Staple + Group

All printouts of the same original page are grouped into sets and stapled (Corner/Double).

- Staple Free

The printouts are crimped and bound without using a staple. You can easily split the paper by pressing the crimped part with your fingers. This function is useful for saving staples and also binding printouts briefly.

Brand and Model:

Must be an International Brand Name with an existence of at least ten (10) years in the Philippines. It must be in the current catalog and not end-of-life. The manufacturer's certificate is required, and must be with the original signature, E-signature is not acceptable. Certificate from the manufacturer stating the bidder is an authorized document solutions provider

Regulatory:

ENERGY STAR certified (with Energy Star Stamp). For items that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement.

Documentation and Media:

All equipment shall be supplied with the standard manufacturer's documentation, on any electronic storage media, and a hard copy version where available.

Warranty and Maintenance:

The Supplier is required to provide a 3-yr warranty for parts and onsite labor from the Date of the Inspection and Acceptance Report (IAR). The supplier must also provide a Manufacturer's certificate as proof of Authorized Dealer or Distributor.

Technical Support:

The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm) 5 days a week (Monday - Friday). for problem resolution. Support shall have a response time of the next business day.

**Item 2: Heavy Duty
Multi-function Copier
with Power PDF**

General Specifications:

Type: A3 Colour Laser Multifunctional

Core Function: Print, Copy, Scan, Send, Store, and Optional Fax

Control Panel: 10.1 inches Color Touchpanel

Memory: at least 4.5 GB

Storage:

Standard: at least (SSD) 256GB

Optional: (SSD) 1TB

Interface Connection:

Wired : 1000Base-T/100Base-TX/10Base-T

Wireless LAN: (IEEE 802.11 b/g/n)

Others:

Standard : USB 2.0 x1 (Host) x1, USB 3.0 x1 (Host),
USB 2.0 x1 (Device)

Paper Supply Capacity (A4, 80gsm)

Standard : 1,200 sheets

1 x 100-sheet multi-purpose tray

2 x 550-sheet cassettes

Maximum : 6,350 sheets

Finishing Capabilities

Standard: Collate, Group

With Options: Collate, Group, Offset, Staple, Saddle Stitch,
Hole Punch, Eco Staple, Staple-On-Demand

Supported Media Weights:

Multi-purpose tray: 52 to 300 gsm Paper Cassette

(Upper/Lower) : 52 to 256 gsm

Duplex: 52 to 256 gsm

Supported Media Weights:

Multi-purpose tray: 52 to 300 gsm Paper Cassette

(Upper/Lower) : 52 to 256 gsm

Duplex: 52 to 256 gsm

Dimensions (W x D x H): 620 mm x 722 mm x 937 mm

Weight: Approx. 107 kg

Printing Specifications:

Print Speed (BW and CL: 50 ppm (A4, A5*, A5R, A6R)

27 ppm (A3)

30 ppm (A4R)

Print Resolution (dpi): 1,200 x 1,200

Direct Print: Supported File Types: PDF, EPS, TIFF/JPEG, and XPS

Copy Specifications:

Copy Speed (BW and CL): 50 ppm (A4, A5, A5R, A6R)

27 ppm (A3)

30 ppm (A4R)

First-Copy-Out Time (A4, BW/CL): Approx. 3.4/4.9 seconds or less

Copy Resolution (dpi): 600 x 600

Multiple Copies: Up to 999 copies

Copy Density: Automatic or Manual (9 Levels)

Magnification:

Variable zoom: 25% to 400%)1% Increments)

Preset reduction/enlargement: 25%, 50%, 61%, 70%,

81%,

86%, 100%)1:1), 115%, 122%, 141%, 200%, 400%

	<p>Scan Specifications: Type: Single-pass Duplexing Automatic Document Feeder Document Feeder Paper Capacity (80gsm): Up to 200 Sheets</p> <p>Scan Speed (A4, BW/CL) 1-sided Scanning(ipm) : 135/135 (300 x 300 dpi, send), 80/80 (600 x 600 dpi, copy) 2-sided Scanning (ipm): 270/270 (300 x 300 dpi, send), 160/90 (600 x 600 dpi, copy)</p> <p>Scan Resolution (dpi): 600 x 600</p> <p>Security Specifications: Protecting SSD Data [SSD Data Encryption (FIPS140-2 Validated), SSD Lock], Standard SSD Initialize, Trusted Platform Module (TPM), Job Log Conceal Function, Protecting MFD Software Integrity, Checking MFD Software Integrity (Verify System at Startup, Runtime Intrusion Detection), HCD-PP</p> <p>Remote Management: Enables you to specify settings and process jobs from a personal computer by displaying the screen of the touch panel display on the computer screen.</p> <p>Environment Specifications: Operating Environment Temperature: 10 to 30 °C Humidity: 20 to 80 % RH (Relative Humidity)</p> <p>Power Requirements Power Source: 220-240 V, 50/60 Hz, 6 A</p> <p>Power Consumption Approx. 1,800 Watts Standby: Approx. 53.4W Sleep mode: Approx. 0.8 W</p>
	<p>Advanced PDF Software</p> <p>Features:</p> <ul style="list-style-type: none"> - Microsoft Office-style ribbon user interface to minimize the learning curve and maximize productivity. - Integrated create and convert add-ons for Microsoft Word, Excel, PowerPoint, Outlook, and Internet Explorer - Supports Evernote, Box, Google Drive, Microsoft OneDrive, and Dropbox cloud storage services - PDF/A compliance checking for PDF/A-1, PDF/A-2, PDF/A-3 and PDF/A-4. - One-click professional scanning with auto find-and-mark technology - Create and apply self-sign digital signatures

- Sign or send PDFs for signature with the integrated eSignature service
- Microsoft Crypto API/third-party digital signature compatibility
- Add, manage, view, and navigate document digital signatures
- Redact text and graphics from PDF files
- Apply redaction text properties including color, redaction codes, and custom overlay text
- Convert PDF to Word (.doc, .docx)
- Convert PDF to Excel workbooks and worksheets (.xls, .xlsx)
- Convert PDF to PowerPoint (.pptx)
- Convert PDF to WordPerfect (.wpd)
- Convert PDF to XPS (.xps)
- Convert XPS to PDF
- Auto-detects scanned (image) PDF files and offers to convert them to searchable PDF files
- Convert scanned color (image) PDF files to compressed MRC-PDF files (average 8x smaller)
- Batch conversion of PDF files to target formats
- Superior conversion accuracy with OmniPage OCR engine
- Retains hyperlinks (.doc, .docx, .wpd, .xls, .xlsx)
- Convert a select area of a page using OCR and convert to Word, Excel, PowerPoint, or WordPerfect—for scanned (image) PDF files as well as text-based PDF files
- Open and save files through the File menu to popular cloud document storage: Box, Evernote, Google Drive, Microsoft OneDrive, Dropbox
- Save, track, and open revisions within a PDF document

System Requirements:

- The following are the minimum requirements to install and run Power PDF Create:
- A computer with an Intel® Pentium® 4 or higher processor (or equivalent)
- Supported operating systems:

- | | |
|--|--|
| | <ul style="list-style-type: none">• Windows 10 (32-bit and 64-bit editions)• Windows 8.1 (32-bit and 64-bit Editions)• Windows 7 (32-bit or 64-bit Editions) with Service Pack 1• MacOS 10.14 through 12• 512 MB of memory (RAM), 1 GB recommended• 500 MB of free hard disk space for application files plus 50 MB working space during installation• 16-bit color display with 800×600 pixel resolution• Windows-compatible pointing device• Web access is needed for product registration, activation, and obtaining live updates for the program.• To use EMC Documentum or Evernote connectors you need Microsoft .NET Framework 4.5.2. If it is not detected, it is installed with the product.• NetDocuments connector requires ndOffice 1.8, 1.9 (in Admin mode) or 2.0 or higher installed. |
|--|--|

Brand and Model:

Must be an International Brand Name with an existence of at least ten (10) years in the Philippines. It must be in the current catalog and not end-of-life. The manufacturer's certificate is required, and must be with the original signature, E-signature is not acceptable. Certificate from the manufacturer stating the bidder is an authorized document solutions provider

Regulatory:

ENERGY STAR certified (with Energy Star Stamp). For items that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement.

Documentation and Media:

All equipment shall be supplied with the standard manufacturer's documentation, on any electronic storage media, and a hard copy version where available.

Warranty and Maintenance:

The Supplier is required to provide a 3-yr warranty for parts and onsite labor from the Date of the Inspection and Acceptance Report (IAR). The supplier must also provide a Manufacturer's certificate as proof of Authorized Dealer or Distributor.

Technical Support:

The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm) 5 days a week (Monday - Friday). for problem resolution. Support shall have a response time of the next business day.

Item 3: Compact CAD Copier

GENERAL SPECIFICATIONS:

Printer

Printer Type 4-Colour 24" (610 mm)
Number of Nozzles 4,352 nozzles (BK 1,280 nozzles, C, M, Y: 1,024 nozzles each)
Maximum Print Resolution 2400 × 1200 dpi
Nozzle Pitch 1200 dpi (2 lines)
Line Accuracy ± 0.1% or less
Ink Capacity 70 ml (BK, C, M, Y)
Ink Type Pigment Ink
Printing Solutions Apple AirPrint, Mopria, ChromeOS
Management Solutions Media Configuration Tool, Quick Utility
Toolbox, Wi-Fi Connection Assistant, Printer Update Utility
Standard Interfaces (Built-in) USB B Port (Series B, 4 pins), Hi-Speed USB
Wired LAN
Wireless LAN
Standard Memory 1 GB

Print Speed

Plain Paper (CAD Drawing) 32 sec (Draft) (Monochrome)

Media Handling

Media Feed and Output

Roll Paper One Roll, Top Load, Front Output
Cut Sheet Top Load, Front Output
Media Width (Roll / Cut Sheet) Roll Width: 297 ~ 610 mm (A3 width to 24");
Cut Sheet Width: 210 ~ 297 mm (A3, A4, Letter)
Media Thickness (Roll / Cut Sheet) 0.08 ~ 0.28 mm
Media Core Size 2 inch core
Min. Printable Length
Roll Paper 203.2 mm
Cut Sheet 203.2 mm

Scanner

Scanner Type Flatbed (CIS Scanner)
Optical Resolution (dpi) 1,200 × 2,400 dpi
Greyscale 16 bit / 8 bit
Colour RGB 16 bit / 8 bit
Greyscale / Monochrome 1.5 ms/line (300 dpi)
Colour 3.5 ms/line (300 dpi)
Maximum Document Size A4/LTR (216 × 297 mm)

Dimensions & Weight

Dimensions (W × D × H)

Main Unit 968 × 545 × 395 mm (Auto Sheet Feeder Closed)
968 × 525 × 245 mm (Auto Sheet Feeder Opened)

Weight

Main Unit 32 kg

Power & Operating Requirements

Power Supply AC 100 - 240 V, 50 - 60 Hz

Power Consumption

Printing 28 W or less

Sleep Mode 1.8 W or less

Power Off 0.3 W or less

Brand and Model:

Must be an International Brand Name with an existence of at least ten (10) years in the Philippines. It must be in the current catalog and not end-of-life. The manufacturer's certificate is required, and must be with the original signature, E-signature is not acceptable. Certificate from the manufacturer stating the bidder is an authorized document solutions provider

Regulatory:

ENERGY STAR certified (with Energy Star Stamp). For items that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement.

Documentation and Media:

All equipment shall be supplied with the standard manufacturer's documentation, on any electronic storage media, and a hard copy version where available.

Warranty and Maintenance:

The Supplier is required to provide a 3-yr warranty for parts and onsite labor from the Date of the Inspection and Acceptance Report (IAR). The supplier must also provide a Manufacturer's certificate as proof of Authorized Dealer or Distributor.

Technical Support:

The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm) 5 days a week (Monday - Friday). for problem resolution. Support shall have a response time of the next business day.

**Item 4: High Speed Full
Color Pigment Copier
with Power PDF**

General Specifications:

Technology: PrecisionCore™ Linehead Inkjet Technology
Printer Resolution: 600 x 2,400 dpi
Minimum Ink Droplet Volume: 3.5 pl
Nozzle Configuration: 8,676 nozzles each color (Black, Cyan, Magenta, Yellow)
Automatic 2-sided Printing: Yes
HDD Capacity: 320GB (encrypted)

Print Speed:

ISO 24734, A4 Simplex (Black / Colour): Approx. 100 ipm / 100 ipm
ISO 24734, A4 Duplex (Black / Colour): Approx. 100 ipm / 100 ipm
ISO 24734, A3 Simplex (Black / Colour): Approx. 54 ipm / 36.3 ipm
ISO 24734, A3 Duplex (Black / Colour): Approx. 54 ipm / 36.3 ipm
First Page Out Time from Ready Mode (Black / Colour): Approx. 5.0 sec / 5.0 sec

Copying:

Maximum Copies from Standalone: 9,999 copies
Reduction / Enlargement: 25 - 400%, Auto Fit Function
Maximum Copy Size: A3
ISO 29183, A4, Simplex (Flatbed): Approx. 100 ipm (Black / Colour)
ISO 24735, A4, Simplex (ADF 1:1): Approx. 100 ipm (Black / Colour)
ISO 24735, A4, Duplex (ADF 1:2 / 2:2): Approx. 100 ipm (Black / Colour)
Max Copy Resolution: 600 x 1,200 dpi
Scanning:
Scanner Type: Flatbed color image scanner
Sensor Type: CIS
Optical Resolution: 600 x 1,200 dpi
Maximum Scan Area: 297 x 431.8 mm (11.7 x 17")

Paper Handling:

Number of Paper Trays: 5 (Paper Cassettes: 4, MP Tray: 1)
Standard Paper Input Capacity: Up to 2,350 sheets (80 g/m²)
(Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 150 sheets)
Maximum Paper Input Capacity: Up to 5,350 sheets (80 g/m²)
(Paper Cassettes 1 - 4: 550 x 4 + MP Tray: 150 sheets + High Capacity Feeder Unit: 3,000 sheets)
Output Capacity: 700 sheets (Tray 1: 550 sheets, Tray 2: 150 sheets*8)
Support Paper Size: A3+, A3, A4, B5, A5, A6, 5 x 7", 4 x 6", Legal, Letter, Envelopes: #10, DL, C6, C4
Maximum Paper Size: A3+, 330 x 1200mm (12.95 x 47.24")
Features:

- Microsoft Office-style ribbon user interface to minimize the learning curve and maximize productivity.
- Integrated create and convert add-ons for Microsoft Word, Excel, PowerPoint, Outlook, and Internet Explorer
- Supports Evernote, Box, Google Drive, Microsoft OneDrive,

and Dropbox cloud storage services

- PDF/A compliance checking for PDF/A-1, PDF/A-2, PDF/A-3 and PDF/A-4
- One-click professional scanning with auto find-and-mark technology
- Create and apply self-sign digital signatures
- Sign or send PDFs for signature with the integrated eSignature service
- Microsoft Crypto API/third-party digital signature compatibility
- Add, manage, view, and navigate document digital signatures
- Redact text and graphics from PDF files
- Apply redaction text properties including color, redaction codes, and custom overlay text
- Convert PDF to Word (.doc, .docx)
- Convert PDF to Excel workbooks and worksheets (.xls, .xlsx)
- Convert PDF to PowerPoint (.pptx)
- Convert PDF to WordPerfect (.wpd)
- Convert PDF to XPS (.xps)
- Convert XPS to PDF
- Auto-detects scanned (image) PDF files and offers to convert them to searchable PDF files
- Convert scanned color (image) PDF files to compressed MRC-PDF files (average 8x smaller)
- Batch conversion of PDF files to target formats
- Superior conversion accuracy with OmniPage OCR engine
- Retains hyperlinks (.doc, .docx, .wpd, .xls, .xlsx)
- Convert a select area of a page using OCR and convert to Word, Excel, PowerPoint, or WordPerfect—for scanned (image) PDF files as well as text-based PDF files
- Open and save files through the File menu to popular cloud document storage: Box, Evernote, Google Drive, Microsoft OneDrive, Dropbox

- Save, track, and open revisions within a PDF document

System Requirements:

- The following are the minimum requirements to install and run Power PDF Create:
- A computer with an Intel® Pentium® 4 or higher processor (or équivalent)
- Supported operating systems:
 - Windows 10 (32-bit and 64-bit editions)
 - Windows 8.1 (32-bit and 64-bit Editions)
 - Windows 7 (32-bit or 64-bit Editions) with Service Pack 1
 - MacOS 10.14 through 12
- 512 MB of memory (RAM), 1 GB recommended
- 500 MB of free hard disk space for application files plus 50 MB working space during installation
- 16-bit color display with 800×600 pixel resolution
- Windows-compatible pointing device
- Web access is needed for product registration, activation, and obtaining live updates for the program.
- To use EMC Documentum or Evernote connectors you need Microsoft .NET Framework 4.5.2. If it is not detected, it is installed with the product.
- NetDocuments connector requires ndOffice 1.8, 1.9 (in Admin mode) or 2.0 or higher installed.

Brand and Model:

Must be an International Brand Name with an existence of at least ten (10) years in the Philippines. It must be in the current catalog and not end-of-life. The manufacturer's certificate is required, and must be with the original signature, E-signature is not acceptable. Certificate from the manufacturer stating the bidder is an authorized document solutions provider

Regulatory:

ENERGY STAR certified (with Energy Star Stamp). For items that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement.

Documentation and Media:

All equipment shall be supplied with the standard manufacturer's documentation, on any electronic storage media, and a hard copy version where available.

Warranty and Maintenance:

The Supplier is required to provide a 3-yr warranty for parts and onsite labor from the Date of the Inspection and Acceptance Report (IAR). The supplier must also provide a Manufacturer's certificate as proof of Authorized Dealer or Distributor.

Technical Support:

The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm) 5 days a week (Monday - Friday). for problem resolution. Support shall have a response time of the next business day.

Item 5:
Smart TV 86" for online
conferencing &
livestreaming

GENERAL SPECIFICATIONS:

DISPLAY

Panel Size: 86" 4K Display
Panel Type: TFT LCD Module with DLED Backlight. IPS
Display Area (mm): 1913.04(H) x 1083.96 (V)
Aspect Ratio: 16:09
Resolution: UHD 3840x2160(Pixels)
Colors: 1.07B colors
Brightness: 400 nits
Contrast Ratio: 5000:1 (max. with DCR enabled)
Response Time: 8ms
Viewing Angles: H=178, V=178
Backlight Life: 50,000 Hours (Min.)
Surface Treatment: Hardness: 9H Anti-glare coating.

PLATFORM

Processor: Quad-core ARM Cortex
RAM: 8GB DDR4
Storage: 128 GB

EMBEDDED OS Android 11

PORTS

HDMI: HDMI 2.0 x1

Audio: x1

SPDIF: x1

LAN

RJ45: x2

USB

Type A: USB3.0: Front x2, Rear x2 ; USB2.0 x1

Type B: x2 (Rear x1 + Front x1)

Type C: Front (PD65W + DP1.2 + Data USB2.0 + 10M/100M sharing)

DIMENSIONS (W X H X D)

Physical (inch / mm): 1957 x 1160 x 100 mm / 77 x 45.7 x 3.9 in

Packaging (inch / mm): 2110 x 1283 x 225 mm / 83 x 50.5 x 8.9 in

WEIGHT

Net (lb / kg): 129.1lb/58.55kg

Gross (lb / kg): 167.3lb/75.9kg

Features:

- Front Access Control Panel and Input/Output Ports
- 8 meters, 30 deg. Left and Right Remote-control receiver range
- 40 points Touch point with Ultra-Fine Touch technology and dual-pen capabilities.
- Quick and seamless wireless screen sharing
- Front-Facing Speakers
- Split Screen feature to display different applications on the display.
- SAMBA File sharing, easily share system files via PC or mobile equipment
- HDCP Protocol, secure protocol for protecting transmission of Audio and video signals

- Microsoft Office-style ribbon user interface to minimize the learning curve and maximize productivity.
- Integrated create and convert add-ons for Microsoft Word, Excel, PowerPoint, Outlook, and Internet Explorer
- Supports Evernote, Box, Google Drive, Microsoft OneDrive, and Dropbox cloud storage services
- PDF/A compliance checking for PDF/A-1, PDF/A-2, PDF/A-3 and PDF/A-4
- One-click professional scanning with auto find-and-mark technology
- Create and apply self-sign digital signatures
- Sign or send PDFs for signature with the integrated eSignature service
- Microsoft Crypto API/third-party digital signature compatibility
- Add, manage, view, and navigate document digital signatures
- Redact text and graphics from PDF files
- Apply redaction text properties including color, redaction codes, and custom overlay text
- Convert PDF to Word (.doc, .docx)
- Convert PDF to Excel workbooks and worksheets (.xls, .xlsx)
- Convert PDF to PowerPoint (.pptx)
- Convert PDF to WordPerfect (.wpd)
- Convert PDF to XPS (.xps)
- Convert XPS to PDF Auto-detects scanned (image) PDF files and offers to convert them to searchable PDF files
- Convert scanned color (image) PDF files to compressed MRC-PDF files (average 8x smaller)
- Batch conversion of PDF files to target formats
- Superior conversion accuracy with OmniPage OCR engine
- Retains hyperlinks (.doc, .docx, .wpd, .xls, .xlsx)
- preparation of a PDF document for DTP-style printing.
- 8-Up Booklet, Saddle Stitching, Sheet Wise style, Interleave, do not Flip backs of sheets.
- PDF creation and conversion components, are integrated into three Document Management Systems: Microsoft SharePoint, eDOCS and iManage WorkSite.

Brand and Model:

Must be an International Brand Name with an existence of at least ten (10) years in the Philippines. It must be in the current catalog and not end-of-life. The manufacturer's certificate is required, and must be with the original signature, E-signature is not acceptable. Certificate from the manufacturer stating the bidder is an authorized document solutions provider

Regulatory:

ENERGY STAR certified (with Energy Star Stamp). For items that do not carry an Energy Star label, an appropriate means of proof of Energy consumption levels shall be submitted such as a technical dossier of the manufacturer or a test report from a recognized body to demonstrate compliance with this requirement.

Documentation and Media:

All equipment shall be supplied with the standard manufacturer's documentation, on any electronic storage media, and a hard copy version where available.

Warranty and Maintenance:

The Supplier is required to provide a 3-yr warranty for parts and onsite labor from the Date of the Inspection and Acceptance Report (IAR). The supplier must also provide a Manufacturer's certificate as proof of Authorized Dealer or Distributor.

Technical Support:

The local technical support shall include telephone and email, 8 hours per day (8:00 am - 5:00 pm) 5 days a week (Monday - Friday). for problem resolution. Support shall have a response time of the next business day.