



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2ND DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

Name of Procuring Entity: DPWH ZN 2nd District Engineering Office

Revised on:

Standard Form/Title:

Request for Quotation: **P.R. No. 24-12-300**

Date:

12/20/2024

COMPANY NAME: _____

ADDRESS: _____

TEL. NO./FAX NO.: _____

Office/End-User:

Maintenance Section

TIN: _____

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below, and submit your quotation duly signed by your representative not later than 10:00 A.M. of _____ with the return envelope attached herewith, to the BAC Secretariat for Goods, Sta. Isabel, Dipolog City.

TERMS AND CONDITIONS:

1. All entries must be typewritten or legibly written.
2. Delivery period within thirty (30) calendar days upon receipt of the approved funded Purchase Order (P.O.) Administrative Penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar Days.
5. PhilGEPS Registration Certificate/Mayor's Permit/DTI shall be attached upon submission of the quotation.
6. Bidders shall submit original brochures showing certifications of the product, (If applicable)
7. Please indicate the brand for each items being offered.
8. The approved budget ceiling for this procurement is **Php999,482.00**

JOSE TEOVY S. OCHOTORENA

BAC Chairperson

REQUEST FOR QUOTATION

Item No.	ITEMS & DESCRIPTIONS	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Instant Cold Mix 40kg/pail	251	pail		
	X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X				
Purpose:	Purchase of materials for use in the routine Maintenance Activities Patching of Potholes along National Roads & Bridges for the 4th quarter CY-2024, this district.				

Brand Model: _____

Delivery Period: _____

Total Amount P -----

Warranty: _____

Price Validity: _____

After having carefully read and accepted your General Conditions, I/We quote you on the item(s) at prices above.

If the space for Delivery Period, Warranty and Price Validity are left blank, It means that I concur with the Terms and Conditions specified by DPWH.

Printed Name/Signature/Date

BAC - SECRETARIAT:

Tel. No. 212 - 2538

Fax. No. (065) 212 - 2538

Tel. No./Cellphone No./E-mail Address



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2nd DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

APPROVED BUDGET FOR THE CONTRACT (ABC)

Summary of Costs


Fill out all the spaces provided. Write (N/A) if not applicable.

No.	Item	Cost
1	Actual Market Price of Product	PHP 999,482.00
2	Incidental Expenses	
	• Taxes/Customs/Duties	N/A
	• Licenses/Registration	N/A
	• Insurance	N/A
	• Storage/Freight/Hauling	N/A
	• Installation/Removal	N/A
	• Trainig Costs	N/A
	• Cost of Inspection	N/A
	• Others: (Specify)	
3	Cost of Money/Adjustment for Inflation	N/A
4	Discounts (for Bulk Buing)	N/A
5	Spare Parts/Maintenance Costs/Warranty	N/A
6	Adjustment for currency valuation	N/A
	(if procured from a foreign country/abroad)	
7	Life cycle cost	N/A
	Grand Total	PHP 999,482.00

Prepared by:


ILDE DEXIE T. ALFARO
Engineer III/Maintenance Section

Approved by:


AMINODIN P. MANIRI
District Engineer



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2ND DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

Technical Specifications for **ASPHALT COLD MIX**

TECHNICAL SPECIFICATIONS	MINIMUM REQUIRED	
	MINIMUM	MAXIMUM
STABILITY REQUIREMENTS		
	TEST PROPERTY <i>Conforming Item 308 – Bituminous Plant – Mix Surface Course, Cold - Laid</i>	
Stability N at 22.2°C	2224	-
Percent Stability Loss After Vacuum Saturation and Immersion	-	50
Aggregate Coating, (Percent)	50	-

TECHNICAL SPECIFICATIONS	MINIMUM REQUIRED Emulsified Asphalt CSS-1		
	MINIMUM	MAXIMUM	TEST METHOD
TEST ON EMULSIONS			
Viscosity, Saybolt Furol at 25 °C	20	100	ASTM D244
Storage Stability test, 24-h, %	-	1	ASTM D6930
Particle charge Test	POSITIVE		ASTM D244
Sieve Test, %	-	0.1	ASTM D6933
Cement Mixing Test, %	-	2.0	ASTM D6935
DISTILLATION			
Residue, %	57	-	ASTM D244
TEST ON RESIDUE FROM DISTILLATION TEST			
Penetration 77°F (25 °C) 100g, 5s mm	100	250	ASTM D5

ROLLY JAY B. BACARA
Engineer II
Maintenance Section