



Name of Procuring Entity : DPWH-ZN 4th District Engineering Office
Revised on :
Standard Form/Title : REQUEST FOR QUOTATION
Company Name :
Address :
TEL. NO./FAX No. :
Request for Quotation No. RFQ-2024-0047
Purchase Request No. 2024-09-12
Office/End-User : ICT

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 2:00 P.M. of **OCT 25 2024** in the return envelope attached herewith, to the BAC Secretariat for Goods, 4th District Engineering Office, M. Francisco, Siocon, Zamboanga del Norte

TERMS and CONDITIONS :

1. All entries must be typewritten or legibly written.
2. Delivery period within 15 Calendar Days upon receipt of the approved funded Purchased Order (P.O.). Administrative penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar days.
5. PhilGEPS Registration Certificate / Mayor's Permit / DTI/ Omnibus Sworn Statement / Tax Clearance Certificate shall be attached upon submission of the quotation.
6. Bidders shall submit original brochures showing certification of the product, if applicable.
7. Please indicate the brand for each item being offered.
8. The approved budget ceiling for this procurement is 200,400.00

Item No.	ITEMS & DESCRIPTION	QTY.	Unit	UNIT PRICE	TOTAL AMOUNT
1	WIFI PACKAGE FOR STARLINK Technical Specification: 1. Starlink Ethernet Adaptor 2. Gigabit router 3. 2x 300mbps Wifi Access Points 4. 1x Gigabit Wifi AP	1	set		
2	AUTOMATIC VOLTAGE REGULATOR 5000VA Technical Specification: • Power Capacity: 5000VA • AC input voltage: 45-280V /60Hz • AC output voltage: 220V ± 10% • AC Protection: 246 ± 4V • Delay time: Short delay - 3 ~ 5 sec; Long delay - 3 ~ 7 min • Temperature size: < 80K • Operating temperature: 20°C ~ 50°C • Operating humidity: < 90% • Noise Level: ≤50dB (full load) • IP rating: IP20	1	pc		
3	Camera for Livestreaming Technical Specification: Connectivity: USB-C, Wifi, bluetooth & HDMI Megapixel: 18mp Video Resolution: 4k at 30fps	1	pc		
4	VIDEO TRIPOD FOR LIVESTREAMING Leg Material: Aluminum Maximum Height (cm): 145 Maximum Payload Capacity (kg): 2.5 Maximum Working Height (cm): 121.5 Minimum Height (cm): 41 Height (cm): 61.65 Length (cm): 11.53 Weight (kg): 1.48 Width (in): 4.54 Quick Release Camera Thread Size: 1/4"-20	1	pc		

5	AUDIO SYSTEM FOR LIVESTREAMING Technical Specification: ●Audio Mixer: 6 Channel ●Wireless Microphone: 2x Chargeable ●Monitor Earphone: 1x Wired ●Jack Adapters: 3.5mm - 6.5mm male ●RCE Adapters ●10m usb EXTENSION	1	set		
6	Canon LP-17 BATTERY FOR EXISTING CANNON CAMERA Compatibility: Canon EOS 200D	2	pcs		
7	Canon LP-12 BATTERY FOR EXISTING CANNON CAMERA Compatibility: Canon EOS M50 MkII	2	pcs		
8	GoPro Battery for Existing GoPro Camera Compatibility: GoPro Hero 12 Battery Capacity 1720mAh Battery Type Li-Ion	2	pcs		
9	UPS 1000VA Technical Specification ●Audio Mixer: 6 Channel ●Wireless Microphone: 2x Chargeable ●Monitor Earphone: 1x Wired ●Jack Adapters: 3.5mm - 6.5mm male ●RCE Adapters ●10m usb EXTENSION	5	pcs		
10	PRECISION TOOLSET Bit Model: S2 45mm deep hole Screwdriver bits: Flat-head: 1.5/2.0 Phillips: 1.5/2.0 CR-V Sockets: M2.5*2/3.0/3.5/4.0/4.5/5.0/5.5/G3.8/G4.2/PH2/U CR-V Bits: Hex Socket: H0.7/H0.9/H1.3/H1.5/H2.0/H2.5/H3.0/H3.5/ H4.0/H4.5/H5.0/H6.0 Phillips: 1.0*2/1.5*3/2.0*2/2.5*3/3.0*3/3.5*2/JIS000/ JIS00/JIS0/JIS1 Torx: T1*3/T2*3/T3*2/T4*2/T5/T6/T7/T8/T9/T10/ T15/T20 Flat-head: 1.0*2/1.3*2/1.5*2/2.0*2/2.5*2/3.0*2/3.5*2/4.0*2 Torx Security: T6H/T7H/T8H/T9H/T10H/T15H/T20H Rice type: PZ00*2/PZ0*2/PZ1*2/PZ2*2 Tri-wing: Y0.8*3/Y2.0*2/Y2.5*2/Y3.0*2 Pentagon: 0.8*3/1.2*3/1.5*3/2.0*2 U-shaped: U2.0*2/U2.6*2/U3.0*2 Triangle: A2.0/A2.3/A2.6/A3.0 Square: SQ0/SQ1/SQ2 SIM ejector: SIM0.8/SIM1.0 Standoff: 1.5*2	1	set		

CORDESS COMPUTER AIR DUSTER	1	set		Material: ABS plastic+PP Color: Black Charging power: DC5V Rated power: 68W Charging interface: Type-C interface Battery capacity: 6000MAH Charging time: approximately 3 hours Usage time: 30-40 minutes Speed: 51000RPM Blowing force test: 25M/S Working temperature: -10 ~ 60 °C Noise: < 80dB
3.5in HARD DISK DRIVER 2TB Storage Capacity: 2000 GB Interface speed: 6 Gb/s Internal transfer rate (max): 180MB/s RPM: 5400	2	set		
"Nothing Follows"				
PURPOSE: Item #1: To be used in the ICT for the stabilization and management of internet distribution Item #2: To be used in the ICT for the stabilization of electrical current Item #3-5: To be used in the Procurement Unit livestreaming activities Item #6-8: To be used in the PIO's existing cameras Item #9: To be used in ICT for standby battery backup for ICT equipment Item #10&11: To be used in the ICT preventive maintenance activities Item #12: To be used in the ICT for additional storage for eNGAS backup database				
Brand and Model:	Warranty	Price Validity:		
Delivery Period:				
After having carefully read and accepted your General Conditions, / We quote you on the item(s) at prices note above. If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.				
Printed Name / Signature / Date			Tel. No. / Cellphone No. / Email Address	