Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGH-WAYS CAPI2 200 DISTRICT ENGINEERING OFFICE Reguest for Outstand OFFICE Reguest for Outstan OFFICE Reguest for Outstan OFFICE Name of Producing Entity DPMHCapc 2nd DEO Request for Outstan OFFICE Reguest for Outstan OFFICE Revised on: DPMECapc 2nd DEO Request for Outstan OFFICE Standard Form?tile REQUEST FOR QUOTATION Office/End/User : Administrative Section COMPANY NAME I IIII IIIII Pass quot systemes price an the Item/st listed pation, subject to the Terms and Conditions table block and advant; your quotation duly signed by your reservementation of the tran 200 PAM of Oct 1 Standard Advants Committed Ones, Captar AD Outst Standard Advants To DE LISED IN THE REPAIR OF SERVICE VEHICLES FOR THE DPWH CAPIZ 2ND DISTRUCT ENDINEERING OFFICE PROCUREMENT OF SPARE PARTS & LUBRICANTS TO BE USED IN THE REPAIR OF SERVICE VEHICLES FOR THE DPWH CAPIZ 2ND DISTRUCT ENDINEERING OFFICE IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	2	r.							
Revised on: Date: Sept. 17, 2024 COMPANY NAME REQUEST FOR QUOTATION Office/Encl/Jeer : Administrative Section COMPANY NAME Image: Company			DEPARTMENT OF	PUBLIC WORKS AND CAPIZ 2ND FENGINEERING OFFIC		/AYS			
Revised on: Date: Sept. 17, 2024 COMPANY NAME REQUEST FOR QUOTATION Office/Encl/Jeer : Administrative Section COMPANY NAME Image: Company	Name of Pro	curing Entity	DPWH-Capiz 2nd DEO Requi	est for Quotation (P.R. I		2024-09-004	14		
Standard Form/Tile REQUEST FOR QUOTATION Office/End-User Administrative Section COMPANY NAME Image: Company Name Image: Company Name Image: Company Name Image: Company Name TEL. NO.FRAN No. Image: Company Name Image: Company Name Image: Company Name Image: Company Name Pease quote your lowest process the Image: Company Name Office, Company Name Image: Company Name <td>Concern Conditions where a loss statement</td> <td>The other designs and the second s</td> <td>. Di Wil-Capiz zili DEO Requi</td> <td></td> <td>Statement and a state</td> <td>A CONTRACTOR OF THE OWNER OF THE OWNER</td> <td>the second se</td> <td></td>	Concern Conditions where a loss statement	The other designs and the second s	. Di Wil-Capiz zili DEO Requi		Statement and a state	A CONTRACTOR OF THE OWNER OF THE OWNER	the second se		
ADDRESS Image: Control Local Action Processing Control Processing Contro Processing Control Processing Control Procestand Control Process	Standard Fo	rm/Title	REQUEST FOR QUOTATION						
TEL. NO./FAX NO. IN : TEL NO./FAX NO. TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : TIN : <th colspa<="" td=""><td></td><td></td><td>:</td><td></td><td></td><td></td><td></td><td></td></th>	<td></td> <td></td> <td>:</td> <td></td> <td></td> <td></td> <td></td> <td></td>			:					
Phase public point inter a point of the international conditions states and a burning states day states and a burning states and burning states and a burning states and a burning state	ADD	DRESS							
Representative not later than 200 P.M. of			:						
ENGINEERING OFFICE.	representative Office, Capiz	e not later than 2 2nd District Engi	2:00 P.M. of <u>00115, 2024</u> neering Office, Dumalag, Capiz.	in the return set	aled env	elope attached	herewith, to the Bids	and Awards Committe	
1. All entities must be togenization. upon receipt of the approved funded Parchase Order (P.O). Administrative penalties pursuant to Sec. 50 of the Revised (RR-R4 9184 shall be invessed) to mosched treasm. Shall RR-R4 9184 shall be invessed to mosched treasm. So effect Reported treasm. Shall reported to acceptance by the end-user. Shall reported to acceptance by the end-user. 4. Proce validly shall be for a pariod of shall be obtached upon submission of the quotation. Shall reported to acceptance by the end-user. 5. 6F5 Registration Certificate/Moyor's Permid/D1/Omnibus seam statement shall be ottached upon submission of the quotation. Shall be to apprind to a shall be obtached upon submission of the quotation. 8. Bidles shall submit onlight onlight on the product. Total PRICE Total PRICE 1. The approved budget celling for this procurement is <u>the x78 160.00</u> Total PRICE Total PRICE 1. Brake shall submit onlight shall be able to accel upon submission of the quotation. Shall be able to approve to a shall be able to accel upon submission of the quotation. Shall be able to a cold to a shall			PARTS & LUBRICANTS TO BE USED IN TH	HE REPAIR OF SERVICE	VEHICI	LES FOR THE E	DPWH CAPIZ 2ND DI	STRICT	
No. ITEMS & DESCRIPTION GIV. UNIT UNIT PRICE TOTAL PRICE HI-5033/SKA-481 (TOYOTA HI-LUX 4X2 D/G)	 All entries I Delivery per Purchase Ord imposed for n Warranty s years IT Equit Price validit G-EPS Regist the quotation. Bidders shi P lease indi 	must be typewritt priod within der (P.O). Admini pon-delivery witho hall be for a mini- pment from date ity shall be for a p tration Certificate/ all submit origina icate the brand fo	en or legibly written. strative penalties pursuant to Sec. 69 of the pout valid reason. num of three (3) months for supplies & materi of acceptance by the end-user. period of sixty (60) calendar days. Mayor's Permit/DTI/Omnibus sworn statement sh I brochures of the product . or each items being offered.	Revised IRR-RA 9184 sh als; one year for Equipme	nt; 3	SH		7	
HI-5033/SKA-481 (TOYOTA HI-LUX 4X2 D/G) I 1 Brake shoe 1 set 2 Exhaust manifold gasket 1 pc. 3 Brake pad 1 pc. 4 Upper suspension bushing 4 pcs. 5 Bearing 32009 2 pcs. 6 Balljoint upper 2 pcs. 7 Balljoint lower 2 pcs. 8 Rack end 2 pcs. 9 Tier od end 2 pcs. 10 Stabilizer link kit 2 pcs. 11 Bearing 32008 2 pcs. 12 Caliper pin build up 2 pcs. 13 Hub assy build up 2 pcs. 14 Stabilizer bar bushing 2 pcs. 15 Balljoint lower 4 pcs. 16 Upper suspension bushing 8 pcs. 16 Upper suspension bushing 8 pcs.			ITEMS & DESCRIPTION	G	TY.	UNIT	UNIT PRICE	TOTAL PRICE	
1 Brake shoe 1 set 2 Exhaust manifold gasket 1 pc. 3 Brake pad 1 set 3 Brake pad 1 set 4 Upper suspension bushing 4 pcs. 5 Bearing 32009 2 pcs. 6 Balljoint upper 2 pcs. 7 Balljoint lower 2 pcs. 8 Rack end 2 pcs. 9 Tie rod end 2 pcs. 10 Stabilizer link kit 2 pcs. 11 Bearing 32008 2 pcs. 12 Caliper pin build up 2 pcs. 13 Hub assy build up 2 pcs. 14 Stabilizer bar bushing 2 pcs. 14 Stabilizer bar bushing 4 pcs. 14 Balljoint lower 4 pcs. 15 Balljoint upper 4 pcs. 16 Upper suspension bushing 2 pcs. 19 <	NO.	HI-	5033/SKA-481 (TOYOTA HT-LUX 4X)	2 D/G)					
2 Exhaust manifold gasket 1 pc. HI-7713/AMA 9629 (ISUZU DMAX 4X2 LS A/T)	1				1	set			
3 Brake pad 1 set 4 Upper suspension bushing 4 pcs. 5 Bearing 32009 2 pcs. 6 Balljoint upper 2 pcs. 7 Balljoint lower 2 pcs. 9 Tie rod end 2 pcs. 10 Stabilizer link kit 2 pcs. 11 Bearing 32008 2 pcs. 12 Caliper pin build up 2 pcs. 13 Hub assy build up 2 pcs. 14 Stabilizer bar bushing 2 pcs. 15 Balljoint lower 4 pcs. 14 Stabilizer bar bushing 2 pcs. 15 Balljoint lower 4 pcs. 16 Upper suspension bushing 8 pcs. 17 Balljoint upper 4 pcs. 18 Rack end 4 pcs. 19 Tie ord end 2 pcs. 19 Tie ord end 2 pcs. 20			fold gasket						
4 Upper suspension bushing 4 pcs. 5 Bearing 32009 2 pcs. 6 Balljoint upper 2 pcs. 7 Balljoint lower 2 pcs. 8 Rack end 2 pcs. 9 Tie rod end 2 pcs. 10 Stabilizer link kit 2 pcs. 11 Bearing 32008 2 pcs. 12 Caliper pin build up 2 pcs. 13 Hub assy build up 2 pcs. 14 Stabilizer bar bushing 2 pcs. 15 Balljoint lower 4 pcs. 16 Upper suspension bushing 8 pcs. 17 Balljoint upper 4 pcs. 18 Rack end 4 pcs. 19 Tie rod end 2 pcs. 20 Bearing 32008 2 pcs. 21 Bearing			713/AMA 9629 (ISUZU DMAX 4X2 L	.S A/T)					
5 Bearing 32009 2 pcs. 6 Balljoint upper 2 pcs. 7 Balljoint lower 2 pcs. 8 Rack end 2 pcs. 9 Tie rod end 2 pcs. 10 Stabilizer link kit 2 pcs. 11 Bearing 32008 2 pcs. 12 Caliper pin build up 2 pcs. 13 Hub assy build up 2 pcs. 14 Stabilizer bushing 2 pcs. 14 Stabilizer bushing 2 pcs. 14 Stabilizer bushing 2 pcs. 15 Balljoint lower 4 pcs. 16 Upper suspension bushing 8 pcs. 17 Balljoint upper 4 pcs. 18 Rack end 4 pcs. 19 Tie rod end 2 pcs. 20 Bearing 32009 2 pcs. 21 Bearing 32008 2 pcs. 22 Meel cyl									
6 Balijoint upper 2 pcs.									
7 Balljoint lower 2 pcs. 8 Rack end 2 pcs. 9 Tie rod end 2 pcs. 10 Stabilizer link kit 2 pcs. 11 Bearing 32008 2 pcs. 12 Caliper pin build up 2 pcs. 13 Hub assy build up 2 pcs. 14 Stabilizer bar bushing 2 pcs. 15 Baljoint lower 2 pcs. 16 Upper suspension bushing 8 pcs. 17 Baljoint lower 4 pcs. 18 Rack end 4 pcs. 19 Tie rod end 2 pcs. 19 Tie rod end 2 pcs. 21 Bearing 32008 2 pcs. 22 Wheel cylinder assy 2 pcs. 23 Brake shoe 1 pc. 24 Brake pad 1 set 25 Brake fluid 1 pcs. 26 Lug nut set									
8 Rack end 2 pcs. 9 Tie rod end 2 pcs. 10 Stabilizer link kit 2 pcs. 11 Bearing 32008 2 pcs. 12 Caliper pin build up 2 pcs. 13 Hub assy build up 2 pcs. 14 Stabilizer bar bushing 2 pcs. 15 Balljoint lower 4 pcs. 16 Upper suspension bushing 8 pcs. 17 Balljoint upper 4 pcs. 18 Rack end 4 pcs. 18 Rack end 2 pcs. 19 Tie rod end 2 pcs. 20 Bearing 32009 2 pcs. 21 Bearing 32009 2 pcs. 22 Wheel cylinder assy 2 pcs. 23 Brake shoe 1 pc. 24 Brake fluid 1 pc. 25 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
9 Tie rod end 2 pcs.			•						
10Stabilizer link kit2pcs.11Bearing 320082pcs.12Caliper pin build up2pcs.13Hub assy build up2pcs.14Stabilizer bar bushing2pcs.15Balljoint lower4pcs.16Upper suspension bushing8pcs.17Balljoint upper4pcs.18Rack end4pcs.19Tie rod end2pcs.20Bearing 320092pcs.21Bearing 320082pcs.22Wheel cylinder assy2pcs.23Brake shoe1pc.24Brake pad1set25Brake fluid1pc.26Lug nut set7pcs.27Caliper build up2job28Hub assy build up2job29Brake cleaner1pc.30Wheel alignment1job31Resurface brake shoe2job									
11Bearing 320082pcs.Image: constraint of the system of the sys			kit						
13Hub assy build up2pcs.14Stabilizer bar bushing2pcs.14Stabilizer bar bushing2pcs.15Balljoint lower4pcs.16Upper suspension bushing8pcs.17Balljoint upper4pcs.18Rack end4pcs.19Tie rod end2pcs.20Bearing 320092pcs.21Bearing 320082pcs.22Wheel cylinder assy2pcs.23Brake shoe1pc.24Brake pad1set25Brake fluid1pc.26Lug nut set7pcs.27Caliper build up2job28Hub assy build up2job29Brake cleaner1pc.30Wheel alignment1job31Resurface brake shoe2job					2				
14Stabilizer bar bushing2pcs.Image: constraint of the system o						pcs.			
HI-8119/FAD 4606 (ISUZU DMAX 4X4 LT MT 2.5L)Image: mail of the system of th									
15Balljoint lower4pcs.116Upper suspension bushing8pcs.117Balljoint upper4pcs.118Rack end4pcs.119Tie rod end2pcs.120Bearing 320092pcs.121Bearing 320082pcs.122Wheel cylinder assy2pcs.123Brake shoe1pc.124Brake pad1set125Brake fluid1pc.126Lug nut set7pcs.127Caliper build up2job128Hub assy build up2job129Brake cleaner1pc.130Wheel alignment1job131Resurface brake shoe2job1	14				2	pcs.			
16 Upper suspension bushing 8 pcs. 1 17 Balljoint upper 4 pcs. 1 18 Rack end 4 pcs. 1 19 Tie rod end 2 pcs. 1 20 Bearing 32009 2 pcs. 1 21 Bearing 32008 2 pcs. 1 22 Wheel cylinder assy 2 pcs. 1 23 Brake shoe 1 pc. 1 24 Brake pad 1 set 1 25 Brake fluid 1 pc. 1 26 Lug nut set 7 pcs. 1 27 Caliper build up 2 job 1 28 Hub assy build up 2 job 1 29 Brake cleaner 1 pc. 1 30 Wheel alignment 1 job 1 31 Resurface brake shoe 2 job 1	15			rii 2.3L)	4	DCC			
17 Balljoint upper 4 pcs. 1 18 Rack end 4 pcs. 1 19 Tie rod end 2 pcs. 1 20 Bearing 32009 2 pcs. 1 21 Bearing 32008 2 pcs. 1 22 Wheel cylinder assy 2 pcs. 1 23 Brake shoe 1 pc. 1 24 Brake pad 1 set 1 25 Brake fluid 1 pc. 1 26 Lug nut set 7 pcs. 1 27 Caliper build up 2 job 1 28 Hub assy build up 2 job 1 29 Brake cleaner 1 pc. 1 30 Wheel alignment 1 job 1 31 Resurface brake shoe 2 job 1			and the second se						
18 Rack end 4 pcs. 1 19 Tie rod end 2 pcs. 1 20 Bearing 32009 2 pcs. 1 21 Bearing 32008 2 pcs. 1 22 Wheel cylinder assy 2 pcs. 1 23 Brake shoe 1 pc. 1 24 Brake pad 1 set 1 25 Brake fluid 1 pc. 1 26 Lug nut set 7 pcs. 1 27 Caliper build up 2 job 1 28 Hub assy build up 2 job 1 29 Brake cleaner 1 pc. 1 30 Wheel alignment 1 job 1 31 Resurface brake shoe 2 job 1									
19Tie rod end2pcs.20Bearing 320092pcs.21Bearing 320082pcs.22Wheel cylinder assy2pcs.23Brake shoe1pc.24Brake pad1set25Brake fluid1pc.26Lug nut set7pcs.27Caliper build up2job28Hub assy build up2job29Brake cleaner1pc.30Wheel alignment1job31Resurface brake shoe2job	18	Rack end							
21Bearing 320082pcs.Image: constraint of the system22Wheel cylinder assy2pcs.Image: constraint of the system23Brake shoe1pc.Image: constraint of the system24Brake pad1setImage: constraint of the system25Brake fluid1pc.Image: constraint of the system26Lug nut set7pcs.Image: constraint of the system27Caliper build up2jobImage: constraint of the system28Hub assy build up2jobImage: constraint of the system29Brake cleaner1pc.Image: constraint of the system30Wheel alignment1jobImage: constraint of the system31Resurface brake shoe2jobImage: constraint of the system						pcs.			
22Wheel cylinder assy2pcs.Image: constraint of the set of									
23Brake shoe1pc.Image: constraint of the set of									
24Brake pad1set125Brake fluid1pc.126Lug nut set7pcs.127Caliper build up2job128Hub assy build up2job129Brake cleaner1pc.130Wheel alignment1job131Resurface brake shoe2job1									
25Brake fluid1pc.Image: constraint of the sector									
27Caliper build up2job28Hub assy build up2job29Brake cleaner1pc.30Wheel alignment1job31Resurface brake shoe2job	25	Brake fluid							
28Hub assy build up2job29Brake cleaner1pc.30Wheel alignment1job31Resurface brake shoe2job									
29Brake cleaner1pc.30Wheel alignment1job31Resurface brake shoe2job									
30 Wheel alignment 1 job 31 Resurface brake shoe 2 job									
31 Resurface brake shoe 2 job									

33	Freon charging	1	job		
	HI-8374/T060110-15-623 (Nissan Calibre)				
	Exhaust manifold gasket	1	set		
	Horn	1	set		No.
	Rack end	2	pcs.		
	Wheel hub bearing	2	pcs.		
	Tie rod end	2	pcs.		
	Press out hub bearing	2	pcs.		
40	Fuel Filter F-244	1	pc.		
	HI-8375/06161030 (Isuzu Dmax 4x2 LT MT)				
41	Evaporator assy	1	pc.		
42	Filter Dryer	1	pc.		
43	Freon & cleaning of AC System	1	job		
	HI-8377/061608-1103 (Isuzu Dmax 4x4 LT MT)	-			
44	Balljoint upper	2 .	pcs.		
	Stabilizer link kit	2	pcs.		
	Bearing 32008	2	pcs.		
	Bearing 32009	2	pcs.		
	Brake pad	1	set		
	Tie rod end	2	pcs.		
	Rack end	2	pcs.		
	Balljoint lower	2 -			
	Suspension bushing upper	4	pcs.		
53	Radiator coolant	6	pcs.		
	Radiator repair		liters		
	Caliper build up	1	job		
	Hub assy build up	2	job		
		2	job	-	
	Windshield assy	1	pc.		
	Air cleaner filter	1	pc.		
	Replace hub bearing	1	job		
60	Silicone gasket	1	pc.		
	HI-8601/NCI 6131 (Mitsubishi Strada GLX 2.5D, Pick Up)				
	Tie rod end	2.	pcs.		
	Rack end	2	pcs.		
	Shock absorber front	2	pcs.		
64	Balljoint upper	2	pcs.		
65	Brake pad	1	set		
	Balljoint lower	2	pcs.		
	Hub bearing mr992372	2	pcs.		
	Fuel filter F-193	1	pc.		
	Brake cleaner	4	pcs.		
70	Silicon gasket maker	3	pcs.		
71	Transfer case support	1	pc.		
72	Crossjoint	1	pc.		
	Valve cover gasket	1	pc.		
	Air filter	1	pc.		
	Caliper build up	2	job		
	Press out hub bearing	2	job		
	Compressor assy	1	assy		
	Fillter drier	1	pc		
	Aircon belt	1	pc pc.		
	Freon charging	1	job		
	HI-8658/NII 283 (Mitsubishi Strada GL 2.5D 4WD MT))	<u>+</u>	100		
81	Brake pads	1	set		
	Brake cleaner	1			
83	Fuel filter FC 321	1	pc.		
00	HI-9670/NDW 3096 (Toyota Hilux 2.4 LG))	1 I	рс		
84	Tie rod end	2	pcs.		
	Rack end	2	pcs.		
	Steering boots	2	pcs.		
	Balljoint upper	2			
	Balljoint lower	2	pcs.		
	Stabilizer link	2	pcs.		
			pcs		
	Clutch disc & pressure kit	1	pc.		
		1	set		
	Poloaco boaring	4			
92	Release bearing	1	pc.		
92 93	Axle bearing Axle bearing Axle oil seal	1 2 2	pc. pcs pcs		

96 Hub bolt with lugnut set		1	set	
97	Autobulb	2	pcs.	
	Halogen bulb	2	pcs	
	Air filter cleaner	1	pc.	
100	Disc brake pads	1	set	
101	Brake fluid	1	liter	
102	Brake cleaner	2	pcs.	
103 Silicon gasket maker		1	pc.	
	Flywheel resurface	1	job	
	Caliper build up	2	job	
106	Press out axle bearing	2	job	

After having carefully read and accepted your General Conditions, I / We quote you on the item(s) at prices note above. If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.

Printed Name / Signature / Date

Tel. No. / Cellphone No. / E-mail Address