

Republic of the Philippines  
Department of Public Works and Highways  
Region III  
**Pampanga 1st District Engineering Office**  
City of San Fernando, Pampanga

**REQUEST FOR QUOTATION**

|   |   |
|---|---|
| Name of Procuring Entity: DPWH-Pampanga 1st District Engineering Office   | Purchase Request No. <u>24-07-131</u>     |
| Contract Name: To Purchase Various Tires, H2-302, H2-339, H2258, N1-2308, and LX-56 to be used on the Heavy Equipment of the Maintenance Section. | Date: <u>July 23, 2024</u>                |
| Office/ End User:   |   |
| COMPANY NAME:   | Request for Quotation No. <u>24SV0050</u> |
| ADDRESS:  | Date: <u>July 24, 2024</u>                |
| TLE. NO./FAX No.:   | TIN No.                                   |

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 10:00 A.M. July 30, 2024 in the return envelope attached herewith.

**TERMS and CONDITIONS:**

1. All entires must be typewritten or legibly written.
2. Delivery period within Seven (7) days upon receipt of the approved funded Purchased Order (P.O.) Administrative penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar days.
5. G-EPS Registration Certificate, Mayors Permit, Income/Business Tax Return and Omnibus Sworn Statement shall be attached upon the submission of the quotation.
6. Bidders shall submit original brochures showing certifications of the product, if applicable.
7. Please indicate the brand for each items being offered.
8. The approved budget celling for this procurement is P 893,256.00

  
**DANNY P. CANLAS**  
Chief, Construction Section  
BAC Chairperson

| Item No. | ITEMS and DESCRIPTION          | Qty. | Unit | Unit Price | TOTAL PRICE |
|----------|--------------------------------|------|------|------------|-------------|
|          | <b>H2-302</b>                  | 6.00 | pc.  |            |             |
|          | 1100/20                        |      |      |            |             |
|          | Ply Rating: 16 ply             |      |      |            |             |
|          | Tire: Bias Belted Tyre         |      |      |            |             |
|          | Tread Pattern: Dual Purpose    |      |      |            |             |
|          | Cord Material: Nylon           |      |      |            |             |
|          | Tube: Inner Tube               |      |      |            |             |
|          | Max Load (single): 3350 kgs    |      |      |            |             |
|          | Max Load (dual): 3075 kgs      |      |      |            |             |
|          | Max Pressure (single): 830 kpa |      |      |            |             |
|          | Max Pressure (dual): 790 kpa   |      |      |            |             |
|          | Load Index: 150/147            |      |      |            |             |
|          | Speed Rating: K                |      |      |            |             |
|          |                                |      |      |            |             |
|          | <b>H2-339</b>                  | 6.00 | pc.  |            |             |
|          | 700/16                         |      |      |            |             |
|          | Ply Rating: 12 ply             |      |      |            |             |
|          | Tire: Bias Belted Tyre         |      |      |            |             |
|          | Tread Pattern: Dual Purpose    |      |      |            |             |
|          | Cord Material: Nylon           |      |      |            |             |
|          | Tube: Inner Tube               |      |      |            |             |
|          | Max Load (single): 1100 kgs    |      |      |            |             |
|          | Max Load (dual): 965 kgs       |      |      |            |             |
|          | Max Pressure (single): 517 kpa |      |      |            |             |
|          | Max Pressure (dual): 517 kpa   |      |      |            |             |
|          | Load Index: 124/120            |      |      |            |             |
|          | Speed Rating: K                |      |      |            |             |



[illegible]



[illegible]