



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE 2ND DISTRICT ENGINEERING OFFICE
Sta. Isabel, Dipolog City, Region IX

Name of Procuring Entity: DPWH ZN 2nd District Engineering Office

Revised on:

Standard Form/Title:

COMPANY NAME: _____

ADDRESS: _____

TEL. NO./FAX NO.: _____

Request for Quotation: **P.R. No. 25-03-012**

Date: **03/13/2025**

Office/End-User: **Maintenance Section**

TIN: _____

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below, and submit your quotation duly signed by your representative not later than 10:00 A.M. of _____ with the return envelope attached herewith, to the BAC Secretariat for Goods, Sta. Isabel, Dipolog City.

TERMS AND CONDITIONS:

1. All entries must be typewritten or legibly written.
2. Delivery period within thirty (30) calendar days upon receipt of the approved funded Purchase Order (P.O.) Administrative Penalties pursuant to Sec. 69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
3. Warranty shall be for a minimum of three (3) months for supplies & materials; one year for Equipment from date of acceptance by the end-user.
4. Price validity shall be for a period of sixty (60) calendar Days.
5. PhilGEPS Registration Certificate/Mayor's Permit/DTI shall be attached upon submission of the quotation.
6. Bidders shall submit original brochures showing certifications of the product, (If applicable)
7. Please indicate the brand for each items being offered.
8. The approved budget ceiling for this procurement is **Php990,146.38**

JOSE TEOVY S. OCHOTORENA

BAC Chairperson

REQUEST FOR QUOTATION

Item No.	ITEMS & DESCRIPTIONS	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Emulsified Asphalt, CSS1 (200ltr/drm)	43	drm		
	X-X-X-X-X-X-X-X-X-X-X-X-X-X-X-X				
Purpose:	Purchase of materials as augmentation for the 1st quarter CY-				
	2025 due to depleted available supply for the use in the				
	routine Maintenance activities patching of potholes along				
	National Roads & Bridges, this district.				

Brand Model: _____

Delivery Period: _____

Total Amount P -----

Warranty: _____

Price Validity: _____

After having carefully read and accepted your General Conditions, I/We quote you on the item(s) at prices above.

If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.

BAC - SECRETARIAT:

Tel. No. 212 - 2538

Fax. No. (065) 212 - 2538

Printed Name/Signature/Date

Tel. No./Cellphone No./E-mail Address



Republic of the Philippines
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE 2nd DISTRICT ENGINEERING OFFICE
Sta. Isabel, Dipolog City, Region IX

APPROVED BUDGET FOR THE CONTRACT (ABC)

Summary of Costs

Fill out all the spaces provided. Write (N/A) if not applicable.

No.	Item	Cost
1	Actual Market Price of Product	PHP 990,146.38
2	Incidental Expenses	
	• Taxes/Customs/Duties	N/A
	• Licenses/Registration	N/A
	• Insurance	N/A
	• Storage/Freight/Hauling	N/A
	• Installation/Removal	N/A
	• Trainig Costs	N/A
	• Cost of Inspection	N/A
	• Others: (Specify)	
3	Cost of Money/Adjustment for Inflation	N/A
4	Discounts (<i>for Bulk Buying</i>)	N/A
5	Spare Parts/Maintenance Costs/Warranty	N/A
6	Adjustment for currency valuation	N/A
	(<i>if procured from a foreign country/abroad</i>)	
7	Life cycle cost	N/A
	Grand Total	PHP 990,146.38


Prepared by:


ILDE DEXIE T. ALFARO
Engineer III
Chief, Maintenance Section

Approved by:

FOR AND IN THE ABSENCE OF
THE DISTRICT ENGINEER :


NORMAN C. CARPIO
Assistant District Engineer



DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS
ZAMBOANGA DEL NORTE
2ND DISTRICT ENGINEERING OFFICE
REGIONAL OFFICE IX
Sta. Isabel, Dipolog City

Technical Specifications for **EMULSIFIED ASPHALT CSS-1**

Type: Slow-Setting

Grade: Cationic

Standard: ASTM D2397M -13

TECHNICAL SPECIFICATIONS	MINIMUM REQUIRED		
	MINIMUM	MAXIMUM	TEST METHOD
	TEST ON EMULSIONS		
Viscosity, Saybolt Furol at 25 °C	20	100	ASTM D244
Storage Stability test, 24-h, %	-	1	ASTM D6930
Particle charge Test	POSITIVE		ASTM D244
Sieve Test, %	-	0.1	ASTM D6933
Cement Mixing Test, %	-	2.0	ASTM D6935
	DISTILLATION		
Residue, %	57	-	ASTM D244
	TEST ON RESIDUE FROM DISTILLATION TEST		
Penetration 77°F (25 °C) 100g, 5s mm	100	250	ASTM D5
Ductility 77°F (25 °C) 5cm/min cm	40	-	ASTM D113
Solubility in trichloroethylene %	97.50	-	ASTM D2042

Based on AASHTO M208-2

ROLLY JAY B. BACARA
Engineer II
Maintenance Section