Republic of the Philippines

DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BATAAN 1st DISTRICT ENGINEERING OFFICE

Roman Expressway Mulawin, Orani, Bataan, Region III

Procurement of Various Materials and New Traffic Signs to be used for the Maintenance, Repair and Rehabilitation of Infrastructure Facilities and Other Related Activities – Routine Maintenance of National Roads and Bridges and Road Safety Facilities

Contract ID No. 25GCA01

Table of Contents

	rry of Acronyms, Terms, and Abbreviations		4
	n I. Invitation to Bid		5
	n II. Instructions to Bidders	•	7
	Scope of Bid	9	
	Funding Source	9	
3.	9	9	
4.		9 9	
5.	3		
	Origin of Goods Subcontracts	10 10	
	Pre-Bid Conference	11	
o. 9.		11	
_	Documents comprising the Bid: Eligibility and Technical Components	11	
	Documents comprising the Bid: Eligibility and Technical Components Documents comprising the Bid: Financial Components	11	
	Bid Prices	12	
	Bid and Payment Currencies	12	
	Bid Security	13	
	Sealing and Marking of Bids	13	
	Deadline for Submission of Bids	13	
_	Opening and Preliminary Examination of Bids	13	
	Domestic Preference	14	
	Detailed Evaluation and Comparison of Bids	14	
	Post-Qualifications	14	
	Signing of the Contract	14	
	n III. Bid Data Sheet		15
Sectio	n IV. General Conditions of the Contract		17
1.	Scope of the Contract	18	
2.	Advance Payment and Terms of Payment	18	
3.	Performance Security	18	
4.	Inspection and Tests	18	
5.	Warranty	19	
6.	Liability of the Supplier	19	
Sectio	n V. Special Conditions of the Contract		20
Sectio	n VI. Schedule of Requirements		22
Sectio	n VII. Technical Specifications		23
	n VIII. Checklist of Technical and Financial Documents		25
Sectio	n IX. Bidding Forms		27
1.	Bid Form	28	
2.		31	
3.		32	
4.	For Goods Offered from within the Philippines	33	
5.	Statement of All On-Going Government and Private Contracts including Contracts Awarded but not yet started	34	
6	Statement of Single Largest Completed Contract (SLCC) which are Similar in Nature	35	
	Financial Documents for Eligibility Check	36	
8.	- ·	37	
9.		38	
	Performance Securing Declaration	40	
	Bank Guarantee Form for Advance Payment	41	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract

BAC – Bids and Awards Committee

Bid – a signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as Proposal and Tender. (2016 revised IRR, Section 5 [c])

Bidder – refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5 [d])

Bidding Documents – the documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5 [e])

BIR – Bureau of Internal Revenue

BSP – Bangko Sentral ng Pilipinas

Consulting Services – refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA – Cooperative Development Authority

Contract – refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight

CIP - Carriage and Insurance Paid

CPI – Consumer Price Index

DDP – refers to the quoted price of the Goods, which means "delivered duty paid"

DTI – Department of Trade and Industry

EXW – Ex works

FCA - "Free Carrier" shipping point

FOB – "Free on Board" shipping point

Foreign-Funded Procurement or Foreign-Assisted Project – refers to procurement whose funding source is form a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b])

Framework Agreement – refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs", are made for the duration of the agreement. It is in the nature of an option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution

GOCC – Government-Owned and/or –Controlled Corporation

Goods – refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines

GPPB – Government Procurement Policy Board

INCOTERMS – International Commercial Terms

Infrastructure Projects – include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as civil works or works. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units

NFCC - Net Financial Contracting Capacity

NGA – National Government Agency

PhilGEPS – Philippine Government Electronic Procurement System

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated July 17, 2019)

PSA – Philippine Statistics Authority

SEC – Security and Exchange Commission

SLCC – Single Largest Completed Contract

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated May 23, 2029). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations

Section I Invitation to Bid



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BATAAN 1st DISTRICT ENGINEERING OFFICE

Roman Expressway Mulawin, Orani, Bataan, Region III

INVITATION TO BID

The Department of Public Works and Highways - Bataan First District Engineering Office, through its Bids and Awards Committee (BAC) for Goods, invites suppliers to submit bids for the following Contract:

Contract I.D. No. : <u>25GCA01</u>

Contract Name : Procurement of Various Materials and New Traffic Signs to be used for the

Maintenance, Repair and Rehabilitation of Infrastructure Facilities and Other Related Activities – Routine Maintenance of National Roads and Bridges and

Road Safety Facilities

Contract Location : DPWH-Bataan First District

Brief Description of Goods

to be Procured : Various Materials

Approved Budget for the

Contract (ABC) : Php 10,147,652.78

Source of Funds : SR2025-02-006191 dated February 17, 2025 Contract Duration : 30 C.D. upon receipt of Approved Purchase Order

Cost of Bidding Documents : Php 10,000.00

The BAC is conducting the public bidding for this Contract in accordance with RA 9184 and its Implementing Rules and Regulations.

Bidders should have completed, three (3) years within from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section IV. Instructions to Bidders.

To be eligible to bid for this Contract, a supplier must meet the following major requirements:

- a) PhilGEPS Certificate of Registration in lieu of Documents b, c, d and e.
- b) Registration certificate from SEC, Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives;
- c) Mayor's/Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located or the equivalent document for exclusive economic zones or areas;
- d) Tax clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the BIR;
- e) Audited Financial Statement, stamped "received" by BIR
- f) Filipino citizen or 60% Filipino-owned partnership/corporation;
- g) Completion of a similar contract costing at least 50% of the ABC prior to the deadline for the submission and receipts of bids;
- h) Net Financial Contracting Capacity (NFCC) at least equal to the ABC or in lieu of the NFCC computation, a committed line of credit (CLC) specific to the contract to be bid from a universal or commercial bank.
- i) Omnibus Sworn Statement

The DPWH will use non-discretionary "pass/fail" criteria in the eligibility check, preliminary examination of bids, evaluation of bids, post-qualification, and award.

The schedule of key procurement activities for this Contract is shown below:

Activity	Time	Place	
Issuance/Downloading of Bidding Documents	April 04, 2025 – April 25, 2025	Hard copies at BAC Secretariat, DPWH-Bataan 1 st DEO, Roman Expressway, Mulawin,Orani,Batan Downloadable from DPWH Website, www.dpwh.gov.ph, PHILGEPS Website,www.philgeps.gov.ph	
2. Pre-Bid Conference	April 15, 2025 @ 2:00 P.M.	BAC Conference Room - DPWH- Bataan 1 st DEO	
3. Receipt by the BAC of Bids	Deadline: April 25, 2025 @ 10:00 A.M.	BAC Conference Room - DPWH- Bataan 1 st DEO	
4. Opening of Bids	April 25, 2025 @ 10:00 A.M.	BAC Conference Room - DPWH- Bataan 1st DEO	

Bidders shall pay the BAC a refundable fee in the amount of as stated above for the Bidding Documents, upon securing hard copies of the Documents. Bidders that downloaded the Documents from the DPWH website shall pay the fee upon submission of their bids. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in Instruction to Bidders.

The Department of Public Works and Highways Bataan1st District Engineering Office reserves the right to accept or reject any bid and to annul the bidding process any time before the Contract award, without incurring any liability to the affected bidders.

Any requests for additional information concerning this bidding shall be directed to the following:

LUISA D. LINTAG Chief/Head Procurement Staff DPWH-Bataan 1st DEO Roman Expressway, Mulawin Orani, Bataan www.dpwh.qov.ph

Approved by:

DANILO A. RUSTIA, JR.

BAC-Chairperson

Noted by:

REGINA H. AGUSTIN

OIC-District Engineer

Section II Instruction to Bidders

1. Scope of Bid

- 1.1 The Procuring Entity, the Department of Public Works and Highways thru the Bids and Awards Committee (BAC) wishes to receive bids for *Procurement of Various Materials and New Traffic Signs to be used for the Maintenance, Repair and Rehabilitation of Infrastructure Facilities and Other Related Activities Routine Maintenance of National Roads and Bridges and Road Safety Facilities, DPWH-Bataan First District Contract ID No. 25GCA01*.
- 1.2 The Procurement Project is composed of Laboratory Equipment for Testing Asphalt, the details of which are described in Section VII (Technical Specifications).

2. Source of Funds

- 2.1 The GOP through the source of funding as indicated below for **SR2025-02-006191** dated **February 17**, **2025** in the amount of **Php 7**,**747**,**472.00**.
- 2.2 The source of funding is: **SR2025-02-006191** dated **February 17, 2025**

3. Bidding Requirements

The Bidding for the Project shall governed by all the provisions of RA No. 9184 and it's 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or IB by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the project.

5. Eligible Bidders

- 5.1 Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2 Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - a. When a Treaty of International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - b. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines.
 - c. When the Goods sought to be procured are not available from local suppliers; or
 - d. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3 Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No. 9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:

- a. The Bidder must have completed a single contract that is similar to this Project, equivalent to at least twenty-five percent (25%) of the ABC.
- 5.4 The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under ITB Clause 18.

7. Subcontracts

7.1 The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. Subcontracting is not allowed.
- 7.2 Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address at DPWH BAC Conference Room, DPWH-Bataan First District Engineering Office, Roman Expressway, Mulawin, Orani, Bataan and/or through video conferencing/webcasting as indicated in paragraph 6 of the IB.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the IB, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1 The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2 The Bidder's SLCC as indicated in ITB Clause 5.3 should have been completed within three (3) years prior to the deadline for the submission and receipt of bids.
- 10.3 If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated May 23, 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

11.1 The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).

- 11.2 If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3 Any bid exceeding the ABC indicated in paragraph 1 of the IB shall not be accepted.
- 11.4 For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

12.1 The Bidder shall complete appropriate Price Schedules included herein, starting the unit prices, total price item, the total amount.

The Bidder shall fill in rates and prices for all items of the Goods described in the Bill of Quantities. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Bill of Quantities, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a "0" (zero) for the said item would mean that it is being offered for free to the Government.

13. Bid and Payment Currencies

- 13.1 For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or trade able currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2 Payment of the contract price shall be made in:
 - a. Philippine Pesos

14. Bid Security

- 14.1 The Bidder shall submit a Bid Securing Declaration¹ or any form of Bid Security in the amount indicated in the BDS, which shall be not less than the percentage of the ABC in accordance with the schedule in the BDS.
- 14.2 The Bid and bid security shall be valid until the period specified in the BDS. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An Electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1 The Bidders shall submit on the specified date and time and either at its physical address through online submission as indicated in schedule of activities on the IB.

¹ In the case of Framework Agreement, the undertaking shall refer to entering into contact with the Procuring Entity and furnishing of the performance security or the performance security declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

17. Opening and Preliminary Examinations of Bids

- 17.1 The BAC shall open the Bids in public at the time, on the date, and at the place specified in the schedule of activities on the IB. The Bidder's representatives who are present shall sign a register evidencing their attendance. In case video conferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.
 - In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9187 shall prevail.
- 17.2 The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1 The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1 The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed", using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2 If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 15 shall be submitted for each lot or item separately.
- 19.3 The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4 The Project shall be awarded as follows:
 - One Project having several items that shall be awarded as one contract.
- 19.5 Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1 Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the BDS.

21. Signing of the Contract

21.1 The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the BDS.

Section III Bid Data Sheet

Bid Data Sheet

TTD Classes	Bid Data Sheet
ITB Clause	The Drecuring Entity is DOWN Between 4st District Engineering Office
1.1	The Procuring Entity is DPWH-Bataan 1st District Engineering Office.
1.1	The scope of the Goods/Services required under this Contract is <i>for Routine Maintenance of National Roads and Bridges and Road Safety Facilities.</i>
	The lot(s) and reference is/are:
	The Contract Name is Procurement of Various Materials and New Traffic Signs
	to be used for the Maintenance, Repair and Rehabilitation of Infrastructure
	Facilities and Other Related Activities - Routine Maintenance of National
1.2	Roads and Bridges and Road Safety Facilities
	,
	The Contract Location is DPWH-Bataan First District
	The Contract ID 25GCA01
	The Funding Source is:
	The Covernment of the Philippines (COD) through CR2025 02 006101 dated
	The Government of the Philippines (GOP) through SR2025-02-006191 dated February 17 , 2025 in the amount of Php 10 ,147,652.78.
	February 17, 2023 in the amount of Fifth 10,147,032.76.
2	The name of the Project is: Procurement of Various Materials and New Traffic
	Signs to be used for the Maintenance, Repair and Rehabilitation of
	Infrastructure Facilities and Other Related Activities - Routine Maintenance
	of National Roads and Bridges and Road Safety Facilities, DPWH-Bataan First
	District
3.1	No further instructions.
5.1	No further instructions.
5.2	No further instructions.
	For this purpose, contracts similar to the Project shall be:
гэ	a programment of Various Maintenance Materials and New Traffic Signs
5.3	a. procurement of Various Maintenance Materials and New Traffic Signs.b. completed within three (3) years prior to the deadline for the submission and
	receipt of bids.
	Maintain the ITB Clause and insert any of the following:
	For the procurement of Non-Expendable Supplies and Services: The Bidder must have
- 4	completed, within the period specified in the Invitation to Bid, a single contract that is
5.4	similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
	No further instructions.
7	No further instructions.
8.1	'Subcontracting is not allowed."
8.2	'Not applicable".
0.4	The Procuring Entity will hold a pre-bid conference for this Project on <i>April 15, 2025</i>
9.1	@ 2:00 P.M. at BAC Bidding Room, DPWH-Bataan 1st District Engineering Office.
	The Procuring Entity's address is:
	The Frocuring Littly's address is.
	Engr. DANILO A. RUSTIA, JR.
10.1	BAC-Chairperson
-	DPWH-Bataan 1 st DEO, Orani, Bataan
	Telephone and Fax No. : (047) 612-0096
12.1	No further instructions.
12.1 (b)(i)	"No other acceptable proof of registration is recognized"
13.1 (1.)(1.)(11)	The statement of all on-going government and private contracts shall include all such
12.1 (b)(k)(iii)	contracts within three (3) years prior to the deadline for the submission and receipt of
12.1 (4)	bids. No further instructions.
13.1 (d) 13.1 (e)	"No additional requirements and instructions."
13.1 (6)	The ABC is TEN MILLION ONE HUNDRED FORTY-SEVEN THOUSAND SIX
13.2	HUNDRED FIFTY-TWO PESOS AND 78/100 ONLY (Php 10,147,652.78).
15.2	(1 iip 20/247/00217 0)
	1

	Any hid with a Financial Commonant averaging this amount shall not be accepted
45.47.27	Any bid with a Financial Component exceeding this amount shall not be accepted.
15.4 (a)(iv)	"No incidental services are required."
15.4 (b)	'Not applicable "
16.1 (b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in
	Philippine Pesos.
16.3	'Not applicable "
	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
18.1	The amount of <i>Php 202,953.06</i> (2% of ABC), if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	The amount of <i>Php 507,382.64</i> (5% of ABC) if bid security is in Surety Bond.
18.2	The bid security shall be valid until <i>One Hundred Twenty (120) days from the date</i>
10.2	of the opening of Bids.
20.3	Each Bidder shall submit <i>One</i> (1) original copy of the first and second components of its bid.
21	The address for submission of bids is The BAC-Chairperson Department of Public Works and Highways Bataan First District Engineering Office Roman Expressway, Mulawin, Orani, Bataan The deadline for submission of bids is April 25, 2025 @ 10:00 A.M.
24.1	The place of bid opening is The BAC-Chairperson Department of Public Works and Highways Bataan First District Engineering Office Roman Expressway, Mulawin, Orani, Bataan
1	The date and time of hid opening is April 25. 2025 @ 10:00 A.M.
24.2	The date and time of bid opening is April 25, 2025 @ 10:00 A.M. No further instructions
24.2	No further instructions.
24.3	No further instructions. No further instructions.
	No further instructions. No further instructions. No further instructions.
24.3 27.1	No further instructions. No further instructions. No further instructions. If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.
24.3 27.1	No further instructions. No further instructions. No further instructions. If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or
24.3 27.1	No further instructions. No further instructions. No further instructions. If applicable, adopt the following provision: Grouping and Evaluation of Lots — Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example: Option 1 — Each item to be evaluated and compared with other Bids separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs and delete the other: The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation, and contract award. Or All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award. In all cases, the NFCC computation, if applicable, must be sufficient for all the lots or contracts to be awarded to the Bidder.

Section IV General Conditions of the Contract

1. Scope of the Contract

This Contract shall include all such items, all such items, although not specifically mentioned, that can be reasonably inferred as being required as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

- 2.1 Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2 The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V Special Conditions of the Contract

Special Conditions of Contract

	Special Conditions of Contract
GCC Clause	
1.1 (g)	The Procuring Entity is DPWH-Bataan 1 st District Engineering Office .
1.1 (i)	The Supplier is
1.1 (j)	The Funding Source is SR2025-02-006191 dated February 17, 2025 in the amount of Php 10,147,652.78.
1.1 (k)	The Project Site is DPWH-Bataan First District.
5.1	The Procuring Entity's address for Notices is: Engr. DANILO A. RUSTIA, JR. BAC-Chairperson DPWH-Bataan 1st District Engineering Office Telephone and Fax No.: (047) 612-0096 The Supplier's address for Notices is:
6.3	List here any additional requirements for the completion of this Contract. The following requirements and the corresponding provisions may be deleted, amended, or retained depending on its applicability to this Contract: Delivery and Documents — For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows: For Goods Supplied from Abroad, state "The delivery terms applicable to the Contract are DDP delivered [insert place of destination]. In accordance with INCOTERMS." For Goods Supplied from Within the Philippines, state "The delivery terms applicable to this Contract are delivered [insert place of destination]. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination." Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements). For purposes of this Clause the Procuring Entity's Representative at the Project Site is [insert name(s)]. Incidental Services — The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Select appropriate requirements and delete the rest. (a) performance or supervision of on-site assembly and/or start-up of the supplied Goods; (b) furnishing of tools required for assembly and/or maintenance of the supplied Goods; (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; (d) performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and (e) training of the Procuring

Spare Parts -

The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: Select appropriate requirements and delete the rest.

- (a) such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
- (b) in the event of termination of production of the spare parts:
 - i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
 - ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.

The spare parts required are listed in Section VI. and the cost thereof are included in the Contract Price

The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods for a period of *[insert here the time period specified. If not used insert time period of three times the warranty period].*Other spare parts and components shall be supplied as promptly as possible, but in any case within *[insert appropriate time period]* months of placing the order.

Packaging -

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked on at least four (4) sides as follows: Name of the Procuring Entity

Name of the Supplier

Contract Description

Final Destination

Gross weight

Any special lifting instructions

Any special handling instructions

Any relevant HAZCHEM classifications

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Insurance -

The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.

Transportation -

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

	Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price. Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered <i>force majeure</i> in accordance with GCC Clause 22. The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights — The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
10.3	State "Payment shall be made only after inspection and acceptance of the Goods." Or If payment is in tranches, state "Payments shall be in accordance with the following schedule:"
10.4	"Not applicable"
10.5	"Payment using LC is not allowed."
11.3	"Maintain the GCC Clause."
13.4 (c)	"No further instructions".
16.1	The inspections and tests that will be conducted are: "None"
17.3	One (1) year after acceptance by the Procuring Entity of the delivered Goods.
17.4	The period for correction of defects in the warranty period is: "None"
21.1	'No additional provision."

Section VI Schedule of Requirements

SCHEDULE OF REQUIREMENTS

No. Description Quantity Unit Iotal Delivered Weeks/Months For Road Safety, Pavement Markings and Repainting Works 1 Rubberized Safety Traffic Cone 50 pc./s 30 C.D. upon receipt of Approved P. 2 Plastic Traffic Barrier 40 pc./s 30 C.D. upon receipt of Approved P. 30 C.D. upon receipt of Approved P. 31 C.D. upon receipt of Approved P. 32 Indicator & Movable Base 20 pc./s 30 C.D. upon receipt of Approved P. 330 C.D. upon receipt of Approved P. 34 Concrete Barrier with LED Illuminated 20 unit/s 30 C.D. upon receipt of Approved P. 35 Thermoplastic Pavement Markings 240 bag/s 30 C.D. upon receipt of Approved P. 36 C.D. upon receipt of Approved P. 37 Reflectorized Traffic Paint (White) 1000 gal./s 30 C.D. upon receipt of Approved P. 38 Reflectorized Traffic Paint (Black) 400 gal./s 30 C.D. upon receipt of Approved P. 39 Reflectorized Traffic Paint (Black) 400 gal./s 30 C.D. upon receipt of Approved P. 39 Asphalt Cement Penetration Grade 60/70 20 drum/s 30 C.D. upon receipt of Approved P. 30		ЭСПЕРО	LL OI	IVE GOT		LIVIS
1 Rubberized Safety Traffic Cone 50 pc./s 30 C.D. upon receipt of Approved P. 2 Plastic Traffic Barrier 40 pc./s 30 C.D. upon receipt of Approved P. 30 C.D. upon receipt of A	Item No.	Description	Quantity	Unit	Total	Delivered Weeks/Months
2 Plastic Traffic Barrier 3 Bollard with LED Illuminated Indicator & Movable Base 4 Concrete Barrier with LED Illuminated 2 unit/s 5 Thermoplastic Pavement Markings Powder (White) 6 Thermoplastic Pavement Markings Powder (Yellow) 7 Reflectorized Traffic Paint (White) 8 Reflectorized Traffic Paint (Black) 8 Reflectorized Traffic Paint (Black) 9 Asphalt Cement Penetration Grade 60/70 10 Asphalt Cement Penetration Grade 60/70 11 Emulsified Asphalt (SS-1) 12 Asphalt Plant Mix Hot 15 To Special Maintenance – Placing New Traffic Signs Guide or Information Signs, G1-1, 13 Advance Direction Signs Guide or Information Signs, G1-1, 14 KEEP RIGHT – Sign Face including bracket 16 HaZARD MARKER – Post – 3" Φ G.I. Pipe 17 Cement 18 LaZARD MARKER – Bolts with Nuts and Washer 19 Cement 19 Cement 10 Cement 10 Cement 10 Cement 11 Bazard MARKER – Post – 3" Φ G.I. Pipe 10 Cement 11 Cement 12 Cement 14 Bazard 14 Bazard 15 Cement 16 Dag/s 17 C.D. upon receipt of Approved P. 18 HaZARD MARKER – Post – 3" Φ G.I. Pipe 24 Cu.m./s 25 Go.D. upon receipt of Approved P. 26 Cu.m./s 27 Cu.m./s 28 C.D. upon receipt of Approved P. 29 Coverheadsign-Cantilever 20 Sand 21 C.D. upon receipt of Approved P. 20 Cu.m./s 21 Cu.m./s 22 Cu.m./s 23 C.D. upon receipt of Approved P. 24 Cu.m./s 25 C.D. upon receipt of Approved P. 26 C.D. upon receipt of Approved P. 27 Coverheadsign-Cantilever 28 C.D. upon receipt of Approved P. 29 Coverheadsign-Cantilever 29 Coverheadsign-Cantilever 20 Sand 21 Cu.m./s 21 Gravel 3/4 22 Cu.m./s 23 C.D. upon receipt of Approved P. 29 Cement 20 Sand 20 C.D. upon receipt of Approved P. 20 Cu.m./s 30 C.D. upon receipt of Approved P. 30 C.D. upo	For Ro	oad Safety, Pavement Markings and Re	painting W	/orks		
Bollard with LED Illuminated Indicator & Movable Base 20 pc./s 30 C.D. upon receipt of Approved P.	1	Rubberized Safety Traffic Cone	50	pc./s		30 C.D. upon receipt of Approved P.O.
Indicator & Movable Base 20 pc./s 30 C.D. upon receipt of Approved P.	2	Plastic Traffic Barrier	40	pc./s		30 C.D. upon receipt of Approved P.O.
Concrete Barrier with LED Illuminated 20 unit/s 30 C.D. upon receipt of Approved P.	3		20	pc./s		30 C.D. upon receipt of Approved P.O.
Thermoplastic Pavement Markings Powder (White) Thermoplastic Pavement Markings Powder (Yellow) Reflectorized Traffic Paint (White) Reflectorized Traffic Paint (White) Reflectorized Traffic Paint (Black) Reflectorized Traffic Pa	4		20	unit/s		30 C.D. upon receipt of Approved P.O.
Powder (Yellow) 7 Reflectorized Traffic Paint (White) 8 Reflectorized Traffic Paint (Black) 9 Reflectorized Traffic Paint (Black) 9 Asphalt Cement Penetration Grade 60/70 10 Asphalt Cement Penetration Grade 85/100 11 Emulsified Asphalt (SS-1) 12 Asphalt Plant Mix Hot 13 O C.D. upon receipt of Approved P. 14 Asphalt Plant Mix Hot 15 Advance Direction Signs (Overheadsign-Cantilever) 16 KEEP RIGHT – Bolts with Nuts and Washer 17 HAZARD MARKER – Sign Face including bracket 18 HAZARD MARKER – Bolts with Nuts and Washer 19 Powder (Yellow) 20 Powder (Yellow) 20 Powder (Salor) 21 Asphalt Cement Penetration Grade 85/100 22 Powder (Yellow) 23 O C.D. upon receipt of Approved P. 30 C.D. upon rece	5	Thermoplastic Pavement Markings	240	bag/s		30 C.D. upon receipt of Approved P.O.
8 Reflectorized Traffic Paint (Black) 400 gal./s For Penetration & Premix Patching/Sealing of Cracks & Joints 9 Asphalt Cement Penetration Grade 60/70 20 drum/s 30 C.D. upon receipt of Approved P. 10 Asphalt Cement Penetration Grade 85/100 20 drum/s 30 C.D. upon receipt of Approved P. 11 Emulsified Asphalt (SS-1) 20 drum/s 30 C.D. upon receipt of Approved P. 12 Asphalt Plant Mix Hot 39 mton/s 30 C.D. upon receipt of Approved P. 13 Advance – Placing New Traffic Signs Guide or Information Signs, G1-1, 13 Advance Direction Signs 8 unit/s (Overheadsign-Cantilever) 14 KEEP RIGHT – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 15 KEEP RIGHT – Bolts with Nuts and Washer 72 pc./s 30 C.D. upon receipt of Approved P. 16 HAZARD MARKER – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 17 HAZARD MARKER – Bolts with Nuts and Washer 144 pc./s 30 C.D. upon receipt of Approved P. 18 HAZARD MARKER – Bolts with Nuts and Washer 144 pc./s 30 C.D. upon receipt of Approved P. 18 HAZARD MARKER – Post – 3" Φ G.I. Pipe 24 pc./s 30 C.D. upon receipt of Approved P. 20 Sand 1 cu.m./s 30 C.D. upon receipt of Approved P. 21 Gravel 3/4 2 cu.m./s 30 C.D. upon receipt of Approved P. 22 Reinforcing Steel Bar 20mm dia. 16 pc./s 30 C.D. upon receipt of Approved P.	6		240	bag/s		30 C.D. upon receipt of Approved P.O.
For Penetration & Premix Patching/Sealing of Cracks & Joints 9	7	Reflectorized Traffic Paint (White)	1000	gal./s		30 C.D. upon receipt of Approved P.O.
9 Asphalt Cement Penetration Grade 60/70 20 drum/s 30 C.D. upon receipt of Approved P. 10 Asphalt Cement Penetration Grade 85/100 20 drum/s 30 C.D. upon receipt of Approved P. 11 Emulsified Asphalt (SS-1) 20 drum/s 30 C.D. upon receipt of Approved P. 12 Asphalt Plant Mix Hot 39 mton/s 30 C.D. upon receipt of Approved P. 12 Asphalt Plant Mix Hot 39 mton/s 30 C.D. upon receipt of Approved P. 13 Advance Direction Signs, G1-1, 14 Advance Direction Signs (Overheadsign-Cantilever) 8 unit/s (Overheadsign-Cantilever) 9 30 C.D. upon receipt of Approved P. 15 KEEP RIGHT – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 16 HAZARD MARKER – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 17 HAZARD MARKER – Bolts with Nuts and Washer 17 psicket 24 ea. 30 C.D. upon receipt of Approved P. 18 HAZARD MARKER – Bolts with Nuts and 40 psicket 40 psicket 40 psicket 50 psicket	8	Reflectorized Traffic Paint (Black)	400	gal./s		30 C.D. upon receipt of Approved P.O.
10 Asphalt Cement Penetration Grade 85/100 20 drum/s 30 C.D. upon receipt of Approved P. 11 Emulsified Asphalt (SS-1) 20 drum/s 30 C.D. upon receipt of Approved P. 12 Asphalt Plant Mix Hot 39 mton/s 30 C.D. upon receipt of Approved P. 13 Asphalt Plant Mix Hot 39 mton/s 30 C.D. upon receipt of Approved P. 14 KEEP RIGHT – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 15 KEEP RIGHT – Bolts with Nuts and Washer 72 pc./s 30 C.D. upon receipt of Approved P. 16 HAZARD MARKER – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Bolts with Nuts and Washer 19 C./s 30 C.D. upon receipt of Approved P. 18 HAZARD MARKER – Post – 3" Φ G.I. Pipe 24 pc./s 30 C.D. upon receipt of Approved P. Overheadsign-Cantilever Concrete Pedestal and Footing 19 Cement 14 bag/s 30 C.D. upon receipt of Approved P. 20 Sand 1 cu.m./s 30 C.D. upon receipt of Approved P. 21 Gravel 3/4 2 cu.m./s 30 C.D. upon receipt of Approved P. 22 Reinforcing Steel Bar 20mm dia. 16 pc./s 30 C.D. upon receipt of Approved P. 30 C.D. upon	For Pe	enetration & Premix Patching/Sealing of	Cracks &	Joints		
11 Emulsified Asphalt (SS-1) 20 drum/s 30 C.D. upon receipt of Approved P. 12 Asphalt Plant Mix Hot 39 mton/s 30 C.D. upon receipt of Approved P. For Special Maintenance – Placing New Traffic Signs Guide or Information Signs, G1-1, 13 Advance Direction Signs 8 unit/s 30 C.D. upon receipt of Approved P. (Overheadsign-Cantilever) 24 ea. 30 C.D. upon receipt of Approved P. 15 KEEP RIGHT – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 16 HAZARD MARKER – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 17 HAZARD MARKER – Sign Face including bracket 24 ea. 30 C.D. upon receipt of Approved P. 18 HAZARD MARKER – Bolts with Nuts and Washer 144 pc./s 30 C.D. upon receipt of Approved P. 18 HAZARD MARKER – Post – 3" Φ G.I. Pipe 24 pc./s 30 C.D. upon receipt of Approved P. Overheadsign-Cantilever Concrete Pedestal and Footing 19 Cement 14 bag/s 30 C.D. upon receipt of Approved P. 20 Sand 1 cu.m./s 30 C.D. upon receipt of Approved P. 21 Gravel 3/4 2 cu.m./s 30 C.D. upon receipt of Approved P. 22 Reinforcing Steel Bar 20mm dia. 16 pc./s 30 C.D. upon receipt of Approved P.	9	Asphalt Cement Penetration Grade 60/70	20	drum/s		30 C.D. upon receipt of Approved P.O.
12 Asphalt Plant Mix Hot 39 mton/s For Special Maintenance – Placing New Traffic Signs Guide or Information Signs, G1-1, 13 Advance Direction Signs (Overheadsign-Cantilever) 14 KEEP RIGHT – Sign Face including bracket 15 KEEP RIGHT – Bolts with Nuts and Washer 16 HAZARD MARKER – Sign Face including bracket 17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Bolts with Nuts and Washer 19 Cement 10 Cement 11 bag/s 10 C.D. upon receipt of Approved P. 30 C.D. upon receipt of Approved P.	10	Asphalt Cement Penetration Grade 85/100	20	drum/s		30 C.D. upon receipt of Approved P.O.
For Special Maintenance – Placing New Traffic Signs Guide or Information Signs, G1-1, Advance Direction Signs (Overheadsign-Cantilever) 14 KEEP RIGHT – Sign Face including bracket 15 KEEP RIGHT – Bolts with Nuts and Washer 16 HAZARD MARKER – Sign Face including bracket 17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Bolts with Nuts and Washer 19 Cement 10 Cement 11 bag/s 12 cu.m./s 11 cu.m./s 12 Gravel 3/4 22 Reinforcing Steel Bar 20mm dia. 10 C.D. upon receipt of Approved P. 30 C.D. upon receipt of Approved P.	11	Emulsified Asphalt (SS-1)	20	drum/s		30 C.D. upon receipt of Approved P.O.
Guide or Information Signs, G1-1, Advance Direction Signs (Overheadsign-Cantilever) 14 KEEP RIGHT – Sign Face including bracket 15 KEEP RIGHT – Bolts with Nuts and Washer 16 HAZARD MARKER – Sign Face including bracket 17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Bolts with Nuts and Washer 19 Cement 10 Cement 11 bag/s 12 cu.m./s 11 cu.m./s 12 Gravel 3/4 22 Reinforcing Steel Bar 20mm dia. 8 unit/s 30 C.D. upon receipt of Approved P.	12	Asphalt Plant Mix Hot	39	mton/s		30 C.D. upon receipt of Approved P.O.
Advance Direction Signs (Overheadsign-Cantilever) 14 KEEP RIGHT – Sign Face including bracket 15 KEEP RIGHT – Bolts with Nuts and Washer 16 HAZARD MARKER – Sign Face including bracket 17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Bolts with Nuts and Washer 19 Cement 19 Cement 10 Cement 11 Days Agriculture 11 Days Agriculture 12 Days Agriculture 13 O C.D. upon receipt of Approved P. 14 Days Agriculture 15 Days Agriculture 16 Days Agriculture 17 Days Agriculture 18 Days Agriculture 19 Cement 10 Days Agriculture 10 Days Agriculture 11 Days Agriculture 12 Days Agriculture 13 O C.D. upon receipt of Approved P. 14 Days Agriculture 15 Days Agriculture 16 Days Agriculture 17 Days Agriculture 18 Days Agriculture 19 Cement 19 Days Agriculture 19	For Sp	oecial Maintenance – Placing New Traffi	ic Signs			
14 KEEP RIGHT – Sign Face including bracket 15 KEEP RIGHT – Bolts with Nuts and Washer 16 HAZARD MARKER – Sign Face including bracket 17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Post – 3" Φ G.I. Pipe 19 Cement 19 Cement 10 Sand 11 Cu.m./s 21 Gravel 3/4 22 Reinforcing Steel Bar 20mm dia. 24 ea. 30 C.D. upon receipt of Approved P.	13	Advance Direction Signs	8	unit/s		30 C.D. upon receipt of Approved P.O.
15 KEEP RIGHT – Bolts with Nuts and Washer 16 HAZARD MARKER – Sign Face including bracket 17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Post – 3" Φ G.I. Pipe 24 pc./s 30 C.D. upon receipt of Approved P.	14		24	63		30 C.D. upon receipt of Approved P.O.
16 HAZARD MARKER – Sign Face including bracket 17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Post – 3" Φ G.I. Pipe 24 pc./s 30 C.D. upon receipt of Approved P.						
17 HAZARD MARKER – Bolts with Nuts and Washer 18 HAZARD MARKER – Post – 3" Φ G.I. Pipe 24 pc./s 30 C.D. upon receipt of Approved P. Overheadsign-Cantilever Concrete Pedestal and Footing 19 Cement 14 bag/s 30 C.D. upon receipt of Approved P. 20 Sand 1 cu.m./s 30 C.D. upon receipt of Approved P. 21 Gravel 3/4 2 cu.m./s 30 C.D. upon receipt of Approved P.		HAZARD MARKER – Sign Face including				30 C.D. upon receipt of Approved P.O.
Overheadsign-Cantilever Concrete Pedestal and Footing 19 Cement 14 bag/s 30 C.D. upon receipt of Approved P. 20 Sand 1 cu.m./s 30 C.D. upon receipt of Approved P. 21 Gravel 3/4 2 cu.m./s 30 C.D. upon receipt of Approved P. 22 Reinforcing Steel Bar 20mm dia. 16 pc./s 30 C.D. upon receipt of Approved P.	17	HAZARD MARKER – Bolts with Nuts and	144	pc./s		30 C.D. upon receipt of Approved P.O.
Overheadsign-Cantilever Concrete Pedestal and Footing 19 Cement 14 bag/s 30 C.D. upon receipt of Approved P. 20 Sand 1 cu.m./s 30 C.D. upon receipt of Approved P. 21 Gravel 3/4 2 cu.m./s 30 C.D. upon receipt of Approved P. 22 Reinforcing Steel Bar 20mm dia. 16 pc./s 30 C.D. upon receipt of Approved P.	18		24	pc./s		30 C.D. upon receipt of Approved P.O.
19Cement14bag/s30 C.D. upon receipt of Approved P.20Sand1cu.m./s30 C.D. upon receipt of Approved P.21Gravel 3/42cu.m./s30 C.D. upon receipt of Approved P.22Reinforcing Steel Bar 20mm dia.16pc./s30 C.D. upon receipt of Approved P.						
20Sand1cu.m./s30 C.D. upon receipt of Approved P.21Gravel 3/42cu.m./s30 C.D. upon receipt of Approved P.22Reinforcing Steel Bar 20mm dia.16pc./s30 C.D. upon receipt of Approved P.						30 C.D. upon receipt of Approved P.O.
21Gravel 3/42cu.m./s30 C.D. upon receipt of Approved P.22Reinforcing Steel Bar 20mm dia.16pc./s30 C.D. upon receipt of Approved P.						
22 Reinforcing Steel Bar 20mm dia. 16 pc./s 30 C.D. upon receipt of Approved P.						
		 				
						30 C.D. upon receipt of Approved P.O.
Load Limit Concrete Pedestal and Footing		,	-			
			204	bag/s		30 C.D. upon receipt of Approved P.O.
						30 C.D. upon receipt of Approved P.O.
						30 C.D. upon receipt of Approved P.O.
		•				30 C.D. upon receipt of Approved P.O.
				_		30 C.D. upon receipt of Approved P.O.
						30 C.D. upon receipt of Approved P.O.
						30 C.D. upon receipt of Approved P.O.
Stockpile Aggregate for Penetration Patching					•	, pro- pp
				cu.m./s		30 C.D. upon receipt of Approved P.O.
						30 C.D. upon receipt of Approved P.O.
						30 C.D. upon receipt of Approved P.O.
	35	Aggregate Subbase Course	60	cu.m./s		30 C.D. upon receipt of Approved P.O.

(Name of Bidder/Company)

(Signature over Printed Name of Representative)

(Designation)

DPWH-G&S-17-The Schedule of Requirements shall indicate the delivery date of the goods and services to the project site expressed as weeks/months and shall be consistent with the dates specified in the Bidding Documents.

Section VII Technical Specifications

Technical Specifications Proposal

Item/ Lot No.	Specification	Statement of Compliance
For Road S	Safety, Pavement Markings and Repainting Works	
1	Rubberized Safety Traffic Cone	
	PVC rubber traffic cone are flexible, durable PVC traffic cones with rubber base. The square base won't roll away even it is knocked over. The reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe traffic lanes.	
	Height: 36 inches / 92 cm	
	Body Material: PVC Rubber	
	Base Size: min 35 x 35 cm	
	Height of Reflective 1: 6 inches	
	Height of Reflective 2: 4 inches	
2	Plastic Traffic Barrier	
	- made of highly durable materials and UV Resistant Long-Lasting Design	
	- with interlocking system	
	- water and sand filled	
	- Color: Orange	
	- Dimension: min 122 x 46 x 92 cm	
	- Logo and Name: Reflectorized	
3	Bollard with LED Illuminated Indicator & Movable Base	
	Height: 960mm	
	Diameter Pole: 100mm	
	Diameter Base: 400mm	
	Type: Plastic	
	Illuminated: Yes	
	Reflective: Yes	
	Led Color: Amber	
	Light Action: Flashing	
	Power Source: Solar	
	Battery: Rechargeable Lifepod, 3000mAh, 3.2V	
	Linkable: Yes	
4	Concrete Barrier with LED Illuminated	
	Directional Indicators	
	Dimensions: L 1000mm x W 450mm x H 820mm	
	Material: Concrete	
	Finish: Paint	
	Illuminated: YES	
	LED Color: Amber	
	Light Action: Flashing, Trailing	
	Reflective: Yes	
	Power Source: Solar	
	Battery: Rechargeable Lithium Ion, 2000mAh	
	Weight: (approx.) 300-350kg	
5	Thermoplastic Pavement Markings Powder (White)	
	Material composition requirements shall conform to Table 612.1 of Book of Standards Specifications for Highways Bridges and Airports	
	25 kgs./bag, meltable, ISO 9001:2015 certified and BRS test certified	
6	Thermoplastic Pavement Markings Powder (Yellow)	

	Material composition requirements shall conform to Table 612.1 of Book of	
	Standards Specifications for Highways Bridges and Airports	
	25 kgs./bag, meltable, ISO 9001:2015 certified and BRS test certified	
7	Reflectorized Traffic Paint (White)	
•	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
	Type: Alkyd Based	
	Finish: Semi-Gloss	
	Color: 65-00 White	
	Density, K/L @ 28°C : 1.20 ±0.03 K/L	
	Solids by Volume (%): 35% (±2%)	
	Film Thickness (Approximately)	
	Wet Film (WFT): 100 microns – 130 microns per coat	
	Dry Film (DFT): 35 microns – 45.50 microns per coat	
	Practical Coverage: 20-25 sq.m. / 4 liter/coat	
	Drying Time: 1-2 hours min. dries for traffic in 4-6 hours	
0	Shelf Life: 1 year when stored in dry cool condition	
8	Reflectorized Traffic Paint (Black)	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
	Type: Alkyd Based	
	Finish: Semi-Gloss	
	Color: Black	
	Density, K/L @ 28°C : 1.20 ±0.03 K/L	
	Solids by Volume (%): 35% (±2%)	
	Film Thickness (Approximately)	
	Wet Film (WFT): 100 microns – 130 microns per coat	
	Dry Film (DFT): 35 microns – 45.50 microns per coat	
	Practical Coverage: 20-25 sq.m. / 4 liter/coat	
F Dt	Drying Time: 1-2 hours min. dries for traffic in 4-6 hours	
	ration & Premix Patching/Sealing of Cracks & Joints	1
9	Asphalt Cement Penetration Grade 60/70	
	Requirements:	
	Penetration: 60-70 at 77°F (25°C), 100 g, 5 s	
	Solubility in Trichloroethylene: 99% min	
	Ductility: 100 cm min at 77°F (25°C), 5 cm/min	
	Flash Point: 232°C min, Cleveland Open Cup	
	Thin-Film Oven Test: Loss on heating, 0.8% max	
	Sampling and Testing	
	In accordance/compliance with the DPWH Standard Specifications/ASSHTO/ASTM	
10	Asphalt Cement Penetration Grade 85/100	
	Requirements:	
	Penetration at 25°C (77°F), 100 g, 5 seconds: 85-100	
	Softening Point (Ring and Ball): 48-58°C (118-136°F)	
	Ductility at 25°C (77°F): 75-125 cm	
	Loss on heating at 163°C (325°F), 5 hours: ≤1.0%	
	Flash Point (Cleveland Open Cup): ≥ 200°C (392°F)	
	Sampling and Testing	
	In accordance/compliance with the DPWH Standard Specifications/ASSHTO/ASTM	
11	Emulsified Asphalt (SS-1)	
	In compliance with the DPWH Standard Specifications/ASSHTO/ASTM	
	SS-1: ASTM D 977 - 25°C to 55°C	
	ASSHTO M 140	

	Specific Gravity: at 25°C – ASTM D70	
	Penetration: at 25°C, 100q, 5s – ASTM D5	
	Softening Point: ASTM D36	
	Ductility: at 25°C – ASTM D113	
	Loss of Heating: ASTM D6	
	Drop in Penetration after Heating: ASTM D5	
	Flash Point: ASTM D92	
	Solubility in Trichloroethylene: ASTM D2042	
12	Asphalt Plant Mix Hot	
	In compliance with the DPWH Standard Specifications/ASSHTO/ASTM	
	Aggregates	
	The aggregates shall be clean, durable and free from deleterious materials. The aggregate gradation shall meet the requirements of the DPWH Standard Specifications	
	Asphalt Cement	
	The asphalt cement shall be a penetration grade asphalt cement conforming to the requirements of the DPWH Standard Specifications Mineral Filler	
	The mineral filler shall be a finely divided mineral material conforming to the requirements of the DPWH Standard Specifications	
	Hydrated Lime	
	The hydrated lime shall be a type N hydrated lime conforming to the requirements of the DPWH Standard Specifications	
	Production The HMA shall be produced in a central mix asphalt in accordance with the DPWH	
	Standard Specifications. The plant shall be equipped with the necessary equipment to produce a uniform and homogeneous mixture of aggregates, asphalt cement, mineral filler and hydrated lime. The mixing temperature of the HMA shall be between 150°C and 165°C. The mixing time shall be sufficient to ensure a complete and uniform coating of the aggregates with the asphalt cement.	
Special Ma	aintenance – Placing New Traffic Signs	T
13	Guide or Information Signs, G1-1, Advance Direction Signs (Overheadsign-Cantilever)	
	Specifications:	
	G1-1 Signage Sign Face – (2.20 x 1.52m)	
	300mmΦ G.I. Pipe Schedule 40 (Post)	
	0.5m x 0.5m x 25m thk base plate with stiffener	
	8-28mm dia. G.I. Pipe Arm Post/Chord	
	Bracketing/Stiffener (back of signage)	
1.4	16mmФ Countersunk Bolt with Nuts and Washers	
14	KEEP RIGHT – Sign Face including bracket	
15	KEEP RIGHT – Bolts with Nuts and Washer	
16 17	HAZARD MARKER – Sign Face including bracket HAZARD MARKER – Bolts with Nuts and Washer	
18	HAZARD MARKER – Boits with Nuts and Washer HAZARD MARKER – Post – 3" Φ G.I. Pipe	
	gn-Cantilever Concrete Pedestal and Footing	
19	Cement	
13	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
20	Sand	
20	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
21	Gravel 3/4	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
22	Reinforcing Steel Bar 20mm dia.	
	Territoriang Seed but 20mm and	L

1		
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
23	Reinforcing Steel Bar 10mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
24	Phenolic Plywood	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
Load Limit	Concrete Pedestal and Footing	
25	Cement	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
26	Sand	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
27	Gravel 3/4	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
28	Reinforcing Steel Bar 16mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
29	Reinforcing Steel Bar 12mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
30	Reinforcing Steel Bar 10mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
31	Phenolic Plywood	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
Stockpile A	Aggregate for Penetration Patching	
32	Sand	
33	Gravel 3/4	
34	Gravel 3/8	
35	Aggregate Subbase Course	
<u>. </u>		
		·

Name of Bidder/Company)
Signature over Printed Name of Representative)
Designation)

DPWH-G&S-16: The Technical Specifications Proposal shall contain the minimum requirements or specifications to meet the needs of the DPWH. The bidder must state his/her own specifications and statement of compliance specifying the brand name of the offered product/s and supported by evidence in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection.

Section VIII Checklist of Technical and Financial Components

Checklist of Technical and Financial Documents

1. Technical Component Envelope

Class "A" Documents

Legal Documents

(a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);Or

(b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document;

And

- (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;

 And
- (d) Tax Clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

(e) Statement of the prospective bidder of all its on-going government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid;

And

- (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 206 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents;
 And
- (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;

Or

Original copy of Notarized Bid Securing Declaration;

And

(h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or aftersales/parts, if applicable;

(i) Original duly signed Omnibus Sworn Statement (OSS);

And

If applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

(j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submissions;

And

(k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC)

Or

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class "B" Documents

(I) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

Or

Duly notarized statement from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

2. Financial Component Envelope

- (m) Original of duly signed and accomplished Financial Bid Form;
- (n) Original of duly signed and accomplished Price Schedule(s).

Other documentary requirements under RA No. 9184 (as applicable)

- (o) (For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos) Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (p) Certification from DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

Section IX Bidding Forms

	Bid Form
	Date:
	Project Identification No.:
To: (name and	address of Procuring Entity)
Numbers (inse (supply/deliver in words and fig bid modificatio price includes t (VAT), (ii) inco	examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin ert numbers), the receipt of which is hereby duly acknowledged, we, the undersigned, offer to /perform) (description of the Goods) in conformity with the said PBDs for the sum of (total Bid amount gures) or the total calculated bid price, as evaluated and corrected for computational errors, and other in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid he cost of all taxes, such as, but not limited to: (specify the applicable taxes, e.g. (i) value added tax me tax, (iii) local taxes, and (iv) other fiscal levies and duties), which are itemized herein or in the s, if our Bid is accepted, we undertake:
a.	To deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
b.	To provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
C.	To abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.
Commi	this paragraph if Foreign-Assisted Project with the Development Partner) issions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contact are awarded the contract, are listed below:
Name	and address Amount and Purpose of Agent Currency Commission or Gratuity
(if non	e, state "None")
	formal Contract is prepared and executed, this Bid, together with your written acceptance thereof e of Award, shall be binding upon us.
We un	derstand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.
We cer	tify/confirm that we comply with the eligibility requirements pursuant to the PBDs.
	ndersigned is authorized to submit the bid on behalf of (name of the bidder) as evidence by the the written authority).
	knowledge that failure to sign each and every page of this Bid Form, including the attached Schedule be a ground for the rejection of our bid.
Name	:
Legal Capacity Signature	<u>;</u>
Duly authorized Date	to sign the Bid for and behalf of::

DPWH-G&S-19



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BATAAN 1st DISTRICT ENGINEERING OFFICE

Roman Expressway Mulawin, Orani, Bataan, Region III

Contract ID No. : 25GCA01

Name of the Project : Procurement of Various Materials and New Traffic Signs to be used for the Maintenance,

Repair and Rehabilitation of Infrastructure Facilities and Other Related Activities – Routine Maintenance of National Roads and Bridges and Road Safety Facilities

Location of the Project : DPWH-Bataan First District

Bid Form A (Technical Proposal)

Item/ Lot No.	Specification	Statement of Compliance
For Road S	Safety, Pavement Markings and Repainting Works	-
1	Rubberized Safety Traffic Cone	
	PVC rubber traffic cone are flexible, durable PVC traffic cones with rubber base. The square base won't roll away even it is knocked over. The reflective collar increases visibility, mark hazardous areas to prevent accidents and set up safe	
	traffic lanes.	
	Height: 36 inches / 92 cm	
	Body Material: PVC Rubber	
	Base Size: min 35 x 35 cm	
	Height of Reflective 1: 6 inches	
	Height of Reflective 2: 4 inches	
2	Plastic Traffic Barrier	
	- made of highly durable materials and UV Resistant Long-Lasting Design	
	- with interlocking system	
	- water and sand filled	
	- Color: Orange	
	- Dimension: min 122 x 46 x 92 cm	
	- Logo and Name: Reflectorized	
3	Bollard with LED Illuminated Indicator & Movable Base	
	Height: 960mm	
	Diameter Pole: 100mm	
	Diameter Base: 400mm	
	Type: Plastic	
	Illuminated: Yes	
	Reflective: Yes	
	Led Color: Amber	
	Light Action: Flashing	
	Power Source: Solar	
	Battery: Rechargeable Lifepod, 3000mAh, 3.2V	
	Linkable: Yes	
4	Concrete Barrier with LED Illuminated	
	Directional Indicators	
	Dimensions: L 1000mm x W 450mm x H 820mm	
	Material: Concrete	
	Finish: Paint	
	Illuminated: YES	

	LED Color: Amber	
	Light Action: Flashing, Trailing	
	Reflective: Yes	
	Power Source: Solar	
	Battery: Rechargeable Lithium Ion, 2000mAh	
	Weight: (approx.) 300-350kg	
5	Thermoplastic Pavement Markings Powder (White)	
	Material composition requirements shall conform to Table 612.1 of Book of	
	Standards Specifications for Highways Bridges and Airports	
	25 kgs./bag, meltable, ISO 9001:2015 certified and BRS test certified	
6	Thermoplastic Pavement Markings Powder (Yellow)	
	Material composition requirements shall conform to Table 612.1 of Book of	
	Standards Specifications for Highways Bridges and Airports	
_	25 kgs./bag, meltable, ISO 9001:2015 certified and BRS test certified	
7	Reflectorized Traffic Paint (White)	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
	Type: Alkyd Based	
	Finish: Semi-Gloss	
	Color: 65-00 White	
	Density, K/L @ 28°C : 1.20 ±0.03 K/L	
	Solids by Volume (%): 35% (±2%)	
	Film Thickness (Approximately)	
	Wet Film (WFT): 100 microns – 130 microns per coat	
	Dry Film (DFT): 35 microns – 45.50 microns per coat	
	Practical Coverage: 20-25 sq.m. / 4 liter/coat	
	Drying Time: 1-2 hours min. dries for traffic in 4-6 hours	
	Shelf Life: 1 year when stored in dry cool condition	
8	Reflectorized Traffic Paint (Black)	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
	Type: Alkyd Based	
	Finish: Semi-Gloss	
	Color: Black	
	Density, K/L @ 28°C : 1.20 ±0.03 K/L	
	Solids by Volume (%): 35% (±2%)	
	Film Thickness (Approximately)	
	Wet Film (WFT): 100 microns – 130 microns per coat	
	Dry Film (DFT): 35 microns – 45.50 microns per coat	
	Practical Coverage: 20-25 sq.m. / 4 liter/coat	
	Drying Time: 1-2 hours min. dries for traffic in 4-6 hours	
	ration & Premix Patching/Sealing of Cracks & Joints	T
9	Asphalt Cement Penetration Grade 60/70	
	Requirements:	
	Penetration: 60-70 at 77°F (25°C), 100 g, 5 s	
	Solubility in Trichloroethylene: 99% min	
	Ductility: 100 cm min at 77°F (25°C), 5 cm/min	
	Flash Point: 232°C min, Cleveland Open Cup	
	Thin-Film Oven Test: Loss on heating, 0.8% max	
	Sampling and Testing	
	In accordance/compliance with the DPWH Standard Specifications/ASSHTO/ASTM	
10	Asphalt Cement Penetration Grade 85/100	
	Requirements:	

16	HAZARD MARKER – Sign Face including bracket	
17	HAZARD MARKER – Bolts with Nuts and Washer	
18	HAZARD MARKER – Post – 3" Φ G.I. Pipe	
verheads	sign-Cantilever Concrete Pedestal and Footing	<u>.</u>
19	Cement	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
20	Sand	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
21	Gravel 3/4	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
22	Reinforcing Steel Bar 20mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
23	Reinforcing Steel Bar 10mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
24	Phenolic Plywood	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
oad Limit	Concrete Pedestal and Footing	
25	Cement	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
26	Sand	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
27	Gravel 3/4	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
28	Reinforcing Steel Bar 16mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
29	Reinforcing Steel Bar 12mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
30	Reinforcing Steel Bar 10mm dia.	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
31	Phenolic Plywood	
	In compliance with DPWH Standard Specifications/AASHTO/ASTM	
tockpile A	Aggregate for Penetration Patching	1
32	Sand	
33	Gravel 3/4	
34	Gravel 3/8	
35	Aggregate Subbase Course	

(Name of Bidder/Company)					
(Signature over Printed Name of Representative)					
(Designation)					



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS BATAAN 1st DISTRICT ENGINEERING OFFICE

Roman Expressway Mulawin, Orani, Bataan, Region III

Contract ID No. : 25GCA01

Name of the Project : Procurement of Various Materials and New Traffic Signs to be used for the Maintenance,

Repair and Rehabilitation of Infrastructure Facilities and Other Related Activities – Routine Maintenance of National Roads and Bridges and Road Safety Facilities

Location of the Project : DPWH-Bataan First District

Bid Form B (Financial Proposal)

BILL OF QUANTITIES WITH BID PRICES

Date of Bid Opening : May 9, 2025 @ 10:00 A.M.

Approved Budget for the Contract : Php 10,147,652.78

Item No.	Description	Unit	Quantity	Unit Bid Price (Php)	Total Bid Price (Php)
Col. 1	Col. 2	Col. 3	Col. 4	Col. 5	Col. 6
For Road	Safety, Pavement Markings and Repainting	g Works			
1	Rubberized Safety Traffic Cone	set/s	50		
2	Plastic Traffic Barrier	pc./s	40		
3	Bollard with LED Illuminated Indicator & Movable Base	pc./s	20		
4	Concrete Barrier with LED Illuminated	pc./s	20		
5	Thermoplastic Pavement Markings	bag/s	240		
6	Thermoplastic Pavement Markings	bag/s	240		
7	Reflectorized Traffic Paint (White)	gal./s	1000		
8	Reflectorized Traffic Paint (Black)	gal./s	400		
For Pene	etration & Premix Patching/Sealing of Crack	ks & Joints			
9	Asphalt Cement Penetration Grade	drum/s	20		
10	Asphalt Cement Penetration Grade	drum/s	20		
11	Emulsified Asphalt (SS-1)	drum/s	20		
12	Asphalt Plant Mix Hot	mton/s	39		
Special N	Maintenance – Placing New Traffic Signs				
13	Guide or Information Signs, G1-1, Advance Direction Signs (Overheadsign- Cantilever)	unit/s	8		
14	KEEP RIGHT – Sign Face including bracket	ea.	24		
15	KEEP RIGHT – Bolts with Nuts and Washer	pc./s	72		
16	HAZARD MARKER – Sign Face including bracket	ea.	24		
17	HAZARD MARKER – Bolts with Nuts and Washer	pc./s	144		
18	HAZARD MARKER – Post – 3" Φ G.I. Pipe	pc./s	24		
Overhea	dsign-Cantilever Concrete Pedestal and Foc	oting			
19	Cement	bag/s	14		
20	Sand	cu.m./s	1		

21	Gravel 3/4	cu.m./s	2		
22	Reinforcing Steel Bar 20mm dia.	pc./s	16		
23	Reinforcing Steel Bar 10mm dia.	pc./s	8		
24	Phenolic Plywood	pc./s	5		
Load Lin	nit Concrete Pedestal and Footing				
25	Cement	bag/s	204		
26	Sand	cu.m./s	11		
27	Gravel 3/4	cu.m./s	22		
28	Reinforcing Steel Bar 16mm dia.	pc./s	132		
29	Reinforcing Steel Bar 12mm dia.	pc./s	106		
30	Reinforcing Steel Bar 10mm dia.	pc./s	158		
31	Phenolic Plywood	pc./s	5		
Stockpile	Aggregate for Penetration Patching				
32	Sand	cu.m./s	60		
33	Gravel 3/4	cu.m./s	60		
34	Gravel 3/8	cu.m./s	60		
35	Aggregate Subbase Course	cu.m./s	60		
				TOTAL (PHP)	

1
:
:
:
:
:
:

Note: Columns 1 to 4 are to be filled up by the Procuring Entity. Columns 5 to 7 shall be filled up by the Bidder.

DPWH-G&S-20

¹ Bidders are required to include the cost of all taxes, such as, but not limited to: value added tax (VAT), income tax, local taxes, customs duties, freight, insurance, bank charges and other fiscal levies and duties. These shall be itemized in the bid form and reflected in the detailed estimates.

Contract ID No. : 25GCA01

Name of the Project : Procurement of Various Materials and New Traffic Signs to be used for the Maintenance,

Repair and Rehabilitation of Infrastructure Facilities and Other Related Activities –

Routine Maintenance of National Roads and Bridges and Road Safety Facilities

Location of the Project : DPWH-Bataan First District

Statement of All On-Going Government & Private Contracts including contracts but not yet started

Name o	f Bidder	:							
Name of Contract / Project	a. Owner's Name: b. Address:	Type of Product to be Units Description a. Amount of Award: b. Amount as		Sales and other taxes payable if Contract is awarded, per item		Delivered Units	Value of Outstanding Works /		
Cost	c. Telephone No.	Delivered			Completion: c. Duration:	Planned	Actual		Undelivered Portion
Governme	<u>nt</u>	T	1	1		1		ı	ı
<u>Private</u>									
ITIVACE									
						TOTAL CO	OST (Php)		
(Name o	of Bidder/Con	npany)							
	ıre over Print	ed Name of	f Repres	entative)					
(Designa	ation)								

DPWH-G&S-14: List of all On-going Government and Private Contracts Including Contracts Awarded but not yet Started: The prospective bidder shall list down all the government and private contracts completed which are similar in nature to the procurement at hand. The BAC shall use the form to determine whether it has completed within the period specified in the Invitation to Bid, a single contract that is similar to the contract to be bid, and whose value, adjusted to current prices using the National Statistics Office (NSO) consumer price indices, must be at least fifty percent (50%) of the ABC. In the case of Expendable Supplies, said single contract must be at least twenty five percent (25%) of the ABC.

Contract ID No. : 25GCA01

Name of the Project : Procurement of Various Materials and New Traffic Signs to be used for the Maintenance,

Repair and Rehabilitation of Infrastructure Facilities and Other Related Activities –

Routine Maintenance of National Roads and Bridges and Road Safety Facilities

Location of the Project : DPWH-Bataan First District

Statement of Single Largest Completed Contract (SLCC) which are Similar in Nature

Name of Bidder :						
Name of Contract	a. Agency's Name: b. Address: c. Telephone No.	Type of Product to be Delivered	No. of Units	Description	a. Amount of Award: b. Amount as Completion: c. Duration:	a. Date Awarded: b. Contract Effectivity: c. Date Completed:
Government	1	1	I	I	T	T
<u>Private</u>						
ITIVACE						
						•
/N	I(C)					
(Name of Bidd	ier/Company)					
(Signature ove	er Printed Name	of Represei	ntative)			
						
(Designation)						

FINANCIAL DOCUMENTS FOR ELIGIBILITY CHECK

A. Summary of the applicant Contractor's assets and liabilities on the basis of the Attached income tax return and financial statement, stamped "RECEIVED" by the Bureau of Internal Revenue (BIR) authorized collecting agent, for the immediate preceding year.

		YEAR 20 (Php)
1.	Total Assets	
2.	Current Assets	
3.	Total Liabilities	
4.	Current Liabilities	
5.	Net Worth (1-3)	
6.	Net Working Capital (2-4)	

B. The Net Financial Contracting Capacity (NFCC) based on the above data is computed as follows:

NFCC = K (Current Assets – Current Liabilities) – Value of all outstanding or uncompleted portions of the projects under on-going contracts, including awarded contracts yet to be started, coinciding with the contract to be bid

K = 15

NFCC = Php

(Name of Bidder/Company)
(Signature over Printed Name of Representative)
(Designation)

BID SECURING DECLARATION FORM

DID SECORING DECLARATION TORP		
REPUBLIC OF THE PHILIPPINES) CITY OF		
BID-SECURING DECLARATION		
Contract ID No. Name of the Project Procurement of Various Materials and New Traffic Signs to be used for the Repair and Rehabilitation of Infrastructure Facilities and Other Related Activ Routine Maintenance of National Roads and Bridges and Road Safety Facilit Location of the Project DPWH-Bataan First District	ivities –	
Location of the Project . Dr Wil-bataan Hist District		
To: DPWH-Bataan 1st District Engineering Office Roman Expressway, Mulawin, Orani, Bataan DANILO A. RUSTIA, JR. BAC-Chairperson Telephone No. 612-0096		
I/We, the undersigned, declare that:		
1. I/We understand that, according to your conditions, bids must be supported by a Bid Security the form of a Bid-Securing Declaration.	y, which may be in	
2. I/We accept that: (a) I/We will be automatically disqualified from bidding for any contract we entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/We will provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within from receipt of the written demand by the procuring entity for the commission of acts enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, excell IRR of RA 9184; without prejudice to other legal action the government may undertake.	pay the applicable in fifteen (15) days is resulting to the	
3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circ	rcumstances:	
(a) Upon expiration of the bid validity period, or any extension thereof pursuant to your reque	est;	
(b) I am/we declared ineligible or post-disqualified upon receipt of your notice to such effect, a to timely file a request for reconsideration or (ii) I/We filed a waiver to avail of said right;		
(c) I am/we declared as the bidder with the Lowest Calculated and Responsive Bid, and I h performance security and signed the Contract.	have furnished the	
IN WITNESS WHEREOF, I/We have hereunto set my/our hand this day of (month) (year) at (pl	place of execution).	
(Insert NAME OF BIDDER OR ITS AUTHORIZED R (Insert signator	REPRESENTATIVE) ory's legal capacity) Affiant	
(lurat)		

DPWH-G&S-04; The Bid Securing Declaration (BSD) is an undertaking which states that the bidder shall enter into contract with the DPWH and furnish the required Performance Security within ten (10) calendar days, or less from receipt of the Notice of Award, committing to pay the corresponding fine and be suspended for a period of time from being qualified to participate in any government procurement activity in the event it violates any of the conditions required in the guidelines issued by the GPPB. BSD must be notarized, dry-sealed with documentary stamps. The BSD shall be submitted to the DPWH as a form of bid security and shall be enforced when the bidder commits any act resulting to the forfeiture of Bid Security.

(Format shall be based on the latest Rules on Notarial Practice)

OMNIBUS SWORN STATEMENT

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF	_) S.S.

AFFIDAVIT

- I, (Name of Affiant), of legal age, (Civil Status), and residing at (Address of Affiant), after having been duly sworn in accordance with law, do hereby depose and state that:
 - 1. (Select one, delete the other)

(If a sole proprietorship) I am the sole proprietor or authorized representative of (Name of Bidder) with office address at (Address of Bidder).

(If a partnership, corporation, cooperative, or joint venture) I am duly authorized and designated representative of (Name of Bidder) with office address at (Address of Bidder);

2. (Select one, delete the other)

(If a sole proprietorship) As the owner and sole proprietor, or authorized representative of (Name of Bidder), I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for (Name of the Project) of the (Name of the Procuring Entity), as shown in the attached duly notarized Special Power of Attorney;

(If a partnership, corporation, cooperative, or joint venture) I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for (Name of the Project) of the (Name of the Procuring Entity), as shown in the attached (state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable));

- 3. (Name of Bidder) is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. (Name of Bidder) is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. (Select one, delete the rest)

(If sole proprietorship) The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

(If a partnership or cooperative) None of the officers and members of (Name of Bidder) is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

(If a corporation or joint venture) None of the officers, directors, and controlling stockholders of (Name of Bidder) is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. (Name of Bidder) complies with existing labor laws and standards;
- 8. (Name of Bidder) is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a) Carefully examine all of the Bidding Documents;
 - b) Acknowledge all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Made an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquire or secure Supplemental/Bid Bulletin(s) issued for the [Name of the Project]; and
- 9. (Name of Bidder) did not give or pay directly or indirectly, any commission, amount, fee or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand this day of (month) (year) at (place of execution)
(Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE (Insert signatory's legal capacity Affian
(Jurat) (Format shall be based on the latest Rules on Notarial Practice)

DPWH-G&S-18: The Omnibus Sworn Statement is a written undertaking issued by the prospective bidder or its duly authorized representative that it's is not "blacklisted" or barred from bidding by the government; each of the documents submitted is an authentic copy of the original, complete, and all statements provided are true and correct; it is authorizing the Head of the Procuring Entity or his duly authorized representative(s) to verify all the documents submitted; the signatory is the duly authorized representative of the prospective bidder, it complies with the disclosure provision under Section 47 of RA 9184 in relation to the provisions of RA 3019; the responsibilities of a bidder provided in the PBDs; existing labor laws and standards; it did not give or pay any amount or any form of consideration, to any person or official, personnel or representative of the government in relation to any procurement or activity.

Performance Securing Declaration

(If used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award)

	THE PHILIPPINES)) S.S.
	PERFORMANCE SECURING DECLARATION
Contract ID N Name of the F Location of th	
Roma DAN I BAC-0	H-Bataan 1st District Engineering Office n Expressway, Mulawin, Orani, Bataan ILO A. RUSTIA, JR. Chairperson none No. 612-0096
I/We, the und	ersigned, declare that:
suppli a Per	understand that, according to your conditions, to guarantee the faithful performance by the er/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/We shall submit formance Securing Declaration within the maximum period of ten (10) calendar days from the receipt of otice of Award prior to the signing of the Contract.
procu	accept that: I/We will be automatically disqualified from bidding for any procurement contract with any ring entity for a period of one (1) year for the first offense, or two (2) years for the second offense, upon to f your Blacklisting Order if I/We have violated my/our obligations under the Contract;
3. I/We	understand that this Performance Securing Declaration shall cease to be valid upon:
a. Is	suance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
i. ii. iii	, ,
	eplacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed orms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.
IN WITNESS \	WHEREOF, I/We have hereunto set my/our hand this day of (month) (year) at (place of execution).

(Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE)
(Insert signatory's legal capacity)

Affiant

(Jurat)

(Format shall be based on the latest Rules on Notarial Practice)

Bank Guarantee Form for Advance Payment

Contract ID No. : 25GCA01

Name of the Project : Procurement of Various Materials and New Traffic Signs to be used for the Maintenance,

Repair and Rehabilitation of Infrastructure Facilities and Other Related Activities – Routine Maintenance of National Roads and Bridges and Road Safety Facilities

Location of the Project : DPWH-Bataan First District

To: **DPWH-Bataan 1**st **District Engineering Office**

Roman Expressway, Mulawin, Orani, Bataan

DANILO A. RUSTIA, JR.

BAC-Chairperson

Telephone No. 612-0096

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, (name and address of Supplier) (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of (amount of guarantee in figures and words).

We, the (bank or financial institution), as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding (amount of guarantee in figures and words).

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until (date).

Yours truly,
Signature and seal of the Guarantors
Name of Bank or Financial Institution:
Address
Date

DPWH-G&S-36: Performance Security Bank Guarantee issued by a universal or commercial bank is an acceptable form of a performance security that the winning bidder shall have to post as a requirement for the contract. The bank guarantee shall be in the amount of 5% of contract price. In the case of a bank guarantee issued by a foreign bank, this shall be confirmed or authenticated by a universal or commercial bank.