DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

PROCURING ENTITY: CEBU 3RD DISTRICT ENGINEERING OFFICE Ibo, Toledo City, Cebu

BIDDING DOCUMENTS FOR

CONTRACT ID: 24GHF0005

CONTRACT NAME:

Supply and Delivery of Laboratory Equipment & Apparatus for use in Quality Assurance Section

Location: DPWH Cebu 3rd DEO, Toledo City, Cebu

Date of Opening of Bids: September 10, 2024 at 10:30 A.M.

Start Date for Issuance of Bidding Documents: August 22, 2024

TABLE OF CONTENTS

SECTION I. INVITATION TO BID	3
SECTION II. INSTRUCTIONS TO BIDDERS	5
SECTION III. BID DATA SHEET	
SECTION IV. GENERAL CONDITIONS OF CONTRACT	41
SECTION V. SPECIAL CONDITIONS OF CONTRACT	58
SECTION VI. SCHEDULE OF REQUIREMENTS	
SECTION VII. TECHNICAL SPECIFICATIONS	
SECTION VIII. BIDDING FORMS	

Department of Public Works and Highways (DPWH)

Contract ID: 24GHF0005

Contract Name: Supply and Delivery of Laboratory Equipment & Apparatus for use in Quality Assurance Section **Location / Delivery Place:** DPWH Cebu 3rd DEO, Toledo City, Cebu

CEBU 3RD DISTRICT ENGINEERING OFFICE

Ibo, Toledo City, Cebu

INVITATION TO BID

The DPWH Cebu 3rd District Engineering Office through its Bids and Awards Committee (BAC) for Goods, invites suppliers to submit bids for the following Contract:

Contract ID: 24GHF0005 Contract Name: Supply and Delivery of Laboratory Equipment & Apparatus for use in Quality Assurance Section Location / Delivery Place: DPWH Cebu 3rd DEO, Toledo City, Cebu Brief Description of Goods to be procured: Supply and Delivery of Laboratory Equipment & Apparatus Approved Budget of the Contract (ABC): ₽ 22,142,100.00 Source of Funds: GAA FY 2024 Delivery Date of Goods: 09/25/2024 – 11/23/2024

Contract Duration: 60 calendar days

The BAC is conducting the public bidding for this Contract in accordance with Republic Act No. 9184 and its Implementing Rules and Regulations (IRR).

Bidders should have completed, within from the date of submission and receipt of bids, a contract similar to the project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section IV. Instructions to Bidders.

To be eligible to bid for this Contract, a supplier must meet the following major requirements:

- (a) Registration Certificate from SEC, Department of Trade and Industry (DTI) for Sole Proprietorship, or CDA for cooperatives;
- (b) Mayor's/Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located or the equivalent document for exclusive economic zones or areas;
- (c) Tax Clearance per Executive Order 398, Series of 2005, as finally reviewed and approved by the BIR;
- (d) Filipino citizen or 60% Filipino-owned partnership/corporation;
- (e) Completion of a similar contract costing at least 50% of the ABC within [10 years period]; and
- (f) Net Financial Contracting Capacity (NFCC) at least equal to the ABC.

The DPWH will use non-discretionary "pass/fail" criteria in the eligibility check, preliminary examination of bids, evaluation of bids, post-qualification, and award.

The schedule of key procurement activities for this Contract is shown below:

Activity	Time	Place
1. Issuance	08/22/2024	Hard copies at BAC Secretariat, DPWH Cebu 3 rd DEO, Toledo
/Downloading of	to	City, Cebu. Downloadable from DPWH website
Bidding Documents	09/10/2024	www.dpwh.gov.ph, PhilGEPS website www.philgeps.gov.ph
		Join Zoom Meeting
		https://zoom.us/j/91957719861?pwd=eGNuVklYUUJ
2. Pre-Bid	2:00 PM –	XVWpFeFU0YTNUc3NPZz09
Conference	08/29/2024	
		Meeting ID: 5993795167
		Passcode: C3DEO2024
3. Receipt of Bids by the BAC	Deadline: 10:00 A.M 09/10/2024	Procurement/BAC Office, DPWH Cebu 3 rd DEO, Ibo, Toledo City, Cebu
4. Opening of Bide	10:30 A.M	Procurement/BAC Office, DPWH Cebu 3 rd DEO, Ibo, Toledo
4. Opening of Bids	09/10/2024	City, Cebu

Bidders shall pay the BAC an applicable fee of **₽ 25,000.00** for the Bidding Documents, upon securing hard copies of the Documents. Bidders who download the Documents from the DPWH/PhilGEPS website shall pay the fee upon submission of their bids.

All bids must be accompanied by a **Bid Security** in acceptable forms which shall be limited to Bid Securing Declaration, or any form of Bid Security in the amount stated in ITB Clause 18. Late bids shall not be accepted.

D.O. 34 series of 2020 Basic Hygiene, Workplace Sanitation and Social Distancing Measures to be Observed in the Workplace requires visitors must have confirmed appointments in the Procurement Unit and please be advised to fill out the DPWH Cebu 3rd Visitor Health Declaration Form **https://forms.gle/pEBZ6BraMPcSfa8VA** one day before the meeting.

The DPWH Cebu 3rd DEO reserves the right to accept or reject any bid and to annul the bidding process any time before the contract award, without incurring any liability to the affected bidders.

Any requests for additional information concerning this bidding shall be directed to the following:

BAC Chairman: REYNALDO V. NAVALES, DPA., ASEAN Eng.	BAC Secretariat, Head: GRACILA S. ABARQUEZ
DPWH Cebu 3rd DEO, Toledo City, Cebu	DPWH Cebu 3rd DEO, Toledo City, Cebu
Telephone No. (032) 520 4290	Telephone No. (032) 520 4290
Email address: navales.reynaldo@dpwh.gov.ph	Email address: abarguez.gracila@dpwh.gov.ph

Approved by:

Dates of Posting/Publication: 08/22/2024 – DPWH Website 08/22/2024 – PhilGEPS Website

REYNALDO V. NAVALES, D.P.A., ASEAN Eng. BAC Chairman

Section II. Instructions to Bidders

TABLE OF CONTENTS

A.	Gen	ERAL	8
	1.	Scope of Bid	8
	2.	Source of Funds	8
	3.	Corrupt, Fraudulent, Collusive, and Coercive Practices	8
	4.	Conflict of Interest	9
	5.	Eligible Bidders	11
	6.	Bidder's Responsibilities	12
	7.	Origin of Goods	14
	8.	Subcontracts	15
B.	CON	TENTS OF BIDDING DOCUMENTS	15
	9.	Pre-Bid Conference	15
	10.	Clarification and Amendment of Bidding Documents	16
C.	Prei	PARATION OF BIDS	16
	11.	Language of Bid	16
	12.	Documents Comprising the Bid: Eligibility and Technical Components	16
	13.	Documents Comprising the Bid: Financial Component	18
	14.	Alternative Bids	19
	15.	Bid Prices	19
	16.	Bid Currencies	21
	17.	Bid Validity	21
	18.	Bid Security	22
	19.	Format and Signing of Bids	24
	20.	Sealing and Marking of Bids	25
D.	SUB	MISSION AND OPENING OF BIDS	25
	21.	Deadline for Submission of Bids	25
	22.	Late Bids	26
	23.	Modification and Withdrawal of Bids	26
	24.	Opening and Preliminary Examination of Bids	27
E.	Eva	LUATION AND COMPARISON OF BIDS	28
	25.	Process to be Confidential	28
	26.	Clarification of Bids	28
	27.	Domestic Preference	29

28.	Detailed Evaluation and Comparison of Bids	.29
29.	Post-Qualification	.30
30.	Reservation Clause	.31
AWA	RD OF CONTRACT	.33
31.	Contract Award	.33
32.	Signing of the Contract	.33
33.	Performance Security	.34
34.	Notice to Proceed	.35
35.	Protest Mechanism	.37
	29. 30. AWA 31. 32. 33. 34.	 30. Reservation Clause AWARD OF CONTRACT

A. General

1. Scope of Bid

- 1.1. The Procuring Entity named in the **<u>BDS</u>** invites bids for the supply and delivery of the Goods as described in Section VII. Technical Specifications.
- 1.2. The name, identification, and number of lots specific to this bidding are provided in the **<u>BDS</u>**. The contracting strategy and basis of evaluation of lots is described in **ITB** Clause 28.

2. Source of Funds

The Procuring Entity has a budget or has received funds from the Funding Source named in the **BDS**, and in the amount indicated in the **BDS**. It intends to apply part of the funds received for the Project, as defined in the **BDS**, to cover eligible payments under the contract.

3. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 3.1. Unless otherwise specified in the **<u>BDS</u>**, the Procuring Entity as well as the bidders and suppliers shall observe the highest standard of ethics during the procurement and execution of the contract. In pursuance of this policy, the Procuring Entity:
 - (a) defines, for purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in RA 3019.
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
 - (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the

Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.

- (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
- (v) "obstructive practice" is
 - falsifying, destroying, (aa) deliberately altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters to the administrative proceedings relevant or investigation or from pursuing such proceedings or investigation; or
 - (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 3.2. Further, the Procuring Entity will seek to impose the maximum civil, administrative, and/or criminal penalties available under applicable laws on individuals and organizations deemed to be involved in any of the practices mentioned in **ITB** Clause 3.1(a).
- 3.3. Furthermore, the Funding Source and the Procuring Entity reserve the right to inspect and audit records and accounts of a bidder or supplier in the bidding for and performance of a contract themselves or through independent auditors as reflected in the **GCC** Clause 3.

4. Conflict of Interest

4.1. All Bidders found to have conflicting interests shall be disqualified to participate in the procurement at hand, without prejudice to the imposition of appropriate administrative, civil, and criminal sanctions. A Bidder may be considered to have conflicting interests with another Bidder in any of the events described in paragraphs (a) through (c) below and a general conflict of

interest in any of the circumstances set out in paragraphs (d) through (g) below:

- (a) A Bidder has controlling shareholders in common with another Bidder;
- (b) A Bidder receives or has received any direct or indirect subsidy from any other Bidder;
- (c) A Bidder has the same legal representative as that of another Bidder for purposes of this bid;
- (d) A Bidder has a relationship, directly or through third parties, that puts them in a position to have access to information about or influence on the bid of another Bidder or influence the decisions of the Procuring Entity regarding this bidding process;
- (e) A Bidder submits more than one bid in this bidding process. However, this does not limit the participation of subcontractors in more than one bid;
- (f) A Bidder who participated as a consultant in the preparation of the design or technical specifications of the Goods and related services that are the subject of the bid; or
- (g) A Bidder who lends, or temporarily seconds, its personnel to firms or organizations which are engaged in consulting services for the preparation related to procurement for or implementation of the project, if the personnel would be involved in any capacity on the same project.
- 4.2. In accordance with Section 47 of the IRR of RA 9184, all Bidding Documents shall be accompanied by a sworn affidavit of the Bidder that it is not related to the Head of the Procuring Entity (HoPE), members of the Bids and Awards Committee (BAC), members of the Technical Working Group (TWG), members of the BAC Secretariat, the head of the Project Management Office (PMO) or the end-user unit, and the project consultants, by consanguinity or affinity up to the third civil degree. On the part of the Bidder, this Clause shall apply to the following persons:
 - (a) If the Bidder is an individual or a sole proprietorship, to the Bidder himself;
 - (b) If the Bidder is a partnership, to all its officers and members;
 - (c) If the Bidder is a corporation, to all its officers, directors, and controlling stockholders;
 - (d) If the Bidder is a cooperative, to all its officers, directors, and controlling shareholders or members; and

(e) If the Bidder is a joint venture (JV), the provisions of items (a), (b), (c), or (d) of this Clause shall correspondingly apply to each of the members of the said JV, as may be appropriate.

Relationship of the nature described above or failure to comply with this Clause will result in the automatic disqualification of a Bidder.

5. Eligible Bidders

- 5.1. Unless otherwise provided in the **<u>BDS</u>**, the following persons shall be eligible to participate in this bidding:
 - (a) Duly licensed Filipino citizens/sole proprietorships;
 - (b) Partnerships duly organized under the laws of the Philippines and of which at least sixty percent (60%) of the interest belongs to citizens of the Philippines;
 - (c) Corporations duly organized under the laws of the Philippines, and of which at least sixty percent (60%) of the outstanding capital stock belongs to citizens of the Philippines;
 - (d) Cooperatives duly organized under the laws of the Philippines; and
 - (e) Persons/entities forming themselves into a Joint Venture (JV), *i.e.*, a group of two (2) or more persons/entities that intend to be jointly and severally responsible or liable for a particular contract: Provided, however, that Filipino ownership or interest of the JV concerned shall be at least sixty percent (60%).
- 5.2. Foreign bidders may be eligible to participate when any of the following circumstances exist, as specified in the **BDS**:
 - (a) When a Treaty or International or Executive Agreement as provided in Section 4 of RA 9184 and its IRR allow foreign bidders to participate;
 - (b) Citizens, corporations, or associations of a country, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - (c) When the Goods sought to be procured are not available from local suppliers; or
 - (d) When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Government owned or –controlled corporations (GOCCs) may be eligible to participate only if they can establish that they (a) are legally and financially autonomous, (b) operate under commercial law, and (c) are not attached agencies of the Procuring Entity.

5.4. Unless otherwise provided in the **BDS**, the Bidder must have completed a Single Largest Completed Contract (SLCC) similar to the Project and the value of which, adjusted, if necessary, by the Bidder to current prices using the Philippine Statistics Authority (PSA) consumer price index, must be at least equivalent to a percentage of the ABC stated in the **BDS**.

For this purpose, contracts similar to the Project shall be those described in the <u>**BDS**</u>, and completed within the relevant period stated in the Invitation to Bid and **ITB** Clause 12.1(a)(ii).

5.5. The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started, coinciding with the contract to be bid.

The values of the domestic bidder's current assets and current liabilities shall be based on the latest Audited Financial Statements submitted to the BIR.

For purposes of computing the foreign bidders' NFCC, the value of the current assets and current liabilities shall be based on their audited financial statements prepared in accordance with international financial reporting standards.

If the prospective bidder opts to submit a committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC to be bid. If issued by a foreign universal or commercial bank, it shall be confirmed or authenticated by a local universal or commercial bank.

6. Bidder's Responsibilities

- 6.1. The Bidder or its duly authorized representative shall submit a sworn statement in the form prescribed in Section VIII. Bidding Forms as required in **ITB** Clause 12.1(b)(iii).
- 6.2. The Bidder is responsible for the following:
 - (a) Having taken steps to carefully examine all of the Bidding Documents;
 - (b) Having acknowledged all conditions, local or otherwise, affecting the implementation of the contract;
 - (c) Having made an estimate of the facilities available and needed for the contract to be bid, if any;
 - (d) Having complied with its responsibility to inquire or secure Supplemental/Bid Bulletin(s) as provided under **ITB** Clause 10.4.

- (e) Ensuring that it is not "blacklisted" or barred from bidding by the GOP or any of its agencies, offices, corporations, or LGUs, including foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the GPPB;
- (f) Ensuring that each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- (g) Authorizing the HoPE or its duly authorized representative/s to verify all the documents submitted;
- (h) Ensuring that the signatory is the duly authorized representative of the Bidder, and granted full power and authority to do, execute and perform any and all acts necessary and/or to represent the Bidder in the bidding, with the duly notarized Secretary's Certificate attesting to such fact, if the Bidder is a corporation, partnership, cooperative, or joint venture;
- (i) Complying with the disclosure provision under Section 47 of RA 9184 and its IRR in relation to other provisions of RA 3019;
- (j) Complying with existing labor laws and standards, in the case of procurement of services; Moreover, bidder undertakes to:
 - (i) Ensure the entitlement of workers to wages, hours of work, safety and health and other prevailing conditions of work as established by national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable.

In case there is a finding by the Procuring Entity or the DOLE of underpayment or non-payment of workers' wage and wagerelated benefits, bidder agrees that the performance security or portion of the contract amount shall be withheld in favor of the complaining workers pursuant to appropriate provisions of Republic Act No. 9184 without prejudice to the institution of appropriate actions under the Labor Code, as amended, and other social legislations.

(ii) Comply with occupational safety and health standards and to correct deficiencies, if any.

In case of imminent danger, injury or death of the worker, bidder undertakes to suspend contract implementation pending clearance to proceed from the DOLE Regional Office and to comply with Work Stoppage Order; and

- (iii) Inform the workers of their conditions of work, labor clauses under the contract specifying wages, hours of work and other benefits under prevailing national laws, rules and regulations; or collective bargaining agreement; or arbitration award, if and when applicable, through posting in two (2) conspicuous places in the establishment's premises; and
- (k) Ensuring that it did not give or pay, directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.

Failure to observe any of the above responsibilities shall be at the risk of the Bidder concerned.

- 6.3. The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Documents.
- 6.4. It shall be the sole responsibility of the Bidder to determine and to satisfy itself by such means as it considers necessary or desirable as to all matters pertaining to the contract to be bid, including: (a) the location and the nature of this Project; (b) climatic conditions; (c) transportation facilities; and (d) other factors that may affect the cost, duration, and execution or implementation of this Project.
- 6.5. The Procuring Entity shall not assume any responsibility regarding erroneous interpretations or conclusions by the prospective or eligible bidder out of the data furnished by the procuring entity. However, the Procuring Entity shall ensure that all information in the Bidding Documents, including bid/supplemental bid bulletin/s issued, are correct and consistent.
- 6.6. Before submitting their bids, the Bidder is deemed to have become familiar with all existing laws, decrees, ordinances, acts and regulations of the Philippines which may affect this Project in any way.
- 6.7. The Bidder shall bear all costs associated with the preparation and submission of his bid, and the Procuring Entity will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.
- 6.8. The Bidder should note that the Procuring Entity will accept bids only from those that have paid the applicable fee for the Bidding Documents at the office indicated in the Invitation to Bid.

7. Origin of Goods

Unless otherwise indicated in the <u>BDS</u>, there is no restriction on the origin of goods other than those prohibited by a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, subject to **ITB** Clause 27.1.

8. Subcontracts

- 8.1. Unless otherwise specified in the **BDS**, the Bidder may subcontract portions of the Goods to an extent as may be approved by the Procuring Entity and stated in the **BDS**. However, subcontracting of any portion shall not relieve the Bidder from any liability or obligation that may arise from the contract for this Project.
- 8.2. Subcontractors must submit the documentary requirements under **ITB** Clause 12 and comply with the eligibility criteria specified in the **BDS**. In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.
- 8.3. The Bidder may identify the subcontractor to whom a portion of the Goods will be subcontracted at any stage of the bidding process or during contract implementation. If the Bidder opts to disclose the name of the subcontractor during bid submission, the Bidder shall include the required documents as part of the technical component of its bid.

B. Contents of Bidding Documents

9. Pre-Bid Conference

9.1. (a) If so specified in the **BDS**, a pre-bid conference shall be held at the venue and on the date indicated therein, to clarify and address the Bidders' questions on the technical and financial components of this Project.

(b) The pre-bid conference shall be held at least twelve (12) calendar days before the deadline for the submission and receipt of bids, but not earlier than seven (7) calendar days from the posting of the invitation to bid/bidding documents in the PhilGEPS website. If the Procuring Entity determines that, by reason of the method, nature, or complexity of the contract to be bid, or when international participation will be more advantageous to the GOP, a longer period for the preparation of bids is necessary, the pre-bid conference shall be held at least thirty (30) calendar days before the deadline for the submission and receipt of bids, as specified in the <u>BDS</u>.

- 9.2. Bidders are encouraged to attend the pre-bid conference to ensure that they fully understand the Procuring Entity's requirements. Non-attendance of the Bidder will in no way prejudice its bid; however, the Bidder is expected to know the changes and/or amendments to the Bidding Documents as recorded in the minutes of the pre-bid conference and the Supplemental/Bid Bulletin. The minutes of the pre-bid conference shall be recorded and prepared not later than five (5) calendar days after the pre-bid conference. The minutes shall be made available to prospective bidders not later than five (5) days upon written request.
- 9.3 Decisions of the BAC amending any provision of the bidding documents shall be issued in writing through a Supplemental/Bid Bulletin at least seven (7) calendar days before the deadline for the submission and receipt of bids.

10. Clarification and Amendment of Bidding Documents

- 10.1. Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such request must be in writing and submitted to the Procuring Entity at the address indicated in the <u>BDS</u> at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.
- 10.2. The BAC shall respond to the said request by issuing a Supplemental/Bid Bulletin, to be made available to all those who have properly secured the Bidding Documents, at least seven (7) calendar days before the deadline for the submission and receipt of Bids.
- 10.3. Supplemental/Bid Bulletins may also be issued upon the Procuring Entity's initiative for purposes of clarifying or modifying any provision of the Bidding Documents not later than seven (7) calendar days before the deadline for the submission and receipt of Bids. Any modification to the Bidding Documents shall be identified as an amendment.
- 10.4. Any Supplemental/Bid Bulletin issued by the BAC shall also be posted in the PhilGEPS and the website of the Procuring Entity concerned, if available, and at any conspicuous place in the premises of the Procuring Entity concerned. It shall be the responsibility of all Bidders who have properly secured the Bidding Documents to inquire and secure Supplemental/Bid Bulletins that may be issued by the BAC. However, Bidders who have submitted bids before the issuance of the Supplemental/Bid Bulletin must be informed and allowed to modify or withdraw their bids in accordance with **ITB** Clause 23.

C. Preparation of Bids

11. Language of Bids

The eligibility requirements or statements, the bids, and all other documents to be submitted to the BAC must be in English. If the eligibility requirements or statements, the bids, and all other documents submitted to the BAC are in foreign language other than English, it must be accompanied by a translation of the documents in English. The documents shall be translated by the relevant foreign government agency, the foreign government agency authorized to translate documents, or a registered translator in the foreign bidder's country; and shall be authenticated by the appropriate Philippine foreign service establishment/post or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. The English translation shall govern, for purposes of interpretation of the bid.

12. Documents Comprising the Bid: Eligibility and Technical Components

- 12.1. Unless otherwise indicated in the **<u>BDS</u>**, the first envelope shall contain the following eligibility and technical documents:
 - (a) Eligibility Documents –

Class "A" Documents:

- (i) PhilGEPS Certificate of Registration and Membership in accordance with Section 8.5.2 of the IRR, except for foreign bidders participating in the procurement by a Philippine Foreign Service Office or Post, which shall submit their eligibility documents under Section 23.1 of the IRR, provided, that the winning bidder shall register with the PhilGEPS in accordance with section 37.1.4 of the IRR.
- (ii) Statement of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; and

Statement of the Bidder's SLCC similar to the contract to be bid, in accordance with ITB Clause 5.4, within the relevant period as provided in the **BDS**.

The two statements required shall indicate for each contract the following:

- (ii.1) name of the contract;
- (ii.2) date of the contract;
- (ii.3) contract duration;

(ii.4) owner's name and address;

- (ii.5) kinds of Goods;
- (ii.6) For Statement of Ongoing Contracts amount of contract and value of outstanding contracts;
- (ii.7) For Statement of SLCC amount of completed contracts, adjusted by the Bidder to current prices using PSA's consumer price index, if necessary for the purpose of meeting the SLCC requirement;
- (ii.8) date of delivery; and
- (ii.9) end user's acceptance or official receipt(s) or sales invoice issued for the contract, if completed, which shall be attached to the statements.
- (iii) NFCC computation in accordance with ITB Clause 5.5 or a committed Line of Credit from a universal or commercial bank.

Class "B" Document:

- (iv) If applicable, the Joint Venture Agreement (JVA) in case the joint venture is already in existence, or duly notarized statements from all the potential joint venture partners in accordance with Section 23.1(b) of the IRR.
- (b) Technical Documents
 - (i) Bid security in accordance with **ITB** Clause 18. If the Bidder opts to submit the bid security in the form of:
 - (i.1) a bank draft/guarantee or an irrevocable letter of credit issued by a foreign bank, it shall be accompanied by a confirmation from a Universal or Commercial Bank; or
 - (i.2) a surety bond, it shall be accompanied by a certification by the Insurance Commission that the surety or insurance company is authorized to issue such instruments;
 - (ii) Conformity with technical specifications, as enumerated and specified in Sections VI and VII of the Bidding Documents; and
 - Sworn statement in accordance with Section 25.3 of the IRR of RA 9184 and using the form prescribed in Section VIII. Bidding Forms.
 - (iv) For foreign bidders claiming eligibility by reason of their country's extension of reciprocal rights to Filipinos, a certification from the relevant government office of their country stating that Filipinos are allowed to participate in their government procurement activities for the same item or product.

13. Documents Comprising the Bid: Financial Component

- 13.1. Unless otherwise stated in the **<u>BDS</u>**, the financial component of the bid shall contain the following:
 - (a) Financial Bid Form, which includes bid prices and the applicable Price Schedules, in accordance with **ITB** Clauses 15.1 and 15.4;
 - (b) If the Bidder claims preference as a Domestic Bidder, a certification from the DTI issued in accordance with **ITB** Clause 27, unless otherwise provided in the **BDS**; and
 - (c) Any other document related to the financial component of the bid as stated in the **BDS**.
- 13.2. (a) Unless otherwise stated in the **BDS**, all bids that exceed the ABC shall not be accepted.

- (b) Unless otherwise indicated in the **<u>BDS</u>**, for foreign-funded procurement, a ceiling may be applied to bid prices provided the following conditions are met:
 - (i) Bidding Documents are obtainable free of charge on a freely accessible website. If payment of Bidding Documents is required by the procuring entity, payment could be made upon the submission of bids.
 - (ii) The procuring entity has procedures in place to ensure that the ABC is based on recent estimates made by the responsible unit of the procuring entity and that the estimates reflect the quality, supervision and risk and inflationary factors, as well as prevailing market prices, associated with the types of works or goods to be procured.
 - (iii) The procuring entity has trained cost estimators on estimating prices and analyzing bid variances.
 - (iv) The procuring entity has established a system to monitor and report bid prices relative to ABC and engineer's/procuring entity's estimate.
 - (v) The procuring entity has established a monitoring and evaluation system for contract implementation to provide a feedback on actual total costs of goods and works.

14. Alternative Bids

- 14.1 Alternative Bids shall be rejected. For this purpose, alternative bid is an offer made by a Bidder in addition or as a substitute to its original bid which may be included as part of its original bid or submitted separately therewith for purposes of bidding. A bid with options is considered an alternative bid regardless of whether said bid proposal is contained in a single envelope or submitted in two (2) or more separate bid envelopes.
- 14.2 Each Bidder shall submit only one Bid, either individually or as a partner in a JV. A Bidder who submits or participates in more than one bid (other than as a subcontractor if a subcontractor is permitted to participate in more than one bid) will cause all the proposals with the Bidder's participation to be disqualified. This shall be without prejudice to any applicable criminal, civil and administrative penalties that may be imposed upon the persons and entities concerned.

15. Bid Prices

15.1. The Bidder shall complete the appropriate Schedule of Prices included herein, stating the unit prices, total price per item, the total amount and the expected countries of origin of the Goods to be supplied under this Project.

- 15.2. The Bidder shall fill in rates and prices for all items of the Goods described in the Schedule of Prices. Bids not addressing or providing all of the required items in the Bidding Documents including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0) or a dash (-) for the said item would mean that it is being offered for free to the Government, except those required by law or regulations to be accomplished.
- 15.3. The terms Ex Works (EXW), Cost, Insurance and Freight (CIF), Cost and Insurance Paid to (CIP), Delivered Duty Paid (DDP), and other trade terms used to describe the obligations of the parties, shall be governed by the rules prescribed in the current edition of the International Commercial Terms (INCOTERMS) published by the International Chamber of Commerce, Paris.
- 15.4. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - (a) For Goods offered from within the Procuring Entity's country:
 - (i) The price of the Goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable);
 - (ii) The cost of all customs duties and sales and other taxes already paid or payable;
 - (iii) The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - (iv) The price of other (incidental) services, if any, listed in the **BDS**.
 - (b) For Goods offered from abroad:
 - (i) Unless otherwise stated in the <u>BDS</u>, the price of the Goods shall be quoted DDP with the place of destination in the Philippines as specified in the <u>BDS</u>. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - (ii) The price of other (incidental) services, if any, listed in the **BDS**.
 - (c) For Services, based on the form which may be prescribed by the Procuring Entity, in accordance with existing laws, rules and regulations
- 15.5. Prices quoted by the Bidder shall be fixed during the Bidder's performance of the contract and not subject to variation or price escalation on any account. A

bid submitted with an adjustable price quotation shall be treated as non-responsive and shall be rejected, pursuant to **ITB** Clause 24.

All bid prices for the given scope of work in the contract as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances. Upon the recommendation of the Procuring Entity, price escalation may be allowed in extraordinary circumstances as may be determined by the National Economic and Development Authority in accordance with the Civil Code of the Philippines, and upon approval by the GPPB. Nevertheless, in cases where the cost of the awarded contract is affected by any applicable new laws, ordinances, regulations, or other acts of the GOP, promulgated after the date of bid opening, a contract price adjustment shall be made or appropriate relief shall be applied on a no loss-no gain basis.

16. Bid Currencies

- 16.1. Prices shall be quoted in the following currencies:
 - (a) For Goods that the Bidder will supply from within the Philippines, the prices shall be quoted in Philippine Pesos.
 - (b) For Goods that the Bidder will supply from outside the Philippines, the prices may be quoted in the currency(ies) stated in the <u>BDS</u>. However, for purposes of bid evaluation, bids denominated in foreign currencies shall be converted to Philippine currency based on the exchange rate as published in the *Bangko Sentral ng Pilipinas* (BSP) reference rate bulletin on the day of the bid opening.
- 16.2. If so allowed in accordance with **ITB** Clause 16.1, the Procuring Entity for purposes of bid evaluation and comparing the bid prices will convert the amounts in various currencies in which the bid price is expressed to Philippine Pesos at the foregoing exchange rates.
- 16.3. Unless otherwise specified in the <u>BDS</u>, payment of the contract price shall be made in Philippine Pesos.

17. Bid Validity

- 17.1. Bids shall remain valid for the period specified in the <u>BDS</u> which shall not exceed one hundred twenty (120) calendar days from the date of the opening of bids.
- 17.2. In exceptional circumstances, prior to the expiration of the bid validity period, the Procuring Entity may request Bidders to extend the period of validity of their bids. The request and the responses shall be made in writing. The bid security described in **ITB** Clause 18 should also be extended corresponding to the extension of the bid validity period at the least. A Bidder may refuse the request without forfeiting its bid security, but his bid shall no longer be considered for further evaluation and award. A Bidder granting the request shall not be required or permitted to modify its bid.

18. Bid Security

18.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount stated in the <u>BDS</u>, which shall be not less than the percentage of the ABC in accordance with the following schedule:

Form of Bid Security	Amount of Bid Security (Not Less than the Percentage of the ABC)
 (a) Cash or cashier's/manager's check issued by a Universal or Commercial Bank. 	
For biddings conducted by LGUs, the Cashier's/Manager's Check may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	
 (b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank. 	Two percent (2%)
For biddings conducted by LGUs, Bank Draft/Guarantee, or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument.	
(c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Five percent (5%)

The Bid Securing Declaration mentioned above is an undertaking which states, among others, that the Bidder shall enter into contract with the procuring entity and furnish the performance security required under ITB Clause 33.2, within ten (10) calendar days from receipt of the Notice of Award, and commits to pay the corresponding amount as fine, and be suspended for a period of time from being qualified to participate in any

government procurement activity in the event it violates any of the conditions stated therein as provided in the guidelines issued by the GPPB.

- 18.2. The bid security should be valid for the period specified in the <u>BDS</u>. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.
- 18.3. No bid securities shall be returned to Bidders after the opening of bids and before contract signing, except to those that failed or declared as post-disqualified, upon submission of a written waiver of their right to file a request for reconsideration and/or protest, or upon the lapse of the reglementary period to file a request for reconsideration or protest. Without prejudice on its forfeiture, bid securities shall be returned only after the Bidder with the Lowest Calculated Responsive Bid (LCRB) has signed the contract and furnished the performance security, but in no case later than the expiration of the bid security validity period indicated in **ITB** Clause 18.2.
- 18.4. Upon signing and execution of the contract pursuant to **ITB** Clause 32, and the posting of the performance security pursuant to **ITB** Clause 33, the successful Bidder's bid security will be discharged, but in no case later than the bid security validity period as indicated in the **ITB** Clause 18.2.
- 18.5. The bid security may be forfeited:
 - (a) if a Bidder:
 - (i) withdraws its bid during the period of bid validity specified in **ITB** Clause 17;
 - (ii) does not accept the correction of errors pursuant to **ITB** Clause 28.3(b);
 - (iii) has a finding against the veracity of any of the documents submitted as stated in **ITB** Clause 29.2;
 - (iv) submission of eligibility requirements containing false information or falsified documents;
 - (v) submission of bids that contain false information or falsified documents, or the concealment of such information in the bids in order to influence the outcome of eligibility screening or any other stage of the public bidding;
 - (vi) allowing the use of one's name, or using the name of another for purposes of public bidding;
 - (vii) withdrawal of a bid, or refusal to accept an award, or enter into contract with the Government without justifiable cause, after the Bidder had been adjudged as having submitted the LCRB;
 - (viii) refusal or failure to post the required performance security within the prescribed time;

- (ix) refusal to clarify or validate in writing its bid during postqualification within a period of seven (7) calendar days from receipt of the request for clarification;
- (x) any documented attempt by a Bidder to unduly influence the outcome of the bidding in his favor;
- (xi) failure of the potential joint venture partners to enter into the joint venture after the bid is declared successful; or
- (xii) all other acts that tend to defeat the purpose of the competitive bidding, such as habitually withdrawing from bidding, submitting late Bids or patently insufficient bid, for at least three (3) times within a year, except for valid reasons.
- (b) if the successful Bidder:
 - (i) fails to sign the contract in accordance with **ITB** Clause 32; or
 - (ii) fails to furnish performance security in accordance with **ITB** Clause 33.

19. Format and Signing of Bids

- 19.1. Bidders shall submit their bids through their duly authorized representative using the appropriate forms provided in Section VIII. Bidding Forms on or before the deadline specified in the **ITB** Clauses 21 in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first shall contain the technical component of the bid, including the eligibility requirements under **ITB** Clause 12.1, and the second shall contain the financial component of the bid. This shall also be observed for each lot in the case of lot procurement.
- 19.2. Forms as mentioned in **ITB** Clause 19.1 must be completed without any alterations to their format, and no substitute form shall be accepted. All blank spaces shall be filled in with the information requested.
- 19.3. The Bidder shall prepare and submit an original of the first and second envelopes as described in **ITB** Clauses 12 and 13. In addition, the Bidder shall submit copies of the first and second envelopes. In the event of any discrepancy between the original and the copies, the original shall prevail.
- 19.4. Each and every page of the Bid Form, including the Schedule of Prices, under Section VIII hereof, shall be signed by the duly authorized representative/s of the Bidder. Failure to do so shall be a ground for the rejection of the bid.
- 19.5. Any interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the duly authorized representative/s of the Bidder.

20. Sealing and Marking of Bids

- 20.1. Bidders shall enclose their original eligibility and technical documents described in **ITB** Clause 12 in one sealed envelope marked "ORIGINAL TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID".
- 20.2. Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO. _____ TECHNICAL COMPONENT" and "COPY NO. _____ FINANCIAL COMPONENT" and the outer envelope as "COPY NO. _____", respectively. These envelopes containing the original and the copies shall then be enclosed in one single envelope.
- 20.3. The original and the number of copies of the Bid as indicated in the **BDS** shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.
- 20.4. All envelopes shall:
 - (a) contain the name of the contract to be bid in capital letters;
 - (b) bear the name and address of the Bidder in capital letters;
 - (c) be addressed to the Procuring Entity's BAC in accordance with **ITB** Clause 1.1;
 - (d) bear the specific identification of this bidding process indicated in the **ITB** Clause 1.2; and
 - (e) bear a warning "DO NOT OPEN BEFORE..." the date and time for the opening of bids, in accordance with **ITB** Clause 21.
- 20.5. Bid envelopes that are not properly sealed and marked, as required in the bidding documents, shall not be rejected, but the Bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC or the Procuring Entity shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening.

D. Submission and Opening of Bids

21. Deadline for Submission of Bids

Bids must be received by the Procuring Entity's BAC at the address and on or before the date and time indicated in the **BDS**.

22. Late Bids

Any bid submitted after the deadline for submission and receipt of bids prescribed by the Procuring Entity, pursuant to **ITB** Clause 21, shall be declared "Late" and shall not be accepted by the Procuring Entity. The BAC shall record in the minutes of bid submission and opening, the Bidder's name, its representative and the time the late bid was submitted.

23. Modification and Withdrawal of Bids

- 23.1. The Bidder may modify its bid after it has been submitted; provided that the modification is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Bidder shall not be allowed to retrieve its original bid, but shall be allowed to submit another bid equally sealed and properly identified in accordance with ITB Clause 20, linked to its original bid marked as "TECHNICAL MODIFICATION" or "FINANCIAL MODIFICATION" and stamped "received" by the BAC. Bid modifications received after the applicable deadline shall not be considered and shall be returned to the Bidder unopened.
- 23.2 A Bidder may, through a Letter of Withdrawal, withdraw its bid after it has been submitted, for valid and justifiable reason; provided that the Letter of Withdrawal is received by the Procuring Entity prior to the deadline prescribed for submission and receipt of bids. The Letter of Withdrawal must be executed by the duly authorized representative of the Bidder identified in the Omnibus Sworn Statement, a copy of which should be attached to the letter.
- 23.3. Bids requested to be withdrawn in accordance with **ITB** Clause 23.1 shall be returned unopened to the Bidders. A Bidder, who has acquired the bidding documents, may also express its intention not to participate in the bidding through a letter which should reach and be stamped by the BAC before the deadline for submission and receipt of bids. A Bidder that withdraws its bid shall not be permitted to submit another bid, directly or indirectly, for the same contract.
- 23.4. No bid may be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Financial Bid Form. Withdrawal of a bid during this interval shall result in the forfeiture of the Bidder's bid security, pursuant to **ITB** Clause 18.5, and the imposition of administrative, civil and criminal sanctions as prescribed by RA 9184 and its IRR.

24. Opening and Preliminary Examination of Bids

- 24.1. The BAC shall open the bids in public, immediately after the deadline for the submission and receipt of bids, as specified in the <u>BDS</u>. In case the Bids cannot be opened as scheduled due to justifiable reasons, the BAC shall take custody of the Bids submitted and reschedule the opening of Bids on the next working day or at the soonest possible time through the issuance of a Notice of Postponement to be posted in the PhilGEPS website and the website of the Procuring Entity concerned.
- 24.2. Unless otherwise specified in the **BDS**, the BAC shall open the first bid envelopes and determine each Bidder's compliance with the documents prescribed in **ITB** Clause 12, using a non-discretionary "pass/fail" criterion. If a Bidder submits the required document, it shall be rated "passed" for that particular requirement. In this regard, bids that fail to include any requirement or are incomplete or patently insufficient shall be considered as "failed". Otherwise, the BAC shall rate the said first bid envelope as "passed".
- 24.3. Unless otherwise specified in the **BDS**, immediately after determining compliance with the requirements in the first envelope, the BAC shall forthwith open the second bid envelope of each remaining eligible bidder whose first bid envelope was rated "passed". The second envelope of each complying bidder shall be opened within the same day. In case one or more of the requirements in the second envelope of a particular bid is missing, incomplete or patently insufficient, and/or if the submitted total bid price exceeds the ABC unless otherwise provided in **ITB** Clause 13.2, the BAC shall rate the bid concerned as "failed". Only bids that are determined to contain all the bid requirements for both components shall be rated "passed" and shall immediately be considered for evaluation and comparison.
- 24.4. Letters of Withdrawal shall be read out and recorded during bid opening, and the envelope containing the corresponding withdrawn bid shall be returned to the Bidder unopened.
- 24.5. All members of the BAC who are present during bid opening shall initial every page of the original copies of all bids received and opened.
- 24.6. In the case of an eligible foreign bidder as described in **ITB** Clause 5, the following Class "A" Documents may be substituted with the appropriate equivalent documents, if any, issued by the country of the foreign Bidder concerned, which shall likewise be uploaded and maintained in the PhilGEPS in accordance with Section 8.5.2 of the IRR:
 - (a) Registration certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives;
 - (b) Mayor's/Business permit issued by the local government where the principal place of business of the bidder is located; and

- (c) Audited Financial Statements showing, among others, the prospective bidder's total and current assets and liabilities stamped "received" by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two years from the date of bid submission.
- 24.7. Each partner of a joint venture agreement shall likewise submit the requirements in **ITB** Clause 12.1(a)(i). Submission of documents required under **ITB** Clauses 12.1(a)(ii) to 12.1(a)(iii) by any of the joint venture partners constitutes compliance.
- 24.8. The Procuring Entity shall prepare the minutes of the proceedings of the bid opening that shall include, as a minimum: (a) names of Bidders, their bid price (per lot, if applicable, and/or including discount, if any), bid security, findings of preliminary examination, and whether there is a withdrawal or modification; and (b) attendance sheet. The BAC members shall sign the abstract of bids as read.
- 24.8 The bidders or their duly authorized representatives may attend the opening of bids. The BAC shall ensure the integrity, security, and confidentiality of all submitted bids. The Abstract of Bids as read and the minutes of the bid opening shall be made available to the public upon written request and payment of a specified fee to recover cost of materials.
- 24.9 To ensure transparency and accurate representation of the bid submission, the BAC Secretariat shall notify in writing all bidders whose bids it has received through its PhilGEPS-registered physical address or official e-mail address. The notice shall be issued within seven (7) calendar days from the date of the bid opening.

E. Evaluation and Comparison of Bids

25. Process to be Confidential

- 25.1. Members of the BAC, including its staff and personnel, as well as its Secretariat and TWG, are prohibited from making or accepting any kind of communication with any bidder regarding the evaluation of their bids until the issuance of the Notice of Award, unless otherwise allowed in the case of **ITB** Clause 26.
- 25.2. Any effort by a bidder to influence the Procuring Entity in the Procuring Entity's decision in respect of bid evaluation, bid comparison or contract award will result in the rejection of the Bidder's bid.

26. Clarification of Bids

To assist in the evaluation, comparison, and post-qualification of the bids, the Procuring Entity may ask in writing any Bidder for a clarification of its bid. All responses to requests for clarification shall be in writing. Any clarification submitted by a Bidder in respect to its bid and that is not in response to a request by the Procuring Entity shall not be considered.

27. Domestic Preference

- 27.1. Unless otherwise stated in the **BDS**, the Procuring Entity will grant a margin of preference for the purpose of comparison of bids in accordance with the following:
 - (a) The preference shall be applied when the lowest Foreign Bid is lower than the lowest bid offered by a Domestic Bidder.
 - (b) For evaluation purposes, the lowest Foreign Bid shall be increased by fifteen percent (15%).
 - (c) In the event that the lowest bid offered by a Domestic Bidder does not exceed the lowest Foreign Bid as increased, then the Procuring Entity shall award the contract to the Domestic Bidder at the amount of the lowest Foreign Bid.
 - (d) If the Domestic Bidder refuses to accept the award of contract at the amount of the Foreign Bid within two (2) calendar days from receipt of written advice from the BAC, the Procuring Entity shall award to the bidder offering the Foreign Bid, subject to post-qualification and submission of all the documentary requirements under these Bidding Documents.
- 27.2. A Bidder may be granted preference as a Domestic Bidder subject to the certification from the DTI that the Bidder is offering unmanufactured articles, materials or supplies of the growth or production of the Philippines, or manufactured articles, materials, or supplies manufactured or to be manufactured in the Philippines substantially from articles, materials, or supplies of the growth, production, or manufacture, as the case may be, of the Philippines.

28. Detailed Evaluation and Comparison of Bids

- 28.1. The Procuring Entity will undertake the detailed evaluation and comparison of bids which have passed the opening and preliminary examination of bids, pursuant to **ITB** Clause 24, in order to determine the Lowest Calculated Bid.
- 28.2. The Lowest Calculated Bid shall be determined in two steps:
 - (a) The detailed evaluation of the financial component of the bids, to establish the correct calculated prices of the bids; and
 - (b) The ranking of the total bid prices as so calculated from the lowest to the highest. The bid with the lowest price shall be identified as the Lowest Calculated Bid.

- 28.3. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the following in the evaluation of bids:
 - (a) <u>Completeness of the bid.</u> Unless the <u>BDS</u> allows partial bids, bids not addressing or providing all of the required items in the Schedule of Requirements including, where applicable, Schedule of Prices, shall be considered non-responsive and, thus, automatically disqualified. In this regard, where a required item is provided, but no price is indicated, the same shall be considered as non-responsive, but specifying a zero (0) or a dash (-) for the said item would mean that it is being offered for free to the Procuring Entity, except those required by law or regulations to be provided for; and
 - (b) <u>Arithmetical corrections.</u> Consider computational errors and omissions to enable proper comparison of all eligible bids. It may also consider bid modifications. Any adjustment shall be calculated in monetary terms to determine the calculated prices.
- 28.4. Based on the detailed evaluation of bids, those that comply with the abovementioned requirements shall be ranked in the ascending order of their total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, to identify the Lowest Calculated Bid. Total calculated bid prices, as evaluated and corrected for computational errors, discounts and other modifications, which exceed the ABC shall not be considered, unless otherwise indicated in the **BDS**.
- 28.5. The Procuring Entity's evaluation of bids shall be based on the bid price quoted in the Bid Form, which includes the Schedule of Prices.
- 28.6. Bids shall be evaluated on an equal footing to ensure fair competition. For this purpose, all bidders shall be required to include in their bids the cost of all taxes, such as, but not limited to, value added tax (VAT), income tax, local taxes, and other fiscal levies and duties which shall be itemized in the bid form and reflected in the detailed estimates. Such bids, including said taxes, shall be the basis for bid evaluation and comparison.
- 28.7. If so indicated pursuant to **ITB** Clause 1.2, Bids are being invited for individual lots or for any combination thereof, provided that all Bids and combinations of Bids shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid prices quoted shall correspond to all items specified for each lot and to all quantities specified for each item of a lot. Bid Security as required by **ITB** Clause 18 shall be submitted for each contract (lot) separately. The basis for evaluation of lots is specified in BDS Clause 28.3.

29. Post-Qualification

29.1. The BAC shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the Lowest Calculated Bid complies with and is

responsive to all the requirements and conditions specified in **ITB** Clauses 5, 12, and 13.

29.2. Within a non-extendible period of five (5) calendar days from receipt by the bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

Failure to submit any of the post-qualification requirements on time, or a finding against the veracity thereof, shall disqualify the bidder for award. Provided in the event that a finding against the veracity of any of the documents submitted is made, it shall cause the forfeiture of the bid security in accordance with Section 69 of the IRR of RA 9184.

- 29.3. The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted pursuant to **ITB** Clauses 12 and 13, as well as other information as the Procuring Entity deems necessary and appropriate, using a non-discretionary "pass/fail" criterion, which shall be completed within a period of twelve (12) calendar days.
- 29.4. If the BAC determines that the Bidder with the Lowest Calculated Bid passes all the criteria for post-qualification, it shall declare the said bid as the LCRB, and recommend to the HoPE the award of contract to the said Bidder at its submitted price or its calculated bid price, whichever is lower.
- 29.5. A negative determination shall result in rejection of the Bidder's Bid, in which event the Procuring Entity shall proceed to the next Lowest Calculated Bid with a fresh period to make a similar determination of that Bidder's capabilities to perform satisfactorily. If the second Bidder, however, fails the post qualification, the procedure for post qualification shall be repeated for the Bidder with the next Lowest Calculated Bid, and so on until the LCRB is determined for recommendation for contract award.
- 29.6. Within a period not exceeding fifteen (15) calendar days from the determination by the BAC of the LCRB and the recommendation to award the contract, the HoPE or his duly authorized representative shall approve or disapprove the said recommendation.
- 29.7. In the event of disapproval, which shall be based on valid, reasonable, and justifiable grounds as provided for under Section 41 of the IRR of RA 9184, the HoPE shall notify the BAC and the Bidder in writing of such decision and the grounds for it. When applicable, the BAC shall conduct a post-qualification of the Bidder with the next Lowest Calculated Bid. A request for reconsideration may be filed by the bidder with the HoPE in accordance with Section 37.1.3 of the IRR of RA 9184.

30. Reservation Clause

30.1. Notwithstanding the eligibility or post-qualification of a Bidder, the Procuring Entity concerned reserves the right to review its qualifications at any stage of

the procurement process if it has reasonable grounds to believe that a misrepresentation has been made by the said Bidder, or that there has been a change in the Bidder's capability to undertake the project from the time it submitted its eligibility requirements. Should such review uncover any misrepresentation made in the eligibility and bidding requirements, statements or documents, or any changes in the situation of the Bidder which will affect its capability to undertake the project so that it fails the preset eligibility or bid evaluation criteria, the Procuring Entity shall consider the said Bidder as ineligible and shall disqualify it from submitting a bid or from obtaining an award or contract.

- 30.2. Based on the following grounds, the Procuring Entity reserves the right to reject any and all bids, declare a Failure of Bidding at any time prior to the contract award, or not to award the contract, without thereby incurring any liability, and make no assurance that a contract shall be entered into as a result of the bidding:
 - (a) If there is *prima facie* evidence of collusion between appropriate public officers or employees of the Procuring Entity, or between the BAC and any of the Bidders, or if the collusion is between or among the bidders themselves, or between a Bidder and a third party, including any act which restricts, suppresses or nullifies or tends to restrict, suppress or nullify competition;
 - (b) If the Procuring Entity's BAC is found to have failed in following the prescribed bidding procedures; or
 - (c) For any justifiable and reasonable ground where the award of the contract will not redound to the benefit of the GOP as follows:
 - (i) If the physical and economic conditions have significantly changed so as to render the project no longer economically, financially or technically feasible as determined by the HoPE;
 - (ii) If the project is no longer necessary as determined by the HoPE; and
 - (iii) If the source of funds for the project has been withheld or reduced through no fault of the Procuring Entity.
- 30.3. In addition, the Procuring Entity may likewise declare a failure of bidding when:
 - (a) No bids are received;
 - (b) All prospective Bidders are declared ineligible;
 - (c) All bids fail to comply with all the bid requirements or fail postqualification; or

(d) The bidder with the LCRB refuses, without justifiable cause to accept the award of contract, and no award is made in accordance with Section 40 of the IRR of RA 9184.

F. Award of Contract

31. Contract Award

- 31.1. Subject to **ITB** Clause 29, the HoPE or its duly authorized representative shall award the contract to the Bidder whose bid has been determined to be the LCRB.
- 31.2. Prior to the expiration of the period of bid validity, the Procuring Entity shall notify the successful Bidder in writing that its bid has been accepted, through a Notice of Award duly received by the Bidder or its representative personally or sent by registered mail or electronically, receipt of which must be confirmed in writing within two (2) days by the Bidder with the LCRB and submitted personally or sent by registered mail or electronically to the Procuring Entity.
- 31.3. Notwithstanding the issuance of the Notice of Award, award of contract shall be subject to the following conditions:
 - (a) Submission of the following documents within ten (10) calendar days from receipt of the Notice of Award:
 - (i) Valid JVA, if applicable; or
 - (ii) In the case of procurement by a Philippine Foreign Service Office or Post, the PhilGEPS Registration Number of the winning foreign Bidder;
 - (b) Posting of the performance security in accordance with **ITB** Clause 33;
 - (c) Signing of the contract as provided in **ITB** Clause 32; and
 - (d) Approval by higher authority, if required, as provided in Section 37.3 of the IRR of RA 9184.
- 31.4. At the time of contract award, the Procuring Entity shall not increase or decrease the quantity of goods originally specified in Section VI. Schedule of Requirements.

32. Signing of the Contract

32.1. At the same time as the Procuring Entity notifies the successful Bidder that its bid has been accepted, the Procuring Entity shall send the Contract Form to the Bidder, which contract has been provided in the Bidding Documents, incorporating therein all agreements between the parties.

- 32.2. Within ten (10) calendar days from receipt of the Notice of Award, the successful Bidder shall post the required performance security, sign and date the contract and return it to the Procuring Entity.
- 32.3. The Procuring Entity shall enter into contract with the successful Bidder within the same ten (10) calendar day period provided that all the documentary requirements are complied with.
- 32.4. The following documents shall form part of the contract:
 - (a) Contract Agreement;
 - (b) Bidding Documents;
 - (c) Winning bidder's bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.*, bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;
 - (d) Performance Security;
 - (e) Notice of Award of Contract; and
 - (f) Other contract documents that may be required by existing laws and/or specified in the **BDS**.

33. Performance Security

- 33.1. To guarantee the faithful performance by the winning Bidder of its obligations under the contract, it shall post a performance security within a maximum period of ten (10) calendar days from the receipt of the Notice of Award from the Procuring Entity and in no case later than the signing of the contract.
- 33.2. The Performance Security shall be denominated in Philippine Pesos and posted in favor of the Procuring Entity in an amount not less than the percentage of the total contract price in accordance with the following schedule:

	Amount of Performance Security
Form of Performance Security	(Not less than the Percentage of the
	Total Contract Price)
(a) Cash or cashier's/manager's	
check issued by a Universal or	
Commercial Bank.	
For biddings conducted by the	Five percent (5%)
LGUs, the Cashier's/Manager's	The percent (570)
Check may be issued by other	
banks certified by the BSP as	
authorized to issue such	
financial instrument.	

 (b) Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank. For biddings conducted by the LGUs, the Bank Draft/Guarantee or Irrevocable Letter of Credit may be issued by other banks certified by the BSP as authorized to issue such financial instrument. 	
 (c) Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security. 	Thirty percent (30%)

33.3. Failure of the successful Bidder to comply with the above-mentioned requirement shall constitute sufficient ground for the annulment of the award and forfeiture of the bid security, in which event the Procuring Entity shall have a fresh period to initiate and complete the post qualification of the second Lowest Calculated Bid. The procedure shall be repeated until the LCRB is identified and selected for recommendation of contract award. However if no Bidder passed post-qualification, the BAC shall declare the bidding a failure and conduct a re-bidding with re-advertisement, if necessary.

34. Notice to Proceed

Within seven (7) calendar days from the date of approval of the contract by the appropriate government approving authority, the Procuring Entity shall issue the Notice to Proceed (NTP) together with a copy or copies of the approved contract to the successful Bidder. All notices called for by the terms of the contract shall be effective only at the time of receipt thereof by the successful Bidder.

35. Protest Mechanism

Decisions of the procuring entity at any stage of the procurement process may be questioned in accordance with Section 55 of the IRR of RA 9184.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause						
1.1	The Procuring Entity is Department of Public Works and Highways , Cebu 3rd District Engineering Office					
	The name of the Contract is Supply and Delivery of Laboratory Equipment & Apparatus for use in Quality Assurance Section					
	The identification number of the Contract is 24GHF0005					
1.2	The lot(<i>s</i>) and reference is/are:					
	Purchase Request No.: 2024-08-0091					
2	The Funding Sources are:					
	The Government of the Philippines (GOP) through GAA FY 2024 in the amount of ₽ 22,142,100.00.					
	The name of the Project is: Not Applicable					
3.1	No further instructions.					
5.1	No further instructions.					
5.2	Foreign bidders, except those falling under ITB Clause 5.2(b), may not participate in this Project.					
5.4	 For the procurement of Non-expendable Supplies and Services: The Bidder must have completed, within the period specified in the Invitation to Bid and ITB Clause 12.1(a)(ii), a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC. For this purpose, similar contracts shall refer to Supply and Delivery of 					
	Laboratory Equipment & Apparatus					
7	No further instructions.					
8.1	Subcontracting is not allowed.					

8.2	Not Applicable						
9.1	The Procuring Entity will hold a pre-bid conference for this Project on 2:00 PM – August 29, 2024 via Zoom Meeting:						
	https://zoom.us/j/91957719861?pwd=eGNuVklYUUJXVWpFeFU0YT NUc3NPZz09						
	Meeting ID: 5993795167 Passcode: C3DEO2024						
10.1	The Procuring Entity's address is:						
	REYNALDO V. NAVALES, D.P.A., ASEAN Eng.						
	BAC CHAIRMAN						
	DPWH Cebu 3 rd District Engineering Office						
	Ibo, Toledo City, Cebu						
	(032) 520 4290						
	navales.reynaldo@dpwh.gov.ph						
12.1(a)	No further instructions.						
12.1(a)(ii)	The bidder's SLCC similar to the contract to be bid should have been completed within [state relevant period as provided in the Invitation to Bid] prior to the deadline for the submission and receipt of bids.						
13.1	No additional requirements.						
13.1(b)	No further instructions.						
13.1(c)	No additional requirements.						
13.2	The ABC is \neq 22,142,100.00. Any bid with a financial component exceeding this amount shall not be accepted.						
15.4(a)(iv)	No incidental services are required.						
15.4(b)	Not applicable						
16.1(b)	The Bid prices for Goods supplied from outside of the Philippines shall be quoted in Philippine Pesos.						
16.3	Not applicable						

17.1	Bids will be valid until 120 calendar days from bid opening.					
18.1	The bid security shall be in the form of a Bid Securing Declaration, or an of the following forms and amounts:					
	1. The amount of not less than 2% of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or					
	2. The amount of not less than 5% of ABC if bid security is in Surety Bond.					
18.2	The bid security shall be valid until 120 days from bid opening.					
20.3	Each Bidder shall submit (1) original and (2) copies of the first and second components of its bid.					
21	The address for submission of bids is					
	Department of Public Works and Highways					
	Cebu 3rd District Engineering Office					
	Ibo, Toledo City, Cebu					
	The deadline for submission of bids September 10, 2024 at 10:00 AM.					
24.1	The place of bid opening is					
	Procurement Office					
	Department of Public Works and Highways					
	Cebu 3rd District Engineering Office					
	Ibo, Toledo City, Cebu					
	The date and time of bid opening is September 10, 2024 at 10:30 AM.					
24.2	No further instructions.					
24.3	No further instructions.					
27.1	No further instructions.					
28.3 (a)	Grouping and Evaluation of Lots –					
	Lots should be formed of similar items that are likely to attract the maximum competition. A lot is the quantity and number of items that will be included in a single contract. For example:					
	Option 1 – Each item to be evaluated and compared with other Bids					

	 separately and recommended for contract award separately. Option 2 - All items to be grouped together to form one complete Lot that will be awarded to one Bidder to form one complete contract. Option 3 - Similar items, to be grouped together to form several lots that shall be evaluated and awarded as separate contracts. Select one of the following paragraphs, delete the other.
	Partial bids are allowed. All Goods are grouped in lots listed below. Bidders shall have the option of submitting a proposal on any or all lots and evaluation and contract award will be undertaken on a per lot basis. Lots shall not be divided further into sub-lots for the purpose of bidding, evaluation, and contract award.
28.4	No further instructions.
29.2	No additional requirement.
32.4(f)	No additional requirement.

Section IV. General Conditions of Contract

TABLE OF CONTENTS

1.	DEFINITIONS	44
2.	CORRUPT, FRAUDULENT, COLLUSIVE, AND COERCIVE PRACTICES	45
3.	INSPECTION AND AUDIT BY THE FUNDING SOURCE	
4.	GOVERNING LAW AND LANGUAGE	46
5.	NOTICES	
6.	SCOPE OF CONTRACT	
7.	SUBCONTRACTING	47
8.	PROCURING ENTITY'S RESPONSIBILITIES	
9.	PRICES	
10.	PAYMENT	48
11.	Advance Payment and Terms of Payment	
12.	TAXES AND DUTIES	49
13.	Performance Security	49
14.	USE OF CONTRACT DOCUMENTS AND INFORMATION	50
15.	STANDARDS	50
16.	INSPECTION AND TESTS	50
17.	WARRANTY	51
18.	DELAYS IN THE SUPPLIER'S PERFORMANCE	52
19.	LIQUIDATED DAMAGES	52
20.	SETTLEMENT OF DISPUTES	52
21.	LIABILITY OF THE SUPPLIER	53
22.	FORCE MAJEURE	53
23.	TERMINATION FOR DEFAULT	54
24.	TERMINATION FOR INSOLVENCY	54
25.	TERMINATION FOR CONVENIENCE	54
26.	TERMINATION FOR UNLAWFUL ACTS	55
27.	PROCEDURES FOR TERMINATION OF CONTRACTS	55
28.	ASSIGNMENT OF RIGHTS	57

29.	CONTRACT AMENDMENT	57
30.	APPLICATION	57

1. Definitions

- 1.1. In this Contract, the following terms shall be interpreted as indicated:
 - (a) "The Contract" means the agreement entered into between the Procuring Entity and the Supplier, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
 - (b) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations.
 - (c) "The Goods" means all of the supplies, equipment, machinery, spare parts, other materials and/or general support services which the Supplier is required to provide to the Procuring Entity under the Contract.
 - (d) "The Services" means those services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training, and other such obligations of the Supplier covered under the Contract.
 - (e) "GCC" means the General Conditions of Contract contained in this Section.
 - (f) "SCC" means the Special Conditions of Contract.
 - (g) "The Procuring Entity" means the organization purchasing the Goods, as named in the <u>SCC</u>.
 - (h) "The Procuring Entity's country" is the Philippines.
 - (i) "The Supplier" means the individual contractor, manufacturer distributor, or firm supplying/manufacturing the Goods and Services under this Contract and named in the <u>SCC</u>.
 - (j) The "Funding Source" means the organization named in the <u>SCC</u>.
 - (k) "The Project Site," where applicable, means the place or places named in the <u>SCC</u>.
 - (l) "Day" means calendar day.
 - (m) The "Effective Date" of the contract will be the date of signing the contract, however the Supplier shall commence performance of its obligations only upon receipt of the Notice to Proceed and copy of the approved contract.

(n) "Verified Report" refers to the report submitted by the Implementing Unit to the HoPE setting forth its findings as to the existence of grounds or causes for termination and explicitly stating its recommendation for the issuance of a Notice to Terminate.

2. Corrupt, Fraudulent, Collusive, and Coercive Practices

- 2.1. Unless otherwise provided in the <u>SCC</u>, the Procuring Entity as well as the bidders, contractors, or suppliers shall observe the highest standard of ethics during the procurement and execution of this Contract. In pursuance of this policy, the Procuring Entity:
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (i) "corrupt practice" means behavior on the part of officials in the public or private sectors by which they improperly and unlawfully enrich themselves, others, or induce others to do so, by misusing the position in which they are placed, and it includes the offering, giving, receiving, or soliciting of anything of value to influence the action of any such official in the procurement process or in contract execution; entering, on behalf of the Government, into any contract or transaction manifestly and grossly disadvantageous to the same, whether or not the public officer profited or will profit thereby, and similar acts as provided in Republic Act 3019.
 - (ii) "fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring Entity, and includes collusive practices among Bidders (prior to or after bid submission) designed to establish bid prices at artificial, noncompetitive levels and to deprive the Procuring Entity of the benefits of free and open competition.
 - (iii) "collusive practices" means a scheme or arrangement between two or more Bidders, with or without the knowledge of the Procuring Entity, designed to establish bid prices at artificial, non-competitive levels.
 - (iv) "coercive practices" means harming or threatening to harm, directly or indirectly, persons, or their property to influence their participation in a procurement process, or affect the execution of a contract;
 - (v) "obstructive practice" is
 - (aa) deliberately destroying, falsifying, altering or concealing of evidence material to an administrative proceedings or investigation or making false statements to investigators in order to materially impede an

administrative proceedings or investigation of the Procuring Entity or any foreign government/foreign or international financing institution into allegations of a corrupt, fraudulent, coercive or collusive practice; and/or threatening, harassing or intimidating any party to prevent it from disclosing its knowledge of matters relevant to the administrative proceedings or investigation or from pursuing such proceedings or investigation; or

- (bb) acts intended to materially impede the exercise of the inspection and audit rights of the Procuring Entity or any foreign government/foreign or international financing institution herein.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in any of the practices mentioned in this Clause for purposes of competing for the contract.
- 2.2. Further the Funding Source, Borrower or Procuring Entity, as appropriate, will seek to impose the maximum civil, administrative and/or criminal penalties available under the applicable law on individuals and organizations deemed to be involved with any of the practices mentioned in **GCC** Clause 2.1(a).

3. Inspection and Audit by the Funding Source

The Supplier shall permit the Funding Source to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Funding Source, if so required by the Funding Source.

4. Governing Law and Language

- 4.1. This Contract shall be interpreted in accordance with the laws of the Republic of the Philippines.
- 4.2. This Contract has been executed in the English language, which shall be the binding and controlling language for all matters relating to the meaning or interpretation of this Contract. All correspondence and other documents pertaining to this Contract exchanged by the parties shall be written in English.

5. Notices

5.1. Any notice, request, or consent required or permitted to be given or made pursuant to this Contract shall be in writing. Any such notice, request, or consent shall be deemed to have been given or made when received by the concerned party, either in person or through an authorized representative of the Party to whom the communication is addressed, or when sent by registered mail, telex, telegram, or facsimile to such Party at the address specified in the

<u>SCC</u>, which shall be effective when delivered and duly received or on the notice's effective date, whichever is later.

5.2. A Party may change its address for notice hereunder by giving the other Party notice of such change pursuant to the provisions listed in the <u>SCC</u> for GCC Clause 5.1.

6. Scope of Contract

- 6.1. The Goods and Related Services to be provided shall be as specified in Section VI. Schedule of Requirements.
- 6.2. This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. Any additional requirements for the completion of this Contract shall be provided in the <u>SCC</u>.

7. Subcontracting

- 7.1. Subcontracting of any portion of the Goods, if allowed in the **BDS**, does not relieve the Supplier of any liability or obligation under this Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants or workmen.
- 7.2. If subcontracting is allowed, the Supplier may identify its subcontractor during contract implementation. Subcontractors disclosed and identified during the bidding may be changed during the implementation of this Contract. In either case, subcontractors must submit the documentary requirements under **ITB** Clause 12 and comply with the eligibility criteria specified in the **BDS.** In the event that any subcontractor is found by the Procuring Entity to be ineligible, the subcontracting of such portion of the Goods shall be disallowed.

8. **Procuring Entity's Responsibilities**

- 8.1. Whenever the performance of the obligations in this Contract requires that the Supplier obtain permits, approvals, import, and other licenses from local public authorities, the Procuring Entity shall, if so needed by the Supplier, make its best effort to assist the Supplier in complying with such requirements in a timely and expeditious manner.
- 8.2. The Procuring Entity shall pay all costs involved in the performance of its responsibilities in accordance with **GCC** Clause 6.

9. Prices

9.1. For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon

prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR or except as provided in this Clause.

9.2. Prices charged by the Supplier for Goods delivered and/or services performed under this Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any change in price resulting from a Change Order issued in accordance with **GCC** Clause 29.

10. Payment

- 10.1. Payments shall be made only upon a certification by the HoPE to the effect that the Goods have been rendered or delivered in accordance with the terms of this Contract and have been duly inspected and accepted. Except with the prior approval of the President no payment shall be made for services not yet rendered or for supplies and materials not yet delivered under this Contract. Ten percent (10%) of the amount of each payment shall be retained by the Procuring Entity to cover the Supplier's warranty obligations under this Contract as described in GCC Clause 17.
- 10.2. The Supplier's request(s) for payment shall be made to the Procuring Entity in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and/or Services performed, and by documents submitted pursuant to the **SCC** provision for **GCC** Clause 6.2, and upon fulfillment of other obligations stipulated in this Contract.
- 10.3. Pursuant to GCC Clause 10.2, payments shall be made promptly by the Procuring Entity, but in no case later than sixty (60) days after submission of an invoice or claim by the Supplier. Payments shall be in accordance with the schedule stated in the <u>SCC</u>.
- 10.4. Unless otherwise provided in the <u>SCC</u>, the currency in which payment is made to the Supplier under this Contract shall be in Philippine Pesos.
- 10.5. Unless otherwise provided in the <u>SCC</u>, payments using Letter of Credit (LC), in accordance with the Guidelines issued by the GPPB, is allowed. For this purpose, the amount of provisional sum is indicated in the <u>SCC</u>. All charges for the opening of the LC and/or incidental expenses thereto shall be for the account of the Supplier.

11. Advance Payment and Terms of Payment

- 11.1. Advance payment shall be made only after prior approval of the President, and shall not exceed fifteen percent (15%) of the Contract amount, unless otherwise directed by the President or in cases allowed under Annex "D" of RA 9184.
- 11.2. All progress payments shall first be charged against the advance payment until the latter has been fully exhausted.
- 11.3. For Goods supplied from abroad, unless otherwise indicated in the <u>SCC</u>, the terms of payment shall be as follows:

- (a) On Contract Signature: Fifteen Percent (15%) of the Contract Price shall be paid within sixty (60) days from signing of the Contract and upon submission of a claim and a bank guarantee for the equivalent amount valid until the Goods are delivered and in the form provided in Section VIII. Bidding Forms.
- (b) On Delivery: Sixty-five percent (65%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of receipt of the Goods and upon submission of the documents (i) through (vi) specified in the <u>SCC</u> provision on Delivery and Documents.
- (c) On Acceptance: The remaining twenty percent (20%) of the Contract Price shall be paid to the Supplier within sixty (60) days after the date of submission of the acceptance and inspection certificate for the respective delivery issued by the Procuring Entity's authorized representative. In the event that no inspection or acceptance certificate is issued by the Procuring Entity's authorized representative within forty five (45) days of the date shown on the delivery receipt, the Supplier shall have the right to claim payment of the remaining twenty percent (20%) subject to the Procuring Entity's own verification of the reason(s) for the failure to issue documents (vii) and (viii) as described in the <u>SCC</u> provision on Delivery and Documents.

12. Taxes and Duties

The Supplier, whether local or foreign, shall be entirely responsible for all the necessary taxes, stamp duties, license fees, and other such levies imposed for the completion of this Contract.

13. Performance Security

- 13.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any the forms prescribed in the **ITB** Clause 33.2.
- 13.2. The performance security posted in favor of the Procuring Entity shall be forfeited in the event it is established that the winning bidder is in default in any of its obligations under the contract.
- 13.3. The performance security shall remain valid until issuance by the Procuring Entity of the Certificate of Final Acceptance.
- 13.4. The performance security may be released by the Procuring Entity and returned to the Supplier after the issuance of the Certificate of Final Acceptance subject to the following conditions:
 - (a) There are no pending claims against the Supplier or the surety company filed by the Procuring Entity;

- (b) The Supplier has no pending claims for labor and materials filed against it; and
- (c) Other terms specified in the <u>SCC</u>.
- 13.5. In case of a reduction of the contract value, the Procuring Entity shall allow a proportional reduction in the original performance security, provided that any such reduction is more than ten percent (10%) and that the aggregate of such reductions is not more than fifty percent (50%) of the original performance security.

14. Use of Contract Documents and Information

- 14.1. The Supplier shall not, except for purposes of performing the obligations in this Contract, without the Procuring Entity's prior written consent, disclose this Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring Entity. Any such disclosure shall be made in confidence and shall extend only as far as may be necessary for purposes of such performance.
- 14.2. Any document, other than this Contract itself, enumerated in GCC Clause 14.1 shall remain the property of the Procuring Entity and shall be returned (all copies) to the Procuring Entity on completion of the Supplier's performance under this Contract if so required by the Procuring Entity.

15. Standards

The Goods provided under this Contract shall conform to the standards mentioned in the Section VII. Technical Specifications; and, when no applicable standard is mentioned, to the authoritative standards appropriate to the Goods' country of origin. Such standards shall be the latest issued by the institution concerned.

16. Inspection and Tests

- 16.1. The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Contract specifications at no extra cost to the Procuring Entity. The <u>SCC</u> and Section VII. Technical Specifications shall specify what inspections and/or tests the Procuring Entity requires and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.
- 16.2. If applicable, the inspections and tests may be conducted on the premises of the Supplier or its subcontractor(s), at point of delivery, and/or at the goods' final destination. If conducted on the premises of the Supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring Entity. The Supplier shall provide the Procuring Entity with results of such inspections and tests.

- 16.3. The Procuring Entity or its designated representative shall be entitled to attend the tests and/or inspections referred to in this Clause provided that the Procuring Entity shall bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 16.4. The Procuring Entity may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall repeat the test and/or inspection, at no cost to the Procuring Entity, upon giving a notice pursuant to **GCC** Clause 5.
- 16.5. The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Procuring Entity or its representative, shall release the Supplier from any warranties or other obligations under this Contract.

17. Warranty

- 17.1. The Supplier warrants that the Goods supplied under the Contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials, except when the technical specifications required by the Procuring Entity provides otherwise.
- 17.2. The Supplier further warrants that all Goods supplied under this Contract shall have no defect, arising from design, materials, or workmanship or from any act or omission of the Supplier that may develop under normal use of the supplied Goods in the conditions prevailing in the country of final destination.
- 17.3. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier for a minimum period specified in the <u>SCC</u>. The obligation for the warranty shall be covered by, at the Supplier's option, either retention money in an amount equivalent to at least one percent (1%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) of the total Contract Price or other such amount if so specified in the <u>SCC</u>. The said amounts shall only be released after the lapse of the warranty period specified in the <u>SCC</u>; provided, however, that the Supplies delivered are free from patent and latent defects and all the conditions imposed under this Contract have been fully met.
- 17.4. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, within the period specified in the <u>SCC</u> and with all reasonable speed, repair or replace the defective Goods or parts thereof, without cost to the Procuring Entity.
- 17.5. If the Supplier, having been notified, fails to remedy the defect(s) within the period specified in GCC Clause 17.4, the Procuring Entity may proceed to take such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Procuring Entity

may have against the Supplier under the Contract and under the applicable law.

18. Delays in the Supplier's Performance

- 18.1. Delivery of the Goods and/or performance of Services shall be made by the Supplier in accordance with the time schedule prescribed by the Procuring Entity in Section VI. Schedule of Requirements.
- 18.2. If at any time during the performance of this Contract, the Supplier or its Subcontractor(s) should encounter conditions impeding timely delivery of the Goods and/or performance of Services, the Supplier shall promptly notify the Procuring Entity in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, and upon causes provided for under GCC Clause 22, the Procuring Entity shall evaluate the situation and may extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of Contract.
- 18.3. Except as provided under GCC Clause 22, a delay by the Supplier in the performance of its obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 19, unless an extension of time is agreed upon pursuant to GCC Clause 29 without the application of liquidated damages.

19. Liquidated Damages

Subject to GCC Clauses 18 and 22, if the Supplier fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in this Contract inclusive of duly granted time extensions if any, the Procuring Entity shall, without prejudice to its other remedies under this Contract and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. The maximum deduction shall be ten percent (10%) of the amount of contract. Once the maximum is reached, the Procuring Entity may rescind or terminate the Contract pursuant to GCC Clause 23, without prejudice to other courses of action and remedies open to it.

20. Settlement of Disputes

- 20.1. If any dispute or difference of any kind whatsoever shall arise between the Procuring Entity and the Supplier in connection with or arising out of this Contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 20.2. If after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Procuring Entity or the Supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided, as to the matter in dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.

- 20.3. Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with this Clause shall be settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under this Contract.
- 20.4. In the case of a dispute between the Procuring Entity and the Supplier, the dispute shall be resolved in accordance with Republic Act 9285 ("R.A. 9285"), otherwise known as the "Alternative Dispute Resolution Act of 2004."
- 20.5. Notwithstanding any reference to arbitration herein, the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and the Procuring Entity shall pay the Supplier any monies due the Supplier.

21. Liability of the Supplier

- 21.1. The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines, subject to additional provisions, if any, set forth in the <u>SCC</u>.
- 21.2. Except in cases of criminal negligence or willful misconduct, and in the case of infringement of patent rights, if applicable, the aggregate liability of the Supplier to the Procuring Entity shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

22. Force Majeure

- 22.1. The Supplier shall not be liable for forfeiture of its performance security, liquidated damages, or termination for default if and to the extent that the Supplier's delay in performance or other failure to perform its obligations under the Contract is the result of a *force majeure*.
- 22.2. For purposes of this Contract the terms "force majeure" and "fortuitous event" may be used interchangeably. In this regard, a fortuitous event or force majeure shall be interpreted to mean an event which the Supplier could not have foreseen, or which though foreseen, was inevitable. It shall not include ordinary unfavorable weather conditions; and any other cause the effects of which could have been avoided with the exercise of reasonable diligence by the Supplier. Such events may include, but not limited to, acts of the Procuring Entity in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- 22.3. If a *force majeure* situation arises, the Supplier shall promptly notify the Procuring Entity in writing of such condition and the cause thereof. Unless otherwise directed by the Procuring Entity in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the *force majeure*.

23. Termination for Default

- 23.1. The Procuring Entity shall terminate this Contract for default when any of the following conditions attends its implementation:
 - (a) Outside of *force majeure*, the Supplier fails to deliver or perform any or all of the Goods within the period(s) specified in the contract, or within any extension thereof granted by the Procuring Entity pursuant to a request made by the Supplier prior to the delay, and such failure amounts to at least ten percent (10%) of the contact price;
 - (b) As a result of *force majeure*, the Supplier is unable to deliver or perform any or all of the Goods, amounting to at least ten percent (10%) of the contract price, for a period of not less than sixty (60) calendar days after receipt of the notice from the Procuring Entity stating that the circumstance of force majeure is deemed to have ceased; or
 - (c) The Supplier fails to perform any other obligation under the Contract.
- 23.2. In the event the Procuring Entity terminates this Contract in whole or in part, for any of the reasons provided under GCC Clauses 23 to 26, the Procuring Entity may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Procuring Entity for any excess costs for such similar Goods or Services. However, the Supplier shall continue performance of this Contract to the extent not terminated.
- 23.3. In case the delay in the delivery of the Goods and/or performance of the Services exceeds a time duration equivalent to ten percent (10%) of the specified contract time plus any time extension duly granted to the Supplier, the Procuring Entity may terminate this Contract, forfeit the Supplier's performance security and award the same to a qualified Supplier.

24. Termination for Insolvency

The Procuring Entity shall terminate this Contract if the Supplier is declared bankrupt or insolvent as determined with finality by a court of competent jurisdiction. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Procuring Entity and/or the Supplier.

25. Termination for Convenience

25.1. The Procuring Entity may terminate this Contract, in whole or in part, at any time for its convenience. The HoPE may terminate a contract for the convenience of the Government if he has determined the existence of conditions that make Project Implementation economically, financially or technically impractical and/or unnecessary, such as, but not limited to, fortuitous event(s) or changes in law and national government policies.

- 25.2. The Goods that have been delivered and/or performed or are ready for delivery or performance within thirty (30) calendar days after the Supplier's receipt of Notice to Terminate shall be accepted by the Procuring Entity at the contract terms and prices. For Goods not yet performed and/or ready for delivery, the Procuring Entity may elect:
 - (a) to have any portion delivered and/or performed and paid at the contract terms and prices; and/or
 - (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed and/or performed goods and for materials and parts previously procured by the Supplier.
- 25.3. If the Supplier suffers loss in its initial performance of the terminated contract, such as purchase of raw materials for goods specially manufactured for the Procuring Entity which cannot be sold in open market, it shall be allowed to recover partially from this Contract, on a *quantum meruit* basis. Before recovery may be made, the fact of loss must be established under oath by the Supplier to the satisfaction of the Procuring Entity before recovery may be made.

26. Termination for Unlawful Acts

- 26.1. The Procuring Entity may terminate this Contract in case it is determined *prima facie* that the Supplier has engaged, before or during the implementation of this Contract, in unlawful deeds and behaviors relative to contract acquisition and implementation. Unlawful acts include, but are not limited to, the following:
 - (a) Corrupt, fraudulent, and coercive practices as defined in **ITB** Clause 3.1(a);
 - (b) Drawing up or using forged documents;
 - (c) Using adulterated materials, means or methods, or engaging in production contrary to rules of science or the trade; and
 - (d) Any other act analogous to the foregoing.

27. Procedures for Termination of Contracts

- 27.1. The following provisions shall govern the procedures for termination of this Contract:
 - (a) Upon receipt of a written report of acts or causes which may constitute ground(s) for termination as aforementioned, or upon its own initiative, the Implementing Unit shall, within a period of seven (7) calendar days, verify the existence of such ground(s) and cause the execution of a Verified Report, with all relevant evidence attached;

- (b) Upon recommendation by the Implementing Unit, the HoPE shall terminate this Contract only by a written notice to the Supplier conveying the termination of this Contract. The notice shall state:
 - (i) that this Contract is being terminated for any of the ground(s) afore-mentioned, and a statement of the acts that constitute the ground(s) constituting the same;
 - (ii) the extent of termination, whether in whole or in part;
 - (iii) an instruction to the Supplier to show cause as to why this Contract should not be terminated; and
 - (iv) special instructions of the Procuring Entity, if any.
- (c) The Notice to Terminate shall be accompanied by a copy of the Verified Report;
- (d) Within a period of seven (7) calendar days from receipt of the Notice of Termination, the Supplier shall submit to the HoPE a verified position paper stating why this Contract should not be terminated. If the Supplier fails to show cause after the lapse of the seven (7) day period, either by inaction or by default, the HoPE shall issue an order terminating this Contract;
- (e) The Procuring Entity may, at any time before receipt of the Supplier's verified position paper described in item (d) above withdraw the Notice to Terminate if it is determined that certain items or works subject of the notice had been completed, delivered, or performed before the Supplier's receipt of the notice;
- (f) Within a non-extendible period of ten (10) calendar days from receipt of the verified position paper, the HoPE shall decide whether or not to terminate this Contract. It shall serve a written notice to the Supplier of its decision and, unless otherwise provided, this Contract is deemed terminated from receipt of the Supplier of the notice of decision. The termination shall only be based on the ground(s) stated in the Notice to Terminate;
- (g) The HoPE may create a Contract Termination Review Committee (CTRC) to assist him in the discharge of this function. All decisions recommended by the CTRC shall be subject to the approval of the HoPE; and
- (h) The Supplier must serve a written notice to the Procuring Entity of its intention to terminate the contract at least thirty (30) calendar days before its intended termination. The Contract is deemed terminated if it is not resumed in thirty (30) calendar days after the receipt of such notice by the Procuring Entity.

28. Assignment of Rights

The Supplier shall not assign his rights or obligations under this Contract, in whole or in part, except with the Procuring Entity's prior written consent.

29. Contract Amendment

Subject to applicable laws, no variation in or modification of the terms of this Contract shall be made except by written amendment signed by the parties.

30. Application

These General Conditions shall apply to the extent that they are not superseded by provisions of other parts of this Contract.

Section V. Special Conditions of Contract

Special Conditions of Contract

GCC Clause					
1.1(g)	The Procuring Entity is DPWH Cebu 3 rd District Engineering Office , Ibo , Toledo City , Cebu				
1.1(i)	Supplier is [to be inserted at the time of contract award].				
1.1(j)	The Funding Source is the Government of the Philippines (GOP) through GAA FY 2024 in the amount of \clubsuit 22,142,100.00.				
1.1(k)	The Project Site is DPWH Cebu 3rd DEO, Ibo, Toledo City, Cebu				
2.1	No further instructions.				
5.1	The Procuring Entity's address for Notices is:				
	REYNALDO V. NAVALES, D.P.A., ASEAN Eng.				
	DPWH Cebu 3rd DEO, Toledo City, Cebu				
	Telephone No. (032) 520 4290				
	<u>navales.reynaldo@dpwh.gov.ph</u>				
6.2	Delivery and Documents –				
	The delivery terms applicable to this Contract are delivered <i>at DPWH Cebu 3rd District Engineering Office</i> . Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."				
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements. The details of shipping and/or other documents to be furnished by the Supplier are as follows:				
	For Goods supplied from within the Philippines:				
	Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:				
	(i) Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount;				
	(ii) Original and four copies delivery receipt/note, railway receipt, or truck receipt;				
	(iii) Original Supplier's factory inspection report;				
	(iv) Original and four copies of the Manufacturer's and/or Supplier's warranty certificate;				

(v) Original and four copies of the certificate of origin (for imported Goods);				
(vi) Delivery receipt detailing number and description of items received signed by the authorized receiving personnel;				
(vii) Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site; and				
(viii) Four copies of the Invoice Receipt for Property signed by the Procuring Entity's representative at the Project Site.				
For purposes of this Clause the Procuring Entity's Representative at the Project Site is <i>Ms. Seanrez B. Apduhan.</i>				
Incidental Services –				
The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:				
(a) performance or supervision of on-site assembly and/or start-up of the supplied Goods;				
(b) furnishing of tools required for assembly and/or maintenance of the supplied Goods;				
The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.				
Spare Parts –				
The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:				
(a) such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and				
(b) in the event of termination of production of the spare parts:				
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and				
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.				
The spare parts required are listed in Section VI. Schedule of				

Requirements and the cost thereof are included in the Contract Price
Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.
The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity
Name of the Supplier
Contract Description
Final Destination
Gross weight
Any special lifting instructions
Any special handling instructions
Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
Insurance –
The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.
Transportation –

	 Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the
	Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered <i>force majeure</i> in accordance with GCC Clause 22.
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Patent Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
10.4	Not applicable
10.5	Payment using LC is not allowed.
11.3	Maintain the GCC Clause.
13.4(c)	No further instructions.
16.1	The inspections and tests that will be conducted in accordance with Section VII. Technical Specifications.
17.3	<i>If the Goods pertain to Expendable Supplies:</i> Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the

	Goods are consumed, whichever is earlier.			
	<i>If the Goods pertain to Non-expendable Supplies:</i> One (1) year after acceptance by the Procuring Entity of the delivered Goods.			
17.4	The period for correction of defects in the warranty period is 15 days.			
21.1	All partners to the joint venture shall be jointly and severally liable to the Procuring Entity.			

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	 Pycnometer 1000ml, Glass, with ground- in-perforated stopper. Mouth: 29mm 	1		
2	 Pycnometer 1000ml, Glass, with ground- in-perforated stopper. Mouth: 50mm 	1		
3	 Rotating Shelf Thin Film Oven (TFOT) Determination of Loss in Mass and Resistance to Hardening Standards: ASTM D6, D1754 AASHTO T47, T179 Internal chamber and external frame all made of stainless steel, double wall insulation Temperature control by digital thermoregulator The plate rotates at 5-6rpm. Supplied complete with glass control thermometer ASTM 13C, +155 to +170 °C subd 0.5°C. Accessories: 1 unit Rotating shelf complete with 9 containers Ø 55x35mm for the Determination of Loss on Heating to: ASTM D 6 AASHTO T47 AASHTO T47 Standards 	1		
4	 Infrared Thermometer To measure surface temperatures without touching the object. Measuring range: 50°C+750°C. Resolution: 0.1°C up to 200°C. 	1		
5	 Digital Thermometer Complete with depth stainless probe, for temperature measurements of liquid, fluid, semisolid, 	1		

	· · · · · · · · · · · · · · · · · · ·		<u> </u>
	granular materials, air.		
	Temperature Range: -		
	50+220. Resolution: 0.1.		
	 Accuracy: ± 0.3. Probe 		
	Dimension Ø x L: 5x125mm		
	Platinum Crucible		
	 25ml capacity, Ø 35x38 mm 		
6	weight: 19g, thickness:	1	
	0.25mm		
	Filter Flasks		
7	 500ml Borosilicate glass, for 	1	
	vacuum filtering		
	Solubility of Bituminous Binders		
	 Standards: ASTM D2042 		
	The set comprises: Gooch		
	crucible complete with		
8		1	
Ō	funnel and rubber ring. Filter	T	
	flask 500ml capacity with		
	rubber stopper. Whatman		
	filter discs, Ø 25mm (pack of		
	100)		
	Vacuum Pump		
	Lubrified, paddle rotatory		
	type.		
	 Rotation speed: 2800rpm. 		
	Free air displacement:		
	150liters/min.		
	 Ultimate vacuum: 0.01 mbar 		
	Accessories:		
	 1 pc. Vacuum Regulator, 		
	complete with vacuum		
9	gauge Ø 80mm, regulation	1	
5		T	
	cock, suction filter		
	• 1 pc. Rubber Tube, lined for		
	vacuum, 3m long		
	 1 pc. Condensed Water Trap 		
	Spares:		
	• 1 btl. Special oil for vacuum		
	pumps. Bottle of 500cc		
	 1 pc. Conical Flask, 		
	Erlenmeyer Pyrex glass wide		
	mouth, 1000ml capacity		
	Florence Flask 50ml		
10		1	
-	Borosilicate glass		
11	Florence Flask 125ml	1	
**	Borosilicate glass	±	
10	Florence Flask 250ml		
12	Borosilicate glass	1	
	Mixing Bowls		<u> </u>
12	-	1	
13	 stainless steel, 340mm 	1	
	diameter		
	Stirring Rod, glass		
14	• Ø 8mm x 250mm long. Pack	1	
	of 10		
			l
	Cork Stopper #9		
15	• Number 9	10	

	Fully Automatic Penetrometer			[]
	-			
16	 Standards ASTM D5 AASHTO T49 ASTM D21 Fully automatic test. Automatic identification of the needle contact point and needle positioning ensuring a reliable repeatability of the result. Electromagnetic needle probe release to perform the test. Automatic zero at the contact before starting penetration. Displacement transducer with 0.01mm resolution, in a range of 0-50mm. Accessories: 1 unit Temperature Probe, 1 unit Water Chiller, 7.5 ltrs. capacity, with electronic temperature controller with 0.1°C accuracy and fluid temperature range between 5 and 30°C. Suitable for chilling penetrometer water baths or temperature controlled setting time tests. 1 unit Water Bath Dish with incorporated thermostatic coil 1 pc. Thermometer 1P 38C 1 pc. Calass Transfer Dish 1 pc. Standard Penetration Cone conforming to ASTM D5 1 pc. Sample cup 55x35mm 1 pc. Sample cup 70x45mm 1 pc. Penetration Needle, 	1		
	individually verified1 pc. 50g weight			
	• 1 pc. 100g weight			
	Ductility Briquette Mould			
4-	Standards: ASTM, AASHTO Used to prepare the			
17	specimen, it is brass made,	1		
	accurately machined.			
	Supplied with base plate. Base Plate for Ductility			
18	Base Plate for Ductility Briquette Mould	1		
10	Brigaotto ribula		1	1
	Brass or steel			

F	a . 1 b a- b c - b c - b c - b c - b c - c c - c c - c c - c c - c c - c c c c c c c c c c		ı
	Standards: ASTM D113		
	D6084 AASHTO T51		
	 The carriage is driven by an 		
	electrical motor, inside a		
	large tank fitted with digital		
	thermostat, immersion		
	electric heater, cooling coil		
	for cold water circulation and		
	pump unit. Max. traction		
	force: 300 N, accuracy: \pm		
	0.1N.		
	 Equipped with incorporated 		
	refrigerating unit for tests		
	with water temeprature from		
	+5° to +25°C.		
	Accessories:		
	 1 pc. Load Cell electric, 50 N 		
	capacity		
	 1 pc. Refrigerating Unit, 		
	incorporated into the		
	machine, for tests with		
	water temperature from		
	+5°C to +25°C		
	• 1 pc. Base Plate for ductility		
	briquette mould		
	Trimming Knife		
20	Stainless, Rigid Steel	1	
	Spatula 1 1/2 wide		
21	•	1	
	 Stainless, Rigid Steel 		
	Stainless, Rigid Steel Cleveland Open Cap Flash and		
	Cleveland Open Cap Flash and		
	Cleveland Open Cap Flash and Fire Point Tester		
	Cleveland Open Cap Flash and Fire Point Tester • ASTM D92 AASHTO T48		
	Cleveland Open Cap Flash and Fire Point Tester • ASTM D92 AASHTO T48 • Used to measure the flash		
	Cleveland Open Cap Flash and Fire Point Tester • ASTM D92 AASHTO T48 • Used to measure the flash and fire points of lubrificated		
	 Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. 		
	 Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, 		
	 Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, 		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double		
	 Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without 		
22	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be	1	
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory:		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device,		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat 		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat 		
	 Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat with reset button 		
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat with reset button Spare:		
	 Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat with reset button Spare: 1 pc. Thermometer IP 28C 		
	 Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat with reset button Spare: 1 pc. Thermometer IP 28C (ASTM 11C), range - 6+400°C 		
22	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat with reset button Spare: 1 pc. Thermometer IP 28C (ASTM 11C), range - 6+400°C Ring and Ball Softening Point	1	
	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat with reset button Spare: 1 pc. Thermometer IP 28C (ASTM 11C), range - 6+400°C Ring and Ball Softening Point Apparatus		
22	Cleveland Open Cap Flash and Fire Point Tester ASTM D92 AASHTO T48 Used to measure the flash and fire points of lubrificated oils and petroleum products. Complete with brass cup, thermo-meter IP 28C (ASTM 11C) range -6+400°C, electric heater with thermore-regulator, double line fuse. Supplied without flame gas device to be ordered separately Accessory: 1 pc. Flame Gas device, complete with gas-stop valve controlled by a flame sensor and maximum thermostat with reset button Spare: 1 pc. Thermometer IP 28C (ASTM 11C), range - 6+400°C Ring and Ball Softening Point	1	

	have siliante alega haaleen		
	borosilicate glass beaker,		
	brass frame, two tapered		
	rings, two ball centering		
	guides and two balls.		
	Accessories:		
	• 1 pc. Thermometer ASTM 15		
	C -2 to 80°C sub. 0.2°C		
	• 1 pc. Thermometer ASTM 16		
	C +30 to 200°C sub. 0.5°C		
	 1 pc. Pouring Plate. Used to 		
	pour the bituminous mixture		
	into the brass tapered ring,		
	as required by specification.		
	 1 unit Hot Plate with 		
	Magnetic Stirrer. Complete		
	with thermoregulator for		
	temperature adjustment and		
	magnetic stirrer with		
	electronic adjustment from		
	100 to 1200 rpm. Suitable		
	for tests in distilled water		
	with softening point between		
	+30°C to +80°C.		
	Spares:		
	 1 pc. Steel ball Ø 9.5mm 		
	 1 pc. Brass tapered ring 		
	• 1 pc. Ball centering guide		
	 1 pc. Pyrex beaker 		
	Dynamic Viscosity		
	Determination Viscometer Bath		
	• ASTM D2170		
	This viscometer bath is used		
	to determine both the		
	Dynamic and Kinematic		
	viscosity of liquid asphalts,		
	, , , ,		
	keeping the capillary type		
	keeping the capillary type viscometers at a uniform		
	keeping the capillary type viscometers at a uniform temperature. Consisting of:		
	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container		
	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional		
	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container.		
	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional		
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet.	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading.	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries.	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries. <i>Accessories:</i>	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries.	1	
24	keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries. <i>Accessories:</i>	1	
24	 keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries. Accessories: 1 pc. Silicone Oil, type 50 cSt, for tests with bath with 	1	
24	 keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries. Accessories: 1 pc. Silicone Oil, type 50 cSt, for tests with bath with temperature range: 100°C 	1	
24	 keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries. Accessories: 1 pc. Silicone Oil, type 50 cSt, for tests with bath with temperature range: 100°C up to 150°C 	1	
24	 keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries. Accessories: 1 pc. Silicone Oil, type 50 cSt, for tests with bath with temperature range: 100°C up to 150°C 1 pc. Holder, stainless steel 	1	
24	 keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries. Accessories: 1 pc. Silicone Oil, type 50 cSt, for tests with bath with temperature range: 100°C 1 pc. Holder, stainless steel made, for Zeithfuchs cross- 	1	
24	 keeping the capillary type viscometers at a uniform temperature. Consisting of: Borosilicate glass container 15 liters capacity. Additional tempered glass container. Stainless steel base with insulating cork sheet. Stainless steel control box with selector and digital temperature reading. Stainless steel lid with five holes for capillaries. Accessories: 1 pc. Silicone Oil, type 50 cSt, for tests with bath with temperature range: 100°C up to 150°C 1 pc. Holder, stainless steel 	1	

	·	1	,ı
	 Thermometer, range 58.5 to 61.5°C, type ASTM 47C 1 pc. Kinematic Viscosity Thermometer, range 133.5 to 136.5 °C, type ASTM 110C 1 pc. Holder, stainless steel made, for Asphalt Institute viscometers 1 pc. Holder, stainless steel made, for viscometers 		
	made, for reverse flow		
	viscometers		
25	 Tag Open-Cup Viscometer - Flash Point Standards: ASTM D1310, D3143 For the determination of open cup flash points of volatile flammable materials having flash points between 0 and 175°F. Supplied complete with cup, water bath, thermoregulated electronic heating device, thermometers ASTM 9C 5 to +110°C and ASTM 57C -20 to +50°C. The tester is equipped of a gas flame feeder. 	1	
26	 Distillation of Cut-Back Asphalts, Electric Standards: ASTM D402 AASHTO T78 Used to measure the amount of the most volatile constituents in cut-back asphaltic products. The apparatus consists of electric heater with thermoregulator, distillation flask, condenser tube, adapter, shield, receiver, supports, graduated cylinder, thermometer ASTM 8C -2 to 400°C, subd.1°C. Accessory: 1 pc. Cut Back Asphalt Apparatus Crow Receiver 100ml capacity Spare: 1 pc. Thermometer -2 +400°C sudd. 1°C, ASTM 8C 	1	
27	Laboratory Melter Oil Bath with Magnetic Stirrer • Features: Unique Combo	1	

r	Design (Martin Cit		
	Design of Magnetic Stirrer and Oil Bath. All features of Standard Oil Bath. Built-in Magnetic Stirrer having following efficient speed controller. Accessories: 1 pc. Mold		
	40mmx60mmx3.2mm • 1 pc. Tin Panel Steel		
	Funnel Groove Consistency of		
28	 Grouts Used to determine the consistency of the expansion premixed cement mortars for anchorages, mixed with water, classified of superfluid type. The apparatus consists of a metal groove with a funnel fixed on one end. Supplied completed with gratuated rule, spirit level and feet. 	1	
29	 Marshall Stability Apparatus 1 pc. Load Piston, 1 pc. Breaking Head Stability Mould, 4" dia. Aluminium made 1 pc. Breaking Head Stability Mould Ø 6" Standard: ASTM D5581, 1 pc. Transducer, 10mm travel. Linear Strain Gauge Transducer Indipendent linearity <0.1%. Standard sensitivity: 2 mV/V, 1 pc. Flow Meter, Mounted on top of the stability mould, holding the dial gauge and incorporating a stem-brake keeping maximum deflection. 	1	
30	 Marshall Compaction Mould, Ø 4" Standards: ASTM D6926 /Comparable to AASHTO T245 Inside diameter 101.6mm (4"). Steel manufactured, plated against corrosion. Accessories: 1 pc. Paper Disc Ø 100mm. Pack of 100 Consisting of: Mould body, Filling collar, Base plate Steel manufactured, plated against corrosion 	1	

	Marshall Compaction Mould, Ø]
	6"			
31	 Standard: ASTM D5581 Consisting of: Mould body, Filling collar, Base plate Steel manufactured, plated against corrosion Accessory: 1 pack S200-14 Paper disc Ø 150mm (pack of 100) 	1		
	Universal Extruder			
32	 It is designed to extrude samples having Ø 4" and 6". Ø 300x500mm. 	1		
	Water Bath, Digital, with			
33	• Temperature range: +3 to +95°C, accuracy ± 1°C. Capacity: 45 liters.	1		
	Automatic Marshall Compactor			
34	 For 6" and 4" Ø Moulds Standards: ASTM D6926 ASTM D5581 Comparable to AASHTO T245. Automatically compacts the Marshall specimens 6" and 4" diameter, and stops after the preset number of blows has been completed The drive mechanism lifts the 22.5 lbs. compaction hammer (Ø 6") to the height of 18" and allows a free fall at 64 blows per minute Accessories: 1 pc. Compaction Hammer 6" diameter 1 pc. Compaction Hammer 4" diameter 1 pc. Reduction Collar to fix the mould (4"Ø) to the 	1		
	Rectangular and Square Plates			
35	Aluminium alloy plate. Max. temperature: 350°C. Thermostat range:0-350°C with fluid expansion probe.	1		
36	Measuring Cylinders with spout 50ml capacity	1		
37	Measuring Pipettes, 5ml capacity • MOHR type, graduated	1		
	Measuring Pipettes, 10ml			
38	• MOHR type, graduated	1		
39	Measuring Pipettes, 25ml	1		
	······································	-	1	

	capacity		Γ	
	MOHR type, graduated			
	Measuring Pipettes, 50ml			
40		1		
40	capacity	1		
	MOHR type, graduated			
	Measuring Pipettes, 100ml			
41	capacity	1		
	MOHR type, graduated			
	Electronic Precision Top Loading			
42	and Platform Balances	1		
	Capacity: 500g. Readability:	-		
	0.001. Pan Dimension: 110Ø			
	Beakers			
43	 1000ml, borosilicate glass 	1		
	with spout			
	Laboratory Oven			
	Forced Ventilation, Digital			
	Thermostat High			
	Temperature Uniformity up			
	to 300°C			
	D559, D560, D698, D1557, D1559			
	 Forced ventilation or forced 			
	air type (with fan to move			
	the air inside the oven)			
	Electrically heated			
	Digital temperature display			
	Thermostatically controlled			
	Stainless Steel interior			
	material			
44	Automatic over-temperature	1		
	alarm			
	 At least two (2) removable 			
	stainless-steel grating type			
	laboratory oven shelves			
	having a minimum			
	distributed load of 5 kg			
	 Minimum of 60 Liters 			
	chamber volume			
	 Temperature range: 75°C to 			
	250°C or wider range			
	 With local calibration 			
	showing temperature			
	uniformity of ±2.5°C or			
	better throughout testing			
	chamber at 110°C, 163°C,			
	200°C and 250°C			
	Saybolt Digital Viscometer			
	Standards			
	ASTM D88 AASHTO T72			
	Used to determine the			
45	viscosity of petroluem	1		
	products at specified	_		
	temperatures between 70 to			
	210°F. Stainless steel made,			
	the Saybolt viscometer is			
I		I	1	1

46 2 Burner Stove 1 47 46 2 Burner Stove 1 48 and Universal, oli barlh, electric heater with digital thermoregulator, stirrer, cooling coil, viscosity flask. Thermometers and filter funnel. The viscometer is equipped of a dual safety thermostat to prevent accidental over-heatings. Accessories: • 1 pc. ASTM 17C +19 a +27°C 0.1°C • 1 pc. ASTM 18C +34 a +42°C 0.1°C • • 1 pc. ASTM 10C +49 a +57°C 0.1°C • • 1 pc. ASTM 12C +79 a +65°C 0.1°C • • 1 pc. ASTM 21C +79 a +65°C 0.1°C • • 1 pc. ASTM 21C +79 a +65°C 0.1°C • • 1 pc. ASTM 21C +79 a +103°C 0.1°C • • 1 pc. ASTM 21C +79 a +103°C 0.1°C • • 1 pc. Filter Funnel complete withwire filter ring mesh • • 1 pc. Filter Stove 1 • 1 pc. Filter Stove 1 • 1 pc. Furol orifice • • 1 pc. Saybolt flask 60ml capacity: 16Kgs. Readability: 1 • • 0.1gm. Pan Dimension: 320x360 dia. • Sieve cloth shall have no punctures or obvious defects •	r			
48 Furol and Universal, oil bath, electric heater with digital thermoregulator, stirrer, cooling coil, viscosity flask. Thermometers and filter funnel. The viscometer is equipped of a dual safety thermostat to prevent accidental over-heatings. Accessories: 1 pc. ASTM 17C +19 a +27°C 0.1°C 9 1 pc. ASTM 18C +34 a +42°C 0.1°C 9 1 pc. ASTM 18C +34 a +57°C 0.1°C 9 1 pc. ASTM 19C +49 a +57°C 0.1°C 9 1 pc. ASTM 20C +57 a +65°C 0.1°C 9 1 pc. ASTM 20C +57 a +65°C 0.1°C 9 1 pc. ASTM 22C +95 a +103°C 0.1°C 9 1 pc. ASTM 22C +95 a +103°C 0.1°C 9 1 pc. Filter Funnel complete withwire filter ring mesh 9 1 pc. Filter Funnel complete 9 1 pc. Filter funnel complete 9 1 pc. Filter funnel complete 9 1 pc. Universal orifice 9 1 pc. Chrol orifice 1 pc. Furol orifice 1 1 pc. Saybolt flask 60ml capacity 1 9 • Capacity: 16kgs. Readability: 1 0.1 gm. Pan Dimension: 320x360 dia. 320x360 dia. 8 Brass Sieve, 8"x2", sieve no. 80 9 Sieve coth shall have no punctures or obvious defects • The sieve coth shall be mounted on a frame withou		supplied complete with two		
48 Furol and Universal, oil bath, electric heater with digital thermoregulator, stirrer, cooling coil, viscosity flask. Thermometers and filter funnel. The viscometer is equipped of a dual safety thermostat to prevent accidental over-heatings. Accessories: 1 pc. ASTM 17C +19 a +27°C 0.1°C 9 1 pc. ASTM 18C +34 a +42°C 0.1°C 9 1 pc. ASTM 18C +34 a +57°C 0.1°C 9 1 pc. ASTM 19C +49 a +57°C 0.1°C 9 1 pc. ASTM 20C +57 a +65°C 0.1°C 9 1 pc. ASTM 20C +57 a +65°C 0.1°C 9 1 pc. ASTM 22C +95 a +103°C 0.1°C 9 1 pc. ASTM 22C +95 a +103°C 0.1°C 9 1 pc. Filter Funnel complete withwire filter ring mesh 9 1 pc. Filter Funnel complete 9 1 pc. Filter funnel complete 9 1 pc. Filter funnel complete 9 1 pc. Universal orifice 9 1 pc. Chrol orifice 1 pc. Furol orifice 1 1 pc. Saybolt flask 60ml capacity 1 9 • Capacity: 16kgs. Readability: 1 0.1 gm. Pan Dimension: 320x360 dia. 320x360 dia. 8 Brass Sieve, 8"x2", sieve no. 80 9 Sieve coth shall have no punctures or obvious defects • The sieve coth shall be mounted on a frame withou		interchangeable orifices		
48 electric heater with digital thermoregulator, stirrer, cooling coil, viscosity flask. Thermometers and filter funnel. The viscometer is equipped of a dual safety thermostat to prevent accidental over-heatings. Accessories: • 1 pc. ASTM 17C + 19 a +27°C 0.1°C • 1 pc. ASTM 18C + 34 a +42°C 0.1°C • 1 pc. ASTM 19C + 49 a +57°C 0.1°C • 1 pc. ASTM 20C + 57 a +65°C 0.1°C • 1 pc. ASTM 21C + 79 a +87°C 0.1°C • 1 pc. ASTM 21C + 79 a +87°C 0.1°C • 1 pc. ASTM 21C + 79 a +87°C 0.1°C • 1 pc. ASTM 21C + 79 a +87°C 0.1°C • 1 pc. ASTM 21C + 79 a +87°C 0.1°C • 1 pc. ASTM 21C + 79 a +87°C 0.1°C • 1 pc. NaTM 21C + 79 a +87°C 0.1°C • 1 pc. MSTM 21C + 79 a +87°C 0.1°C • 1 pc. Withdrawal Tube complete Spares for Saybolt: • 1 pc. Furol orifice • 1 pc. Universal orifice • 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove • 1 pc. Universal orifice • 1 pc. Saybolt flask 60ml capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve 63*27', sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or		-		
48 thermoregulator, stimer, cooling coil, viscosity flask. Thermometers and filter funnel. The viscometer is equipped of a dual safety thermostat to prevent accidental over-heatings. Accessories: 1 pc. ASTM 17C +19 a +27°C 0.1°C 9 1 pc. ASTM 18C +34 a +42°C 0.1°C 9 1 pc. ASTM 19C +49 a +57°C 0.1°C 9 1 pc. ASTM 20C +57 a +65°C 0.1°C 9 1 pc. ASTM 20C +57 a +65°C 0.1°C 9 1 pc. ASTM 20C +57 a +65°C 0.1°C 9 1 pc. ASTM 20C +57 a +65°C 0.1°C 9 1 pc. ASTM 20C +57 a +103°C 0.1°C 9 1 pc. ASTM 20C +57 a +103°C 0.1°C 9 1 pc. Filter Funnel complete withwire filter ring mesh 9 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Furol orfice 1 pc. Furol orfice 1 pc. Evorol orfice 1 pc. Euror Stove 1 pc. Electric 46 2 Burner Stove 47 Sieve dith shall have no punctures or obvious defects 9 Sieve cloth shall have no punctures or obvious defects 9 Sieve frames shall be rigid and made of a noncorrosive 1 material such as brass or stainless steel 48 Sieve frame shall h				
46 2 Burner Stove 1 47 6 2 Burner Stove 1 48 acady of a dual safety thermostat to prevent accidental over-heatings. 4 Accessories: 1 pc. ASTM 17C +19 a +27°C 0.1°C 1 9 1 pc. ASTM 18C +34 a +42°C 0.1°C 1 1 pc. ASTM 19C +49 a +57°C 0.1°C 1 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 1 pc. ASTM 21C +79 a +87°C 0.1°C 1 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 1 pc. Fitter Funnel complete withwire filter ring mesh 1 1 pc. Fitter Funnel complete withwire filter ring mesh 1 1 pc. Furol orifice 1 1 pc. Bruot orifice 1 1 pc. Saybolt flask 60ml capacity 1 46 2 Burner Stove 1 5 Electroic 1 6 Electroic 1 7 0.1gm. Pan Dimension: 320x360 dia. 320x360 dia. 8 Sieve frame shall have no punctures or obvious defects 1 9 Sieve frame shall be rigid and made of a noncorrosive stainless steel <th></th> <th>-</th> <th></th> <th></th>		-		
46 2 Burner Stove 1 47 C. Saybolf 1 48 8 Sieve frame shall ber igid and made of a noncorrosive sieve frame shall be rigid and made of a noncorrosive sieve frame shall be rigid and made of a noncorrosive sieve frame shall be rigid and made of a noncorrosive sieve frame shall ber igid and made of a noncorrosive sieve frame shall have a s.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter				
48 funnel. The viscometer is equipped of a dual safety, thermostat to prevent accidental over-heatings. Accessories: 1 pc. ASTM 17C +19 a +27°C 0.1°C 1 pc. ASTM 18C +34 a +42°C 0.1°C 1 pc. ASTM 19C +49 a +57°C 0.1°C 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 pc. Filter Funnel complete witthwire filter ring mesh 1 pc. Withdrawal Tube complete Sparse for Saybolt: 1 pc. Further funnel complete 46 2 Burner Stove 1 47 Capacity: 16kgs. Readability: 1 1 0.1gm. Pan Dimension: 320x360 dia. 32 320x360 dia. 8 Sieve cloth shall have no punctures or obvious defects • The sieve (cloth shall be mounted on a frame without distortion, looseness, or waviness 5 • Sieve frame shall be rigid and made of a noncorrosive 1 material such as brass or stainless steel 5 • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1				
equipped of a dual safety thermostat to prevent accidental over-heatings. Accessories: • 1 pc. ASTM 17C +19 a +27°C 0.1°C • 1 pc. ASTM 18C +34 a +42°C 0.1°C • 1 pc. ASTM 19C +49 a +57°C 0.1°C • 1 pc. ASTM 20C +57 a +65°C 0.1°C • 1 pc. Filter Funnel complete withwire filter ring mesh • 1 pc. Furlo orifice • 1 pc. Saybolt; • 1 pc. Caloretic Precision Top Loading and Platform Balances • 2 Burner Stove 1 Electric 1 Brass Sieve, 8"x2", sieve no. 80 • Sieve doth shall have no punctures or obvious defects • The sieve doth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter		Thermometers and filter		
		funnel. The viscometer is		
		equipped of a dual safety		
$\begin{tabular}{ c c c c } \hline accidental over-heatings.\\ Accessories: $				
		+27°C 0.1°C		
 1 pc. ASTM 19C +49 a +57°C 0.1°C 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 21C +79 a +87°C 0.1°C 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Furol orifice 1 pc. Furol orifice 1 pc. Saybolt: 1 pc. Saybolt flask 60ml capacity 2 Burner Stove 1 Electroic Precision Top Loading and Platform Balances 46 Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have a punctures or obvious defects The sieve cloth shall have n punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, losseness, or waviness Sieve frame shall be rigid and made of a noncorosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 		 1 pc. ASTM 18C +34 a 		
 1 pc. ASTM 19C +49 a +57°C 0.1°C 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 21C +79 a +87°C 0.1°C 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Furol orifice 1 pc. Furol orifice 1 pc. Saybolt: 1 pc. Saybolt flask 60ml ccapacity 2 Burner Stove Electroic Precision Top Loading and Platform Balances Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have n punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, losseness, or waviness Sieve frame shall be rigid and made of a noncorosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
+57°C 0.1°C 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 21C +79 a +87°C 0.1°C 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Furl orifice 1 pc. Universal orifice 1 pc. Universal orifice 1 pc. Saybolt flask 60ml ccapacity				
 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 21C +79 a +87°C 0.1°C 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Withdrawal Tube complete Spares for Saybolt: 1 pc. Luniversal orifice 1 pc. Saybolt flask 60ml capacity 2 Burner Stove Electric Electric Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be rigid and made of a noncorosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
+65°C 0.1°C 1 pc. ASTM 21C +79 a +87°C 0.1°C 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Withdrawal Tube complete Spares for Saybolt: • 1 pc. Universal orifice • 1 pc. Juriol orifice • 1 pc. Universal orifice • 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove • Electric 1 Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.076 mm) inside diameter				
 1 pc. ASTM 21C +79 a +87°C 0.1°C 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Filter Funnel complete spares for Saybolt: 1 pc. Vithdrawal Tube complete Spares for Saybolt: 1 pc. Loading 1 pc. Saybolt flask 60ml capacity 46 Electronic Precision Top Loading and Platform Balances Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8,000 + 0.030 inch (203.2 + 0.76 mm) inside diameter Mamber Simple state state				
+87°C 0.1°C 1 pc, ASTM 22C +95 a +103°C 0.1°C 0 pc, Filter Funnel complete withwire filter ring mesh 1 pc, Withdrawal Tube complete Spares for Saybolt: 1 pc, Liviter Funnel complete withwire filter ring mesh 1 pc, Withdrawal Tube complete Spares for Saybolt: 1 pc, Universal orifice 1 pc, Saybolt flask 60ml capacity 46 2 Burner Stove 1 Electronic Precision Top Loading and Platform Balances 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a				
 1 pc. ASTM 22C +95 a +103°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Withdrawal Tube complete Spares for Saybolt: 1 pc. Furol orifice 1 pc. Universal orifice 1 pc. Universal orifice 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove Electric Electric Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
+i03°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Withdrawal Tube complete Spares for Saybolt: • 1 pc. Furol orifice • 1 pc. Support flask 60ml capacity 46 2 Burner Stove • Electric 1 Electronic Precision Top Loading and Platform Balances 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stailess steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter		+87°C 0.1°C		
+103°C 0.1°C 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Withdrawal Tube complete Spares for Saybolt: 1 pc. Furol orifice 1 pc. Universal orifice 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove e Electroic 1 Electroic Precision Top Loading and Platform Balances 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness 8 8 9		 1 pc. ASTM 22C +95 a 		
 1 pc. Filter Funnel complete withwire filter ring mesh 1 pc. Withdrawal Tube complete Spares for Saybolt: 1 pc. Furol orifice 1 pc. Universal orifice 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove Electric Electric Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall be mounted on a frame without distortion, losseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
withwire filter ring mesh 1 pc. Withdrawal Tube complete Spares for Saybolt: 1 pc. Furol orifice 1 pc. Furol orifice 1 pc. Furol orifice 1 pc. Universal orifice 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove • Electroic 1 Electronic Precision Top Loading and Platform Balances 1 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. 1 Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness 1 48 and made of a noncorrosive material such as brass or stainless steel 1 • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel 1				
• 1 pc. Withdrawal Tube complete Spares for Saybolt: • 1 pc. Furol orifice • 1 pc. Universal orifice • 1 pc. Universal orifice • 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove • Electric 1 Electronic Precision Top Loading and Platform Balances 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter				
complete Spares for Saybolt: • 1 pc. Furol orifice • 1 pc. Universal orifice • 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove • Electric 1 Electronic Precision Top Loading and Platform Balances 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter				
Spares for Saybolt: 1 pc. Furol orifice 1 pc. Universal orifice 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove 1 Electric 1 47 Capacity: 16kgs. Readability: 1 0.1gm. Pan Dimension: 320x360 dia. 1 Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have no punctures or obvious defects 1 • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness 1 1 • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel 1 1 • Sieve frames shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1 1				
• 1 pc. Furol orifice • 1 pc. Universal orifice • 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove • Electric 1 Electronic Precision Top Loading and Platform Balances 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel 1 48 Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1		complete		
• 1 pc. Furol orifice • 1 pc. Universal orifice • 1 pc. Saybolt flask 60ml capacity 46 • Electric 1 Electronic Precision Top Loading and Platform Balances 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter		Spares for Savbolt:		
• 1 pc. Universal orifice • 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove • Electric 1 Electronic Precision Top Loading and Platform Balances 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel 1 48 Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1				
• 1 pc. Saybolt flask 60ml capacity 46 2 Burner Stove • Electric 1 Electronic Precision Top Loading and Platform Balances 1 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. 1 Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel 1 48 • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1				
46 2 Burner Stove • Electric 1 47 Electronic Precision Top Loading and Platform Balances 1 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. 1 8rass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects 1 • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel 1 48 Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1				
46 2 Burner Stove • Electric 1 47 Electronic Precision Top Loading and Platform Balances 1 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. 1 8rass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects 1 • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel 1 48 Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1				
46 • Electric 1 Electronic Precision Top Loading and Platform Balances 1 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. 1 Brass Sieve, 8"x2", sieve no. 80 • • Sieve cloth shall have no punctures or obvious defects • • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel 1 • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1				
• Electric Image: Hear Structure 47 • Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter	46	2 Burner Stove	1	
47 and Platform Balances 1 47 Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. 1 Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1	40	Electric	T	
47 and Platform Balances 1 47 Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. 1 Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 1		Electronic Precision Top Loading		
 47 Capacity: 16kgs. Readability: 0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
0.1gm. Pan Dimension: 320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter	47		1	
320x360 dia. Brass Sieve, 8"x2", sieve no. 80 • Sieve cloth shall have no punctures or obvious defects • The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness • Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel • Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter	, ,		1	
 Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
 punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
 The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive 1 material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
 mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive 1 material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 		punctures or obvious defects		
 mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive 1 material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 		The sieve cloth shall be		
 distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
 48 Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
 Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
 48 and made of a noncorrosive 1 material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
 material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 				
stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter	48		1	
 Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 		material such as brass or		
 Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter 		stainless steel		
8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter				
0.76 mm) inside diameter				
measured at 0.2 In. (5 mm)		-		
below the top of the frame		-		
Sieve frame shall be 2 inches		Sieve frame shall be 2 inches		

	(50.8 mm) from top of	l l		
	frame to top of sieve cloth	1		
	 Frame bottom shall easily 	1		
	slide or nest with any sieve	1		
	frame, pan and cover of the	1		
	same diameter	1		
		1		
	Includes Sieve certificate(s)	1		
	from the manufacturer	1		
	showing conformance to	1		
	ASTM E11 as Inspection	1		
	Sieve Type No. 80 (180 µm);	1		
	is traceable by the Sieve	1		
	serial number; include the	1		
	date, name and signature of	1		
	the person certifying to the	1		
	Sieve quality; and shall state	1		
		1		
	at a minimum the value for	l		
	the average aperture size,	1		
	separately in both the warp	1		
	and shute direction of the	l		
	sieve cloth.			
	Brass Sieve, 8"x2", sieve no. 14	l l		
	 Sieve cloth shall have no 	1		
	punctures or obvious defects	1		
	The sieve cloth shall be	1		
	mounted on a frame without	1		
	distortion, looseness, or	1		
	waviness	1		
	Sieve frames shall be rigid	1		
	and made of a noncorrosive	1		
		1		
	material such as brass or	1		
	stainless steel	1		
	 Nominal Sieve Opening: 	1		
	0.0555 in.	1		
	 Nominal Wire Diameter: 0.71 	1		
	mm.	1		
	Sieve frame shall have a	1		
	8.000 + 0.030 inch (203.2 +	1		
	0.76 mm) inside diameter	l		
49	measured at 0.2 in. (5 mm)	1		
	below the top of the frame	l		
	•	l		
	• Sieve frame shall be 2 inches	l		
	(50.8 mm) from top of	l		
	frame to top of sieve cloth	l		
	 Frame bottom shall easily 	l		
	slide or nest with any sieve	l		
	frame, pan and cover of the	l		
	same diameter	l		
	 Includes Sieve certificate(s) 	l		
	from the manufacturer	l		
	showing conformance to	l		
	ASTM E11 as Inspection	l		
		l		
	Sieve Type No. 14; is	l		
	traceable by the Sieve serial	l		
	number; include the date,	i i i i i i i i i i i i i i i i i i i	1	
	name and signature of the person certifying to the			

			1
	Sieve quality; and shall state at a minimum the value for the average aperture size, separately in both the warp and shute direction of the sieve cloth.		
50	 Electronic Precision Top Loading and Platform Balances Capacity: 6kgs. Readability: 0.1gm. Pan Dimension: 	1	
	225x300 dia.		
51	 Laboratory Oven Forced Ventilation, Digital Thermostat High Temperature Uniformity up to 300°C with fluid expansion probe. ASTM C127, C136, D558, D559, D560, D698, D1557, D1559 Forced ventilation or forced air type (with fan to move the air inside the oven) Electrically heated Digital temperature display Thermostatically controlled Stainless Steel interior material Automatic over-temperature alarm At least two (2) removable stainless-steel grating type laboratory oven shelves having a minimum distributed load of 5 kg Minimum of 60 Liters chamber volume Temperature range: 75°C to 250°C or wider range 220-240 V With local calibration showing temperature uniformity of ±1°C or better throughout testing chamber at 110°C, 163°C, 200°C and 250°C 	1	
52	 50mm Three Gang Cube Mould Made from steel, hardness 55 HRB, it can be also used for soil and other materials 	1	
53	 Brass Sieve, 8"x2", sieve no. 20 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid 	1	

	and made (
	 and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter measured at 0.2 in. (5 mm) below the top of the frame Sieve frame shall be 2 inches (50.8 mm) from top of frame to top of sieve cloth Frame bottom shall easily slide or nest with any sieve frame, pan and cover of the same diameter Includes Sieve certificate(s) from the manufacturer showing conformance to ASTM E11 as Inspection Sieve Type No. 20 (850 µm); is traceable by the Sieve serial number; include the date, name and signature of the person certifying to the Sieve quality; and shall state at a minimum the value for the average aperture size, separately in both the warp and shute direction of the 		
54	 sieve cloth. Tamper Oak Wood Nonabsorptive, Nonabrasive and Nonbrittle Material Time of Immersion in Paraffin: 15 mins at approximately 200°C Durometer Hardness: 80±10 Cross-Section: 13 x 25mm Length of Tamper: 120 to 150mm Tamping Face: Flat, Rectangular in shape 	1	
55	 Large Capacity Curing Cabinet ASTM C109, C511 For curing large quantities of mortar, cement and concrete specimens, at controlled humidity and temperature. Aluminium and policarbonate made, it is complete with precision digital thermostat and four shelves Temperature range: from ambient to +30°C, accuracy ± 1°C. The cabinet requires a compressed air source. 	1	

	Accessories:			
	 1 pc. Air Compressor, air 			
	displacement: 250 ltrs/min.			
	Tank capacity: 100 ltrs.			
	• 1 pc. Air Compressor, air			
	displacement: 400 ltrs/min.			
	•			
	Tank capacity: 200 ltrs.			
	 1 pc. Tubing & Accessories 			
	to connect the cabinet to the			
	air compressor			
	 1 pc. Pan, 240x300x70mm, 			
	polythene made			
	 1 unit Water Refrigerator, it 			
	cools the water from room			
	temperature up to +10°C			
	with supply capacity of 2			
	ltrs. /min. Stainless steel			
	made, complete with motor			
	pump, digital thermostat			
	sens. 0.1°C, it is connected			
1	to water baths and tanks			
1				
1	where a lower temeprature			
	than the room one is			
	required.			
	 Complete with tubing and 			
	accessories for bath			
	connection.			
	Autoclave Soundness			
	(Expansion) of Portland Cement			
	ASTM C151 AASHTO T107			
	-			
	 It consist of a high pressure 			
	boiler made from special			
	alloy steel, inside Ø			
	154x430mm high, receiving			
	a holding rack for 10 cement			
	specimens. The heating			
	system is achieved by			
	electric resistances. The			
	separate control panel			
	encloses a digital			
	-			
	thermometer to visualize the			
56	boiler temperature, pressure	1		
	gauge scale 0-600 psi with	-		
	built in pressure regulator			
	and power switches.			
	Supplied complete with rack			
	for holding the specimens			
	and safety valve			
	Accessories: Moulds for			
1				
	Soundness (Expansion) and			
1	Shrinkage Tests			
	• 1 pc. Standard: ASTM C490,			
1	Two Gang Prism Mould, to			
	produce 25x25x250 mm			
1	specimens for expansion			
	tests in autoclave. Complete			
			1	
	with 4 steel inserts			

65	Porcelaine Casserole Dish	1	
05	• 150ml	1	
66	 Dessicator 210mm dia. with Silica (Dessicant) 	1	
67	 Filter Paper Medium Retention Textured E832 Type II Quantitative Class F or #40 Ashless 	1	
68	Sodium Hydroxidepellets, 500g bottle	1	
69	 HCL / Hydraucloric Acid Sp. Gr.=1.18, AR Grade 	1	
70	 Methyl Red Indicator solid; reagent grade or similar grade or better; with SDS from the manufacturer; with Certificate of Analysis from the manufacturer; GHS compliant labelling; Original manufacturer's container and not repacked. 	1	
PreSu	AL SPECIFICATIONS: eferably Exclusive Distributorship or at least A pplier's Service Engineer must have training for Training).		

- Proof of delivery and commissioning of the same or similar laboratory equipment from the same manufacturer.
- ISO/IEC 17025:2017 or DPWH BRS accredited calibration laboratory and must conduct Calibration of Equipment upon arrival of equipment at the laboratory.
- Brand and Model should be available at the Manufacturer's Website.

TOTAL AMOUNT:

(Signature over Printed Name of Authorized Representative)

(Designation)

(Name of Bidder)

DPWH-G&S-17-The Schedule of Requirements shall indicate the delivery date of the goods and services to the project site expressed as weeks/months and shall be consistent with the dates specified in the Bidding Documents.

Section VII. Technical Specifications

Technical Specifications

Item	Specification	Statement of Compliance
		Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1(a)(ii) and/or GCC Clause 2.1(a)(ii).

ADDITIONAL SPECIFICATIONS:

- Preferably Exclusive Distributorship or at least Authorized Distributor with local after sales support.
- Supplier's Service Engineer must have training from the equipment manufacturer (attach Certificate of Training).
- Proof of delivery and commissioning of the same or similar laboratory equipment from the same manufacturer.
- ISO/IEC 17025:2017 or DPWH BRS accredited calibration laboratory and must conduct Calibration of Equipment upon arrival of equipment at the laboratory.
- Brand and Model should be available at the Manufacturer's Website.

Section VIII. Bidding Forms

TABLE OF CONTENTS

BID FORM	85
CONTRACT AGREEMENT FORM	101
Omnibus Sworn Statement	103
BANK GUARANTEE FORM FOR ADVANCE PAYMENT	106
BID SECURING DECLARATION FORM	

Date: _____

To: REYNALDO V. NAVALES, D.P.A., ASEAN Eng. BAC CHAIRMAN DPWH CEBU 3RD District Engineering Office Ibo, Toledo City, Cebu

Gentlemen and/or Ladies:

Having examined the Bidding Documents including Bid Bulletin Numbers _____, the receipt of which is hereby duly acknowledged, we, the undersigned, offer the **Supply and Delivery of Laboratory Equipment & Apparatus for use in Quality Assurance Section,** covered by **Purchase Request (PR) No. 2024-08-0091 dated 8/20/2024** in conformity with the said Bidding Documents for the sum of [total Bid amount in words and figures] or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Bid.

No.	Quantity/Unit	Specifications	Unit Cost (inclusive of VAT)	Total
1	1 piece	 Pycnometer 1000ml, Glass, with ground-in- perforated stopper. Mouth: 29mm 		
2	1 piece	 Pycnometer 1000ml, Glass, with ground-in- perforated stopper. Mouth: 50mm 		
3	1 unit	 Rotating Shelf Thin Film Oven (TFOT) Determination of Loss in Mass and Resistance to Hardening Standards: ASTM D6, D1754 AASHTO T47, T179 Internal chamber and external frame all made of stainless steel, double wall insulation Temperature control by digital thermoregulator The plate rotates at 5-6rpm. Supplied complete with glass control thermometer ASTM 13C, +155 to +170 °C subd 0.5°C. Accessories: 1 unit Rotating shelf complete with 9 containers Ø 55x35mm for the Determination of Loss on Heating to: ASTM D 6 AASHTO T47 AASHTO T47 Standards 		
4	1 piece	 Infrared Thermometer To measure surface temperatures without touching the object. Measuring range: 50°C+750°C. Resolution: 0.1°C up to 200°C. 		

		Digital Thermometer	
5	1 piece	 Complete with depth stainless probe, for temperature measurements of liquid, fluid, semisolid, granular materials, air. Temperature Range: -50+220. Resolution: 0.1. Accuracy: ± 0.3. Probe Dimension Ø x L: 5x125mm 	
		Platinum Crucible	
6	1 piece	• 25ml capacity, Ø 35x38 mm weight:	
Ŭ	1 piece	19g, thickness: 0.25mm	
		Filter Flasks	
_	A		
7	1 piece	• 500ml Borosilicate glass, for vacuum	
		filtering	
		Solubility of Bituminous Binders	
		 Standards: ASTM D2042 	
		• The set comprises: Gooch crucible	
8	1 piece	complete with funnel and rubber ring.	
Ŭ	- piece	Filter flask 500ml capacity with rubber	
		stopper. Whatman filter discs, Ø 25mm	
		(pack of 100)	
		Vacuum Pump	
		 Lubrified, paddle rotatory type. 	
		Rotation speed: 2800rpm. Free air	
		displacement: 150liters/min.	
		Ultimate vacuum: 0.01 mbar	
		Accessories:	
		• 1 pc. Vacuum Regulator, complete	
		with vacuum gauge Ø 80mm,	
9	1 unit	regulation cock, suction filter	
		 1 pc. Rubber Tube, lined for vacuum, 	
		3m long	
		 1 pc. Condensed Water Trap 	
		Spares:	
		• 1 btl. Special oil for vacuum pumps.	
		Bottle of 500cc	
		• 1 pc. Conical Flask, Erlenmeyer Pyrex	
		glass wide mouth, 1000ml capacity	
10	1 piece	Florence Flask 50ml	
10	I piece	Borosilicate glass	
		Florence Flask 125ml	
11	1 piece	Borosilicate glass	
		-	
12	1 piece	Florence Flask 250ml	
12	I piece	Borosilicate glass	
		Mixing Bowls	
13	1 piece	stainless steel, 340mm diameter	
14	1 pack	Stirring Rod, glass	
14	T pack	 Ø 8mm x 250mm long. Pack of 10 	
		Cork Stopper #9	
15	10 pieces	Number 9	
		Fully Automatic Penetrometer Standards	
16	1 unit	 ASTM D5 AASHTO T49 ASTM D21 	
10	I unit	Fully automatic test. Automatic	
		identification of the needle contact	

		 point and needle positioning ensuring a reliable repeatability of the result. Electromagnetic needle probe release to perform the test. Automatic zero at the contact before starting penetration. Displacement transducer with 0.01mm resolution, in a range of 0-50mm. Accessories: 1 unit Temperature Probe, 1 unit Water Chiller, 7.5 ltrs. capacity, with electronic temperature controller with 0.1°C accuracy and fluid temperature range between 5 and 30°C. Suitable for chilling penetrometer water baths or temperature controlled setting time tests. 1 unit Water Bath Dish with incorporated thermostatic coil 1 pc. Thermometer 1P 38C 1 pc. Penetration Needle conforming to ASTM D5 1 pc. Glass Transfer Dish 1 pc. Standard Penetration Cone conforming to ASTM D217 Spares: 1 pc. Sample cup 55x35mm 1 pc. Penetration Needle, individually verified 1 pc. 50g weight 	
		 1 pc. 100g weight 	
17	1 piece	 Ductility Briquette Mould Standards: ASTM, AASHTO Used to prepare the specimen, it is brass made, accurately machined. Supplied with base plate. 	
18	1 piece	 Base Plate for Ductility Briquette Mould Brass or steel 	
19	1 unit	 Ductilometer Standards: ASTM D113 D6084 AASHTO T51 The carriage is driven by an electrical motor, inside a large tank fitted with digital thermostat, immersion electric heater, cooling coil for cold water circulation and pump unit. Max. traction force: 300 N, accuracy: ± 0.1N. Equipped with incorporated refrigerating unit for tests with water temeprature from +5° to +25°C. Accessories: 1 pc. Load Cell electric, 50 N capacity 	

		1 no Dofice out in a Unit in a sure of		
		 1 pc. Refrigerating Unit, incorporated into the machine, for tests with water 		
		temperature from +5°C to +25°C		
		 1 pc. Base Plate for ductility briquette 		
		mould		
		Trimming Knife		
20	1 piece	Stainless, Rigid Steel		
		Spatula 1 1/2 wide		
21	1 piece	Stainless, Rigid Steel		
		Cleveland Open Cap Flash and Fire Point		
		Tester		
		ASTM D92 AASHTO T48		
		Used to measure the flash and fire		
		points of lubrificated oils and		
		petroleum products. Complete with		
		brass cup, thermo-meter IP 28C		
		(ASTM 11C) range -6+400°C, electric		
		heater with thermore-regulator, double		
22	1 unit	line fuse. Supplied without flame gas		
		device to be ordered separately		
		Accessory:		
		1 pc. Flame Gas device, complete with		
		gas-stop valve controlled by a flame		
		sensor and maximum thermostat with		
		reset button		
		<i>Spare:</i> • 1 pc. Thermometer IP 28C (ASTM)		
		11C), range -6+400°C		
		Ring and Ball Softening Point Apparatus		
		ASTM D36 AASHTO T53		
		• The unit consist of a borosilicate glass		
		beaker, brass frame, two tapered		
		rings, two ball centering guides and		
		two balls.		
		Accessories:		
		1 pc. Thermometer ASTM 15 C -2 to		
		 80°C sub. 0.2°C 1 pc. Thermometer ASTM 16 C +30 to 		
		200°C sub. 0.5°C		
		 1 pc. Pouring Plate. Used to pour the 		
		bituminous mixture into the brass		
23	1 unit	tapered ring, as required by		
		specification.		
		 1 unit Hot Plate with Magnetic Stirrer. 		
		Complete with thermoregulator for		
		temperature adjustment and magnetic		
		stirrer with electronic adjustment from		
		100 to 1200 rpm. Suitable for tests in		
		distilled water with softening point		
		between +30°C to +80°C.		
		Spares:		
		 1 pc. Steel ball Ø 9.5mm 1 pc. Brass tapered ring 		
		 1 pc. Ball centering guide 		
		 1 pc. Pyrex beaker 		
1	1			

		Demonsie Viewe eite Determine tiere	
		Dynamic Viscosity Determination	
		Viscometer Bath	
		ASTM D2170 This size and back is used by	
		This viscometer bath is used to	
		determine both the Dynamic and	
		Kinematic viscosity of liquid asphalts,	
		keeping the capillary type viscometers	
		at a uniform temperature. Consisting	
		of: Borosilicate glass container 15 liters	
		capacity. Additional tempered glass	
		container. Stainless steel base with	
		insulating cork sheet. Stainless steel	
		control box with selector and digital	
		temperature reading. Stainless steel lid	
		with five holes for capillaries.	
		Accessories:	
24	1 unit	• 1 pc. Silicone Oil, type 50 cSt, for tests	
		with bath with temperature range:	
		100°C up to 150°C	
		• 1 pc. Holder, stainless steel made, for	
		Zeithfuchs cross-arm viscometers	
		• 1 pc. Kinematic Viscosity	
		Thermometer, range 58.5 to 61.5°C,	
		type ASTM 47C	
		• 1 pc. Kinematic Viscosity	
		Thermometer, range 133.5 to 136.5	
		°C, type ASTM 110C	
		 1 pc. Holder, stainless steel made, for 	
		Asphalt Institute viscometers	
		1 pc. Holder, stainless steel made, for viscometers	
		1 pc. Holder, stainless steel made, for reverse flow viscometers	
		Tag Open-Cup Viscometer - Flash Point	
		Standards: ASTM D1310, D3143	
		 For the determination of open cup 	
		flash points of volatile flammable	
		materials having flash points between	
		0 and 175°F. Supplied complete with	
25	1 unit	cup, water bath, thermoregulated	
		electronic heating device,	
		thermometers	
		 ASTM 9C 5 to +110°C and ASTM 57C - 	
		20 to +50°C. The tester is equipped of	
		a gas flame feeder.	
		Distillation of Cut-Back Asphalts, Electric	
		Standards: ASTM D402 AASHTO T78	
		Used to measure the amount of the	
		most volatile constituents in cut-back	
		asphaltic products. The apparatus	
26	1 unit	consists of electric heater with	
		thermoregulator, distillation flask,	
		condenser tube, adapter, shield,	
		receiver, supports, graduated cylinder,	
		thermometer ASTM 8C -2 to 400°C,	
		subd.1°C.	
		Accessory:	

			· · · · · · · · · · · · · · · · · · ·
		1 pc. Cut Back Asphalt Apparatus Crow	
		Receiver 100ml capacity	
		Spare:	
		• 1 pc. Thermometer -2 +400°C sudd.	
		1°C, ASTM 8C	
		Laboratory Melter Oil Bath with Magnetic	
		Stirrer	
		Features: Unique Combo Design of	
		Magnetic Stirrer and Oil Bath. All	
27	1 unit	features of Standard Oil Bath. Built-in	
		Magnetic Stirrer having following	
		efficient speed controller. Accessories:	
		1 pc. Mold 40mmx60mmx3.2mm	
		1 pc. Tin Panel Steel	
		Funnel Groove Consistency of Grouts	
		 Used to determine the consistency of the expansion promised company 	
		the expansion premixed cement mortars for anchorages, mixed with	
28	1 piece	water, classified of super-fluid type.	
20	Thece	 The apparatus consists of a metal 	
		groove with a funnel fixed on one end.	
		 Supplied completed with gratuated 	
		rule, spirit level and feet.	
		Marshall Stability Apparatus	
		• 1 pc. Load Piston, 1 pc. Breaking Head	
		Stability Mould, 4" dia. Aluminium	
		made	
	1 unit	• 1 pc. Breaking Head Stability Mould Ø	
		6" Standard: ASTM D5581, 1 pc.	
20		Transducer, 10mm travel. Linear Strain	
29		Gauge Transducer	
		• Indipendent linearity <0.1%. Standard	
		sensitivity: 2 mV/V, 1 pc. Flow Meter,	
		Mounted on top of the stability mould,	
		holding the dial gauge and	
		incorporating a stem-brake keeping	
		maximum deflection.	
		Marshall Compaction Mould, Ø 4"	
		Standards: ASTM D6926 /Comparable	
		to AASHTO T245	
		• Inside diameter 101.6mm (4"). Steel	
		manufactured, plated against	
20	1+	corrosion.	
30	1 set	Accessories:	
		 1 pc. Paper Disc Ø 100mm. Pack of 	
		100 Consisting of: Mould body, Filling	
		 Consisting of: Mould body, Filling collar, Base plate 	
		 Steel manufactured, plated against 	
		• Steel manufactured, plated against corrosion	
		Marshall Compaction Mould, Ø 6"	
		Standard: ASTM D5581	
	_	 Consisting of: Mould body, Filling 	
31	1 set	collar, Base plate	
		 Steel manufactured, plated against 	
		corrosion	
	1		

		4	
		Accessory:	
		 1 pack S200-14 Paper disc Ø 150mm 	
		(pack of 100)	
	A	Universal Extruder	
32	1 unit	• It is designed to extrude samples	
		having Ø 4" and 6". Ø 300x500mm.	
		Water Bath, Digital, with Cooling Device	
33	1 unit	• Temperature range: +3 to +95°C,	
		accuracy ± 1°C. Capacity: 45 liters.	
		Automatic Marshall Compactor For 6"	
		and 4" Ø Moulds	
		Standards: ASTM D6926 ASTM	
		D5581	
		Comparable to AASHTO T245.	
		Automatically compacts the Marshall	
		specimens 6" and 4" diameter, and	
		stops after the preset number of blows	
		has been completed	
34	1 unit	• The drive mechanism lifts the 22.5 lbs.	
		compaction hammer (\emptyset 6") to the	
		height of 18" and allows a free fall at	
		64 blows per minute	
		Accessories:	
		1 pc. Compaction Hammer 6" diameter	
		1 pc. Compaction Hammer 4" diameter	
		• 1 pc. Reduction Collar to fix the mould	
		(4"Ø) to the	
		Marshall Compactor	
		Rectangular and Square Plates	
35	1	 Aluminium alloy plate. Max. temperature: 350°C. Thermostat 	
55	1 unit		
		range:0-350°C with fluid expansion probe.	
36	1 piece	Measuring Cylinders with spout	
	-	50ml capacity	
37	1 piece	Measuring Pipettes, 5ml capacity	
•	- 0.000	MOHR type, graduated	
20	1	Measuring Pipettes, 10ml capacity	
38	1 piece	 MOHR type, graduated 	
	_	Measuring Pipettes, 25ml capacity	
39	1 piece	 MOHR type, graduated 	
40	1 piece	Measuring Pipettes, 50ml capacity	
	-	MOHR type, graduated	
41	1 piece	Measuring Pipettes, 100ml capacity	
	- 0.000	MOHR type, graduated	
		Electronic Precision Top Loading and	
42	1 unit	Platform Balances	
74	1 unit	Capacity: 500g. Readability: 0.001.	
		Pan Dimension: 110Ø	
42	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Beakers	
43	1 piece	• 1000ml, borosilicate glass with spout	
		Laboratory Oven	
	· · ·	Forced Ventilation, Digital Thermostat	
44	1 unit	High Temperature Uniformity up to	
		300°C	
L	1		I

r	1		[]
		 ASTM C127, C136, D558, D559, D560, 	
		D698, D1557, D1559	
		Forced ventilation or forced air type	
		(with fan to move the air inside the	
		oven)	
		Electrically heated	
		Digital temperature display	
		Thermostatically controlled Chainless Chainless	
		Stainless Steel interior material	
		Automatic over-temperature alarm At least two (2) removable staipless	
		At least two (2) removable stainless- steel grating type laboratory oven	
		shelves having a minimum distributed	
		load of 5 kg	
		 Minimum of 60 Liters chamber volume 	
		 Temperature range: 75°C to 250°C or 	
		wider range	
		With local calibration showing	
		temperature uniformity of ±2.5°C or	
		better throughout testing chamber at	
		110°C, 163°C, 200°C and 250°C	
		Saybolt Digital Viscometer Standards	
		ASTM D88 AASHTO T72	
		 Used to determine the viscosity of 	
		petroluem products at specified	
		temperatures between 70 to 210°F.	
		Stainless steel made, the Saybolt	
		viscometer is supplied complete with two interchangeable orifices Furol and	
		Universal, oil bath, electric heater with	
		digital thermoregulator, stirrer, cooling	
		coil, viscosity flask. Thermometers and	
		filter funnel. The viscometer is	
		equipped of a dual safety thermostat	
45	1 unit	to prevent accidental over-heatings.	
45	1 unit	Accessories:	
		 1 pc. ASTM 17C +19 a +27°C 0.1°C 	
		• 1 pc. ASTM 18C +34 a +42°C 0.1°C	
		• 1 pc. ASTM 19C +49 a +57°C 0.1°C	
		 1 pc. ASTM 20C +57 a +65°C 0.1°C 1 pc. ASTM 21C +79 a +87°C 0.1°C 	
		 1 pc. ASTM 21C +79 a +67 C 0.1 C 1 pc. ASTM 22C +95 a +103°C 0.1°C 	
		 1 pc. Filter Funnel complete withwire 	
		filter ring mesh	
		• 1 pc. Withdrawal Tube complete	
		Spares for Saybolt:	
		1 pc. Furol orifice	
		1 pc. Universal orifice	
		1 pc. Saybolt flask 60ml capacity	
46	1 piece	2 Burner Stove	
	- 61000	Electric	
		Electronic Precision Top Loading and	
47	1 unit	Platform Balances	
	_	Capacity: 16kgs. Readability: 0.1gm. Dap Dimension: 220v260 dia	
		Pan Dimension: 320x360 dia.	

		Proce Siove 9"x2" siove no 90	
48	1 piece	 Brass Sieve, 8"x2", sieve no. 80 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter measured at 0.2 in. (5 mm) below the top of the frame Sieve frame shall be 2 inches (50.8 mm) from top of frame to top of sieve cloth Frame bottom shall easily slide or nest with any sieve frame, pan and cover of the same diameter Includes Sieve certificate(s) from the manufacturer showing conformance to ASTM E11 as Inspection Sieve Type No. 80 (180 µm); is traceable by the Sieve serial number; include the date, name and signature of the person certifying to the Sieve quality; and shall state at a minimum the value for the average aperture size, separately in both the warp and shute direction of 	
49	1 piece	 the sieve cloth. Brass Sieve, 8"x2", sieve no. 14 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Nominal Sieve Opening: 0.0555 in. Nominal Wire Diameter: 0.71 mm. Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter measured at 0.2 in. (5 mm) below the top of the frame Sieve frame shall be 2 inches (50.8 mm) from top of frame to top of sieve cloth Frame bottom shall easily slide or nest with any sieve frame, pan and cover of the same diameter Includes Sieve certificate(s) from the manufacturer showing conformance to ASTM E11 as Inspection Sieve Type No. 14; is traceable by the Sieve serial number; include the date, name and signature of the person certifying to 	

	1		rı
		the Sieve quality; and shall state at a minimum the value for the average aperture size, separately in both the warp and shute direction of the sieve cloth.	
		Electronic Precision Top Loading and	
50	1 unit	 Platform Balances Capacity: 6kgs. Readability: 0.1gm. Pan Dimension: 225x300 dia. 	
51	1 unit	 Laboratory Oven Forced Ventilation, Digital Thermostat High Temperature Uniformity up to 300°C with fluid expansion probe. ASTM C127, C136, D558, D559, D560, D698, D1557, D1559 Forced ventilation or forced air type (with fan to move the air inside the oven) Electrically heated Digital temperature display Thermostatically controlled Stainless Steel interior material Automatic over-temperature alarm At least two (2) removable stainless- steel grating type laboratory oven shelves having a minimum distributed load of 5 kg Minimum of 60 Liters chamber volume Temperature range: 75°C to 250°C or wider range 220-240 V With local calibration showing temperature uniformity of ±1°C or better throughout testing chamber at 110°C, 163°C, 200°C and 250°C 	
52	1 piece	 50mm Three Gang Cube Mould Made from steel, hardness 55 HRB, it can be also used for soil and other materials 	
53	1 piece	 Brass Sieve, 8"x2", sieve no. 20 Sieve cloth shall have no punctures or obvious defects The sieve cloth shall be mounted on a frame without distortion, looseness, or waviness Sieve frames shall be rigid and made of a noncorrosive material such as brass or stainless steel Sieve frame shall have a 8.000 + 0.030 inch (203.2 + 0.76 mm) inside diameter measured at 0.2 in. (5 mm) below the top of the frame Sieve frame shall be 2 inches (50.8 mm) from top of frame to top of sieve cloth Frame bottom shall easily slide or nest with any sieve frame, pan and cover of 	

	1	1	[]
		 the same diameter Includes Sieve certificate(s) from the manufacturer showing conformance to ASTM E11 as Inspection Sieve Type No. 20 (850 µm); is traceable by the Sieve serial number; include the date, name and signature of the person certifying to the Sieve quality; and shall state at a minimum the value for the average aperture size, separately in both the warp and shute direction of the sieve cloth. 	
54	1 piece	 Tamper Oak Wood Nonabsorptive, Nonabrasive and Nonbrittle Material Time of Immersion in Paraffin: 15 mins at approximately 200°C Durometer Hardness: 80±10 Cross-Section: 13 x 25mm Length of Tamper: 120 to 150mm Tamping Face: Flat, Rectangular in shape 	
55	1 unit	 Large Capacity Curing Cabinet ASTM C109, C511 For curing large quantities of mortar, cement and concrete specimens, at controlled humidity and temperature. Aluminium and policarbonate made, it is complete with precision digital thermostat and four shelves Temperature range: from ambient to +30°C, accuracy ± 1°C. The cabinet requires a compressed air source. Accessories: 1 pc. Air Compressor, air displacement: 250 ltrs/min. Tank capacity: 100 ltrs. 1 pc. Air Compressor, air displacement: 400 ltrs/min. Tank capacity: 200 ltrs. 1 pc. Tubing & Accessories to connect the cabinet to the air compressor 1 pc. Pan, 240x300x70mm, polythene made 1 unit Water Refrigerator, it cools the water from room temperature up to +10°C with supply capacity of 2 ltrs. /min. Stainless steel made, complete with motor pump, digital thermostat sens. 0.1°C, it is connected to water baths and tanks where a lower temeprature than the room one is required. Complete with tubing and accessories for bath connection. 	

		Autoslavo Soundaoss (Evransion) of	
		Autoclave Soundness (Expansion) of Portland Cement	
		ASTM C151 AASHTO T107	
		 ASTRICIST AASTROTIO It consist of a high pressure boiler 	
		made from special alloy steel, inside Ø	
		154x430mm high, receiving a holding	
		rack for 10 cement specimens. The	
		heating system is achieved by electric	
		resistances. The separate control panel	
		encloses a digital thermometer to	
		visualize the boiler temperature,	
		pressure gauge scale 0-600 psi with	
		built in pressure regulator and power	
		switches. Supplied complete with rack	
FC	1	for holding the specimens and safety	
56	1 unit	valve	
		Accessories: Moulds for Soundness	
		(Expansion) and Shrinkage Tests	
		1 pc. Standard: ASTM C490, Two Gang Drim Mould, to produce 25x25x250	
		Prism Mould, to produce 25x25x250	
		mm specimens for expansion tests in	
		autoclave. Complete with 4 steel inserts	
		 1 pc. Contact Points stainless steel, spare for moulds. 	
		 1 pc. Length Comparator with Digital 	
		Gauge 12.7mm travel by .001mm	
		divisions mod.	
		• 1 pc. Reference Rod, for	
		25x25x250mm and 75x75x254mm	
		specimens. Standards: ASTM C490	
		Automatic Vicat Apparatus	
		Apparatus Standards: ASTM C187,	
		C191, AASHTO T131	
		Automatic	
		• Weight of movable rod 300 ± 0.5 g	
		Diameter of plunger end of rod 10^{\pm}	
		0.05 mm	
		 Diameter of needle 1 ± 0.05 mm 	
57	1 unit	• Inside diameter of ring at bottom 70 ±	
		3 mm	
		• Inside diameter of ring at top 60 ± 3	
		mm	
		Height of ring 40 ± 1 mm	
		 Graduated scale The graduated scale, when compared with a standard scale 	
		when compared with a standard scale	
		accurate to within 0.1 mm at all points,	
		shall not show a deviation at any point	
		greater than 0.25 mm Muffle Furnace 1100°C Capacity	
		Accessories:	
		 1 pc. Test Plate, metal 440x240x4mm 	
		with 12mm rim	
58	1 unit	1 pc. Support Frame, for metal test	
		plate	
		 1 pc. Plate, fire proof, 445x250x10mm 	
		• 1 pc. Fabric, stainless steel, size	
		- $ -$	<u> </u>

		445x250mm, 2mm cloth aperture
50	1	Beaker, 1000ml
59	1 piece	Borosilicate glass
60	1 piece	 Filter Funnel Borosilicate glass Ø 100mm for particle analysis tests
61	1 piece	Flask, Volumetric with Stopper, 500ml Borosilicate glass
62	1 piece	Stirring Glass Rod • 6mmx300mm long
63	1 piece	Graduated Cylinder, 1000ml Borosilicate glass
64	1 piece	Wash Bottle • 1000ml
65	1 piece	Porcelaine Casserole Dish • 150ml
66	1 piece	Dessicator 210mm dia. with Silica (Dessicant)
67	1 piece	 Filter Paper Medium Retention Textured E832 Type II Quantitative Class F or #40 Ashless
68	1 piece	Sodium Hydroxide • pellets, 500g bottle
69	1 piece	HCL / Hydraucloric Acid • Sp. Gr.=1.18, AR Grade
70	1 piece	 Methyl Red Indicator solid; reagent grade or similar grade or better; with SDS from the manufacturer; with Certificate of Analysis from the manufacturer; GHS compliant labelling; Original manufacturer's container and not repacked.
ADDI • •	Supplier's Servi Training).	

- manufacturer.
 ISO/IEC 17025:2017 or DPWH BRS accredited calibration laboratory and must conduct Calibration of Equipment upon arrival of equipment at the laboratory.
- Brand and Model should be available at the Manufacturer's Website.

TOTAL AMOUNT

We undertake, if our Bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements.

If our Bid is accepted, we undertake to provide a performance security in the form, amounts, and within the times specified in the Bidding Documents.

We agree to abide by this Bid for the Bid Validity Period specified in <u>BDS</u> provision for **ITB** Clause 18.2 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements as per **ITB** Clause 5 of the Bidding Documents.

We likewise certify/confirm that the undersigned, [for sole proprietorships, insert: as the owner and sole proprietor or authorized representative of <u>Name of Bidder</u>, has the full power and authority to participate, submit the bid, and to sign and execute the ensuing contract, on the latter's behalf for the <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>] [for partnerships, corporations, cooperatives, or joint ventures, insert: is granted full power and authority by the <u>Name of Bidder</u>, to participate, submit the bid, and to sign and execute the ensuing contract on the latter's behalf for <u>Name of Project</u> of the <u>Name of the Procuring Entity</u>].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Dated this _____ day of _____ 20____.

[Name & Signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

For Goods Offered From Abroad

.

Name of Bidder _____. Invitation to Bid¹ Number ____. Page _____ of

1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Quantity	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered Duty Unpaid (DDU)	Unit price Delivered Duty Paid (DDP)	Total Price delivered DDP (col 4 x 8)

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

¹ If ADB, JICA and WB funded projects, use IFB.

For Goods Offered From Within the Philippines

Name of Bidder ______. Invitation to Bid² Number _. Page_ of ____.

1	2	3	4	5	6	7	8	9	10
Item	Description	Country	Quantity	Unit price EXW	Transportation	Sales and	Cost of	Total Price,	Total Price
		of origin		per item	and Insurance	other taxes	Incidental	per unit	delivered Final
					and all other	payable if	Services, if	(col 5+6+7+8)	Destination
					costs	Contract is	applicable, per		(col 9) x (col 4)
					incidental to	awarded, per	item		
					delivery, per	item			
					item				

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

² If ADB, JICA and WB funded projects, use IFB.

THIS AGREEMENT made the _____ day of _____ 20____ between [name of PROCURING ENTITY] of the Philippines (hereinafter called "the Entity") of the one part and [name of Supplier] of [city and country of Supplier] (hereinafter called "the Supplier") of the other part:

WHEREAS the Entity invited Bids for certain goods and ancillary services, viz., *[brief description of goods and services]* and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *[contract price in words and figures]* (hereinafter called "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.

2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:

- (a) the Supplier's Bid, including the Technical and Financial Proposals, and all other documents/statements submitted (*e.g.* bidder's response to clarifications on the bid), including corrections to the bid resulting from the Procuring Entity's bid evaluation;
- (b) the Schedule of Requirements;
- (c) the Technical Specifications;
- (d) the General Conditions of Contract;
- (e) the Special Conditions of Contract;
- (f) the Performance Security; and
- (g) the Entity's Notice of Award.

3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract

4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

 Signed, sealed, delivered by ______ the _____ (for the Entity)

 Signed, sealed, delivered by ______ the _____ (for the Supplier).

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[*If a partnership, corporation, cooperative, or joint venture:*] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[*If a sole proprietorship:*] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a corporation or joint venture:*] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.
- **IN WITNESS WHEREOF**, I have hereunto set my hand this ____ day of ____, 20___ at ____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

SUBSCRIBED AND SWORN to before me this ____ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on _____ at ____.

Witness my hand and seal this ____ day of [month] [year].

NAME OF NOTARY PUBLIC

Serial No. of Commission	
Notary Public for	until
Roll of Attorneys No	
PTR No [date issu	ued], [place issued]
IBP No [date issi	ued], [place issued]

Doc. No. _____ Page No. _____ Book No. _____ Series of _____

* This form will not apply for WB funded projects.

To: [name and address of PROCURING ENTITY] [name of Contract]

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends Clause 10 of the General Conditions of Contract to provide for advance payment, *[name and address of Supplier]* (hereinafter called the "Supplier") shall deposit with the PROCURING ENTITY a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of *[amount of guarantee in figures and words]*.

We, the *[bank or financial institution]*, as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the PROCURING ENTITY on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding *[amount of guarantee in figures and words]*.

We further agree that no change or addition to or other modification of the terms of the Contract to be performed thereunder or of any of the Contract documents which may be made between the PROCURING ENTITY and the Supplier, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid and in full effect from the date of the advance payment received by the Supplier under the Contract until [date].

Yours truly,

Signature and seal of the Guarantors

[name of bank or financial institution]

[address]

[date]

BID SECURING DECLARATION FORM

REPUBLIC OF THE PHILIPPINES) CITY OF ______) S.S.

X-----X

BID SECURING DECLARATION Invitation to Bid: [Insert Reference number]

To: [Insert name and address of the Procuring Entity]

I/We³, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - (a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - (b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right;
 - (c) I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

³ Select one and delete the other. Adopt the same instruction for similar terms throughout the document.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this _____ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER'S AUTHORIZED REPRESENTATIVE] [Insert Signatory's Legal Capacity] Affiant

SUBSCRIBED AND SWORN to before me this ____ day of [month] [year] at [place of execution], Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her [insert type of government identification card used], with his/her photograph and signature appearing thereon, with no. _____ and his/her Community Tax Certificate No. _____ issued on _____ at ____.

Witness my hand and seal this ____ day of [month] [year].

NAME OF NOTARY PUBLIC

Serial No. of Com	mission
Notary Public for _	until
Roll of Attorneys I	No
PTR No [date issued], [place issued]
IBP No [e	date issued], [place issued]

 Doc. No. _____

 Page No. _____

 Book No. _____

 Series of _____