



Republic of the Philippines  
DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS  
Tagaran, Cauayan City, Isabela, Region II



Name of Procuring Entity	: DPWH-Isabela Third DEO	Request for Quotation	: 2024-03-0006
Revised on	:	Date	: March 19, 2024
Standard for/Title	: REQUEST FOR QUOTATION	Office/End-User	: DPWH- Isabela Third DEO
Company Name	:		
Company Address	:		
Company Tel. No./Fax No.	:	Tax Identification No.	:

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than **9:00 am on March 22, 2024** in the return envelope attached herewith, to the BAC Secretariat of DPWH-Isabela Third District Engineering Office, Tagaran Cauayan City, Isabela and will be opened immediately after the deadline of submission of quotation.

#### TERMS AND CONDITIONS

- All entries must be typewritten or legibly written.
- Delivery period within **30 CD** upon receipt of the approved funded Purchase Order (PO) Administrative penalties pursuant to Sec.69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason.
- Warranty shall be imposed for minimum of three (3) months for supplies & Materials; one (1) year for Equipment; from date of acceptance by the end-user.
- Price Validity shall be for a period of (60 Calendar days).
- Shall be attached upon submission of quotation:
  - PhilGEPs Registration Certification**
  - Mayor's/Business Permit**
  - DTI**
  - Income/Business Tax Return** (For ABCs above Php500K)
  - Omnibus Sworn Statement** (For ABCs above Php50K and to be submitted prior the issuance of NOA)
- Bidders shall submit original brochures showing certifications of the product.
- Please indicate the brand for each item being offered.
- The approved budget ceiling for this procurement is **Php 219,219.08**.
- Bids submitted thru electronic mail will be accepted and must be sent to: [goodsprocurementitdeo@gmail.com](mailto:goodsprocurementitdeo@gmail.com) not later than the above-mentioned deadline of submission of quotation.

  
**ORLANDO E. AGCAOILI**  
BAC Chairman

Item No.	Items and Descriptions	Qty.	Unit	Price	Total
1	Wireless microphone: 2xhandheld, 100uhf channel frequency, 100-200m range, digital display.	2.00	set		
2	Microphone Cord (50m): microphone cable 2x0.22mm <sup>2</sup> ; flexible PVC-0.22mm <sup>2</sup> conductor cross section (AWG24), ultra-low capacitance 60pF/m, bare copper	1.00	pc.		
3	Microphone stand: powder coated heavy duty steel black tubing material, 940mm min. height, with heavy duty tripod base stand	3.00	pc.		
4	Mono Audio Jack	16.00	pc.		
5	Powered amplifier:CA-30 powered amplifier 2 channel: 8-ohm, 1500wx24 -ohm & 2250wx22-ohm stereo power: 3000wx28-ohm & 4500wx4-ohm Bridge power / Freq.Response: 20Hz-20KHz± 0.3dB THD+N / S/N Ratio: >95dB / Slew Ratio: 35VμS / Damping Factor: >400cross / Stalk: >70dB @ 8Ω 1KHz / Input Sensitivity:0.775V/1.0/1.4 input impedance / Class H Cooling: Airflow from front to rear protection / XLR-F, XLR-M output: 2 red & black binding post indicator panel / Dimension(L*W*H):500x485x88(2U)	1.00	pc.		
6	Speaker 18" 1000W: Subwoofer, double magnet, 4" Vcoil, 28-4500Hz frequency response, 105dB sensitivity, 18"diameter	2.00	pc.		
7	Equalizer: EQ-231s, two 31-band channels of 1/3-octave equalization, ± 12bB input gain, switchable ± 6bB or ± 12bB boost/cut range, 20mm non-conductive	1.00	pc.		

Website: <https://www.dpwh.gov.ph>  
Tel. Nos.: 28023



8	Speal-on-plug: 26mm (1.024") overall diameter, 30A RMS continuous current, higher than 1/4" TS phone connectors, 2-pole twist lock, & XLR connectors for loudspeakers	2.00	pc.		
9	RCA Plug: Gold plated plug with spring strain relief	16.00	pc.		
10	Soldering Lead (210 grams net weight=1roll): 0.6mm dia. Rosin core solder, non-corrosive	1.00	roll		
11	XLR Connector male	10.00	pc.		
12	XLR Connector female	10.00	pc.		
13	Mixer with Bluetooth: 16-channel compact mixer, 12 mic/line 2 stereo input, 3 band EQ, 24 bit 99 DSP digital effect, mute & solo function, phantom power 48V, 2 bus, headphone & foot switch, 2AUX out, Bluetooth/USB/MP3 function	1.00	pc.		
14	Professional mic cord: Wired Microphone, Cardioid Polar Pattern, can reduce the feedback as possible, clear tone quality solid metal structure stable reliable and premuim quality mic type: Dynamic Polar Pattern: Uni Directional Frequency: 40Hz-16KHz Sensitivity: 52db+/-30% @ 1KHz 10 meters Premium Mic Wire Easy Grip	2.00	pc.		
	Purpose:				
	Prospective Suppliers must quote for all items, otherwise, they will be subjected for disqualification.				
	Note: Delivery is at the Office of the Supply Officer				
<b>Grand Total</b>					

Brand Model: \_\_\_\_\_  
 Delivery Period: \_\_\_\_\_

Warranty: \_\_\_\_\_  
 Price Validity: \_\_\_\_\_

After having carefully read and accepted your General Conditions. I/We quote you on the terms at prices note above. If the space for delivery period and price validity are left blank, it means that I concur with the Terms and Conditions specified by DPWH.

\_\_\_\_\_  
 Printed Name over Signature / Date

\_\_\_\_\_  
 Cellphone no.

\_\_\_\_\_  
 E-mail Address

