

## DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

REGIONAL OFFICE NO. IV-A



Canlubang Interchange, Bray, Mayapa, City of Calamba, Laguna

ν,		Carnabarig interestatings, Brgy. Mayapa		BACONG PILIPINAS
Name of Procuring Entity:	:		Request for Quotation (P.R.	No.): 2024-06-0043 (RE-ADVERTISED)
Revised on	:			Date: August 5, 2024
Standard Form/Title	:	REQUEST FOR QUOTATION	Office/End-	User: ADMIN
COMPANY NAME :				
ADDRESS :				
TEL. NO./FAX NO.				TIN:

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than **10:00 A.M.** of **August 12**, **2024** in the return envelope attached herewith.

#### TERMS and CONDITIONS:

- 1. All entries must be typewritten or legibly written.
- 2. Delivery period within (60) sixty Calendar days or upon receipt of the approved funded Purchase Order (P.O). Administrative penalties pursuant to Sec.69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason
- 3. Warranty shall be for a mininum of three (3) months for supplies & materials; one year for Equipment; one (1) year IT Equipment from date of acceptance by the end-user.
- 4. Price validity shall be for a period of sixty (60) calendar days.
- 5. PhilGEPS Registration Certificate/Mayor's Permit/Tax Clearance/Income/Business Tax Return(For ABCs above Php500k)/Omnibus Sworn Statement (For ABCs above Php50k) shall be attached upon submission of the quotation enclosed with Brown Envelope.
  (CERTIFIED TRUE COPY)
- 6. Please indicate the brand for each items being offered.
- 7. In case two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the Department shall adopt and employ "Toss Coin or Draw Lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005
- 8. The approved budget ceiling for this procurement is Php 313,555.00

# SIGNED ATTY. CHERYLL C. ANTONIO-DAVID

Chief, Administrative Division BAC Vice - Chairperson

Item No.	ITEMS & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE
	Conference Camera, Full HD 1080P with noise cancelling microphone				
	Specs:				
	Pixels: 5 megabytes	1			
	Maximum Resolution: 1920x1080				
	with auto Focus				
	Built in Microphone	1			
	Motorized panoramic, tilt and zoom		set		
	10 foot remote control				
_	• 78 degrees vision field				
	Stain of 180 degrees, inclination of 55 degrees				
	Connector of 3.5mm analog headphones				
	• USB 2.0 a				
	8 ft. USB cable				
	8-foot universal power adapter				
ŀ	9-inch extensor rod for camera elevation angle				
	with remote controller  Park HUE Manage Consequence Missage Background Transporters				
	Dual UHF Wireless Gooseneck Microphone Bodypack Transmitter				
ŀ	Specs: • RF Power Output: <10mW				
	Transmit Frequency Stability: <30ppm				
	Dynamic Range: >100dB(a)				
	Frequency Response: 40Hz-20KHz				
	Power: 1.5V batteryx2 Receiver Specs	1			
	Channel: 30x2		set		
	Stray Radiation Suppression: >80dB				
	• Image Rejection: >80dB				
	Working current: <150mA				
	Battery: 18650 Lithium Battery				
	Battery Capacity: 1200mAH				
	Charging Time: 3-4 Hours				
	Working Time: 7-8 Hours				
		Sub	Total A	Amount (1)	
* * *				. ,	8
	Purchase of Audio Equipment for use in Regional Office IV-A	w w w	9 W W W	* * * * * * *	46
Purpose:	Purchase of Audio Equipment for use in Regional Office IV-A				
D	ad Mandal .	A / 4-			
		Warranty		:	
Delivery	Period : Pr	ice Valid	lity	:	
After ha	ving carefully read and accepted your General Conditions. I/We quo	te vou d	on the ite	m(s) at prices po	to ahove If the snace
	very Period, Warranty and Price Validity are left blank, it means that				
	Region IV - A.	i concu	with the	Terris and Con	unons specified by
חמאקע	tegion iv - A.				
	Tel. No.: (049) 3481-02-14 to 15	F	Printed Na	me / Signature / I	Designation / Date
	. ,			ŭ	-
	r4a.procurement@gmail.com				
	DPWH REGION IV-A-Procurement Unit		Tel. No./	Cellphone No. &	E-mail Address



## **DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS**

REGIONAL OFFICE NO. IV-A



Canlubang Interchange, Brgv. Mayapa, City of Calamba, Laguna

		camacang merenange, 2.gy. may	apa, on oalamba, <u>-</u> agana	ACONO FILIFINAS
Name of Procuring Entity:	:		Request for Quotation (P.R. I	No.): (RE-ADVERTISED)
Revised on	1:			Date: August 5, 2024
Standard Form/Title	1:	REQUEST FOR QUOTATION	Office/End-L	Jser: ADMIN
COMPANY NAME	:			
ADDRESS	:			
TEL. NO./FAX NO.	l. I		-	ΓIN :

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 10:00 A.M. of August 12, 2024 in the return envelope attached herewith.

#### TERMS and CONDITIONS:

- All entries must be typewritten or legibly written.
- 2. Delivery period within (60) sixty Calendar days or upon receipt of the approved funded Purchase Order (P.O). Administrative penalties pursuant to Sec.69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason
- 3. Warranty shall be for a mininum of three (3) months for supplies & materials; one year for Equipment; one (1) year IT Equipment from date of acceptance by the end-user.
- 4. Price validity shall be for a period of sixty (60) calendar days.
- 5. PhilGEPS Registration Certificate/Mayor's Permit/Tax Clearance/Income/Business Tax Return(For ABCs above Php500k)/Omnibus Sworn Statement (For ABCs above Php50k) shall be attached upon submission of the quotation enclosed with Brown Envelope. (CERTIFIED TRUE COPY)
- 6. Please indicate the brand for each items being offered.
- 7. In case two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the Department shall adopt and employ "Toss Coin or Draw Lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005
- 8. The approved budget ceiling for this procurement is Php 313,555.00

#### **SIGNED** ATTY. CHERYLL C. ANTONIO-DAVID


Chief, Administrative Division BAC Vice - Chairperson

Dual Wireless Microphone   2 Wireless Channels UHF   2 Microphone inside   USB Charging   3   with Built In Rechargeable Battery   1   set   Frequency Stability: 0.005%   Frequency Response: 50 Hz-20KHz   5/N ratio: >40m   Power Supply: AC 180-220V, 50/60Hz   Professional Powered Two-Way 12-inch PA Loudspeaker   Specs:   System Type: 12-Inch Powered Loudspeaker   Freq Range: -10 50 Hz - 20 kHz (4n) Freq   Range: -3 65 Hz - 17 kHz (4n)   Hor Dispersion: 90° Vert Dispersion: 50°   Power Rating: 2000W Peak / 1000W RNS   AC Power Input: 100 - 230 Vrms 50 - 60Hz   Cooling: Natural Convection / No Fan   LED Indicators: x3 SSM Input Levels and Limit   Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain   Crossover Freq: 2050 Hz   1/O: x2 Combo Inputs and x1 3.5mm Stereo   Jack; x2 XLR Through Out and x1 Mix Out   Sub Total Amount (2)								
2 Microphone inside								
USB Charging     With Built In Rechargeable Battery     Frequency Stability: 0.005%     Frequency Response: 50 Hz-20KHz     S/N ratio: >40m     Power Supply: AC 180-220V, 50/60Hz     Professional Powered Two-Way 12-inch PA Loudspeaker     Specs:     System Type: 12-Inch Powered Loudspeaker     Specs:     System Type: 12-Inch Powered Loudspeaker     Freq Range: -10 50 Hz - 20 kHz (4n) Freq     Range: -3 65 Hz - 17 kHz (4n)     Hor Dispersion: 90° Vert Dispersion: 50°     Power Rating: 2000W Peak / 1000W RMS     AC Power Input: 100 - 230 Vrms 50 - 60Hz     Cooling: Natural Convection / No Fan     LED Indicators: x3 SSM Input Levels and Limit     Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain     Crossover Freq: 2050 Hz     I/O: x2 Combo Inputs and x1 3.5mm Stereo     Jack; x2 XLR Through Out and x1 Mix Out   Sub Total Amount (2)  Sub Total Amount (2)  Sub Total Amount (2)  Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model : Warranty   Price Validity :								
With Built In Rechargeable Battery   Frequency Stability: 0.005%    -Frequency Response: 50 Hz-20KHz								
Frequency Stability: 0.005%     Frequency Response: 50 Hz-20KHz     S/N ratio: >40m     Power Supply: AC 180-220V, 50/60Hz      Professional Powered Two-Way 12-inch PA Loudspeaker     Specs:								
Frequency Response: 50 Hz-20KHz     S/N ratio: > 40m     Power Supply: AC 180-220V, 50/60Hz     Professional Powered Two-Way 12-inch PA Loudspeaker     Specs:     System Type: 12-Inch Powered Loudspeaker     Freq Range: -10 50 Hz - 20 kHz (4n) Freq     Range: -3 65 Hz - 17 kHz (4n)     Hor Dispersion: 90° Vert Dispersion: 50°     Power Rating: 2000W Peak / 1000W RMS     AC Power Input: 100 - 230 Vrms 50 - 60Hz     Cooling: Natural Convection / No Fan     LED Indicators: x3 SSM Input Levels and Limit     Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain     Crossover Freq: 2050 Hz     I/O: x2 Combo Inputs and x1 3.5mm Stereo     Jack; x2 XLR Through Out and x1 Mix Out  Sub Total Amount (2)  Sub Total Amount (2)  Purpose:  Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model     Warranty     Price Validity  Price Validity								
Power Supply: AC 180-220V, 50/60Hz     Professional Powered Two-Way 12-inch PA Loudspeaker     Specs:								
Professional Powered Two-Way 12-inch PA Loudspeaker  Specs:  • System Type: 12-Inch Powered Loudspeaker  • Freq Range: -10 50 Hz - 20 kHz (4n) Freq Range: -3 65 Hz - 17 kHz (4n)  • Hor Dispersion: 90° Vert Dispersion: 50°  • Power Rating: 2000W Peak / 1000W RMS  • AC Power Input: 100 - 230 Vrms 50 - 60Hz  Cooling: Natural Convection / No Fan  • LED Indicators: x3 SSM Input Levels and Limit  • Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain  • Crossover Freq: 2050 Hz  • 1/O: x2 Combo Inputs and x1 3.5mm Stereo  Jack; x2 XLR Through Out and x1 Mix Out  Sub Total Amount (2)  Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model  ———————————————————————————————————								
Specs:  System Type: 12-Inch Powered Loudspeaker  Freq Range: -10 50 Hz - 20 kHz (4n) Freq Range: -3 65 Hz - 17 kHz (4n)  Hor Dispersion: 90° Vert Dispersion: 50°  Power Rating: 2000W Peak / 1000W RMS  AC Power Input: 100 - 230 Vrms 50 - 60Hz  Cooling: Natural Convection / No Fan  LED Indicators: x3 SSM Input Levels and Limit  Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain  Crossover Freq: 2050 Hz  I/O: x2 Combo Inputs and x1 3.5mm Stereo  Jack; x2 XLR Through Out and x1 Mix Out  Sub Total Amount (2)  Brand and Model  Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model  Delivery Period  Warranty  Price Validity								
System Type: 12-Inch Powered Loudspeaker Freq Range: -10 50 Hz - 20 kHz (4n) Freq Range: -3 65 Hz - 17 kHz (4n) Hor Dispersion: 90° Vert Dispersion: 50° Power Rating: 2000W Peak / 1000W RMS AC Power Input: 100 - 230 Vrms 50 - 60Hz Cooling: Natural Convection / No Fan LED Indicators: x3 SSM Input Levels and Limit Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain Crossover Freq: 2050 Hz I/O: x2 Combo Inputs and x1 3.5mm Stereo Jack; x2 XLR Through Out and x1 Mix Out  Sub Total Amount (2)  Sub Total Amount (2)  Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model  Delivery Period  Price Validity								
Freq Range: -10 50 Hz - 20 kHz (4n) Freq Range: -3 65 Hz - 17 kHz (4n)     Hor Dispersion: 90° Vert Dispersion: 50°     Power Rating: 2000W Peak / 1000W RMS     AC Power Input: 100 - 230 Vrms 50 - 60Hz     Cooling: Natural Convection / No Fan     LED Indicators: x3 SSM Input Levels and Limit     Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain     Crossover Freq: 2050 Hz     I/O: x2 Combo Inputs and x1 3.5mm Stereo     Jack; x2 XLR Through Out and x1 Mix Out      Sub Total Amount (2)  Brand and Model  Furpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model  Period  Price Validity								
Range: -3 65 Hz - 17 kHz (4n)  Hor Dispersion: 90° Vert Dispersion: 50°  Power Rating: 2000W Peak / 1000W RMS  AC Power Input: 100 - 230 Vrms 50 - 60Hz  Cooling: Natural Convection / No Fan  LED Indicators: x3 SSM Input Levels and Limit  Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain  Crossover Freq: 2050 Hz  I/O: x2 Combo Inputs and x1 3.5mm Stereo  Jack; x2 XLR Through Out and x1 Mix Out  Sub Total Amount (2)  Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model  Delivery Period: Warranty  Price Validity								
Hor Dispersion: 90° Vert Dispersion: 50° Power Rating: 2000W Peak / 1000W RMS AC Power Input: 100 - 230 Vrms 50 - 60Hz Cooling: Natural Convection / No Fan LED Indicators: x3 SSM Input Levels and Limit Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain Crossover Freq: 2050 Hz I/O: x2 Combo Inputs and x1 3.5mm Stereo Jack; x2 XLR Through Out and x1 Mix Out  Sub Total Amount (2)  Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model  Delivery Period:  Warranty Price Validity:								
• Power Rating: 2000W Peak / 1000W RMS • AC Power Input: 100 - 230 Vrms 50 - 60Hz Cooling: Natural Convection / No Fan • LED Indicators: x3 SSM Input Levels and Limit • Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain • Crossover Freq: 2050 Hz • I/O: x2 Combo Inputs and x1 3.5mm Stereo Jack; x2 XLR Through Out and x1 Mix Out   Sub Total Amount (2)   © © © © © © © Outputs of Audio Equipment for use in Regional Office IV-A  Brand and Model : Warranty  Delivery Period : Price Validity								
AC Power Input: 100 - 230 Vrms 50 - 60Hz Cooling: Natural Convection / No Fan LED Indicators: x3 SSM Input Levels and Limit Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain Crossover Freq: 2050 Hz I/O: x2 Combo Inputs and x1 3.5mm Stereo Jack; x2 XLR Through Out and x1 Mix Out  Sub Total Amount (2)  Sub Total Amount (2)  Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model  Delivery Period:  Price Validity								
AC Power Input: 100 - 230 Vrms 50 - 60Hz     Cooling: Natural Convection / No Fan								
• LED Indicators: x3 SSM Input Levels and Limit • Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain • Crossover Freq: 2050 Hz • I/O: x2 Combo Inputs and x1 3.5mm Stereo Jack; x2 XLR Through Out and x1 Mix Out   Sub Total Amount (2)   © © © © © © © © Outputs of Audio Equipment for use in Regional Office IV-A  Brand and Model : Warranty  Delivery Period : Price Validity								
• Input Impedence: 100K Ω Balanced Input Gain: 0 - 36 dB Gain  • Crossover Freq: 2050 Hz  • I/O: x2 Combo Inputs and x1 3.5mm Stereo  Jack; x2 XLR Through Out and x1 Mix Out   Sub Total Amount (2)   • Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model : Warranty  Delivery Period : Price Validity								
Crossover Freq: 2050 Hz     I/O: x2 Combo Inputs and x1 3.5mm Stereo     Jack; x2 XLR Through Out and x1 Mix Out      Sub Total Amount (2)      Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model : Warranty  Delivery Period : Price Validity  Price Validity								
• I/O: x2 Combo Inputs and x1 3.5mm Stereo  Jack; x2 XLR Through Out and x1 Mix Out    Sub Total Amount (2)								
Jack; x2 XLR Through Out and x1 Mix Out  Sub Total Amount (2)  Sub Total Amount (2)  Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model : Warranty  Delivery Period : Price Validity								
Sub Total Amount (2)           © 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0								
Purpose: Purchase of Audio Equipment for use in Regional Office IV-A  Brand and Model : Warranty : Delivery Period : Price Validity								
Purpose:       Purchase of Audio Equipment for use in Regional Office IV-A         Brand and Model       :       Warranty       :         Delivery Period       :       Price Validity       :	Sub Total Amount (2)							
Brand and Model : Warranty :  Delivery Period : Price Validity :								
Delivery Period : Price Validity :								
Delivery Period : Price Validity :								
,,	•							
After having carefully read and accepted your General Conditions. I/We quote you on the item(s) at prices note all for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditor DPWH Region IV - A.								
Tel. No.: (049) 3481-02-14 to 15 Printed Name / Signature / Designation / Date								
r4a.procurement@gmail.com								
DPWH REGION IV-A-Procurement Unit  Tel. No./Cellphone No. & E-ma	nail Address							



## DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

REGIONAL OFFICE NO. IV-A





V <sub>1</sub>	_	- C	aniubang interchange, bigy. Mayapa, C		GONG PILIPINAS
Name of Procuring Entity	: :			Request for Quotation (P.R. N	2024-06-0043 D.): (PE ADVERTISED)
<b>.</b>	-				(KL-ADVLKTISLD)
Revised on	:			Da	te: August 5, 2024
Standard Form/Title	1:	F	REQUEST FOR QUOTATION	Office/End-Us	er: ADMIN
COMPANY NAME					
ADDRESS					
TEL. NO./FAX NO.				TI	N :

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 10:00 A.M. of August 12, 2024 in the return envelope attached

#### TERMS and CONDITIONS:

- 1. All entries must be typewritten or legibly written.
- 2. Delivery period within (60) sixty Calendar days or upon receipt of the approved funded Purchase Order (P.O). Administrative penalties pursuant to Sec.69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason
- 3. Warranty shall be for a mininum of three (3) months for supplies & materials; one year for Equipment; one (1) year IT Equipment from date of acceptance by the end-user.
- 4. Price validity shall be for a period of sixty (60) calendar days.

  5. PhilGEPS Registration Certificate/Mayor's Permit/Tax Clearance/Income/Business Tax Return(For ABCs above Php500k)/Omnibus Sworn Statement (For ABCs above Php50k) shall be attached upon submission of the quotation enclosed with Brown Envelope. (CERTIFIED TRUE COPY)
- 6. Please indicate the brand for each items being offered.
- 7. In case two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the Department shall adopt and employ "Toss Coin or Draw Lots" as the tie-breaking method to finally determine the single winning provider in accordance with GPPB Circular 06-2005
- 8. The approved budget ceiling for this procurement is Php 313,555.00

#### SIGNED ATTY. CHERYLL C. ANTONIO-DAVID


Chief, Administrative Division BAC Vice - Chairperson

Item No.	ITEMS & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE		
	Stereo Professional Mixer						
	Specs:						
	8 channels with XLR and Line inputs.						
	• 48V phantom power.						
	With USB MP3 input interface and LCD.						
	Every channel has PEL switch.	1	unit				
	Headset monitoring, recording, and stereo equipments output jacks.						
ŀ	High, Mid and Low 3-bands equalizer.						
ŀ	Each channel has Aux, Effect, Gain, Channel     The channel has Aux and Bank in disable.						
	Fader knobs and Peak indicator.	_					
	Return and Send jacks to connect kinds of effects from outside.      Condenses Microphone						
-	Condenser Microphone	_					
	Specs:  Transducer Principle: True Condenser	_					
	Transducer Principle: True Condenser     Directivity Characteristic: Cardioid						
	Frequency Response: 20Hz-20kHz	_					
	• Sensitivity: -35dB±2dB (0dB=1V/Pa at 1kHz)	_					
	• Output Impedance: 200Ω±30% (at 1kHz)	_					
	• Load Impedance: ≥1000Ω	- 8	unit				
	• Equivalent Noise Level: ≤20dB A (IEC 581-5)	_					
		_					
	• Max. Input SPL: 130dB (THD ≤1.0% at 1kHz)						
ŀ	140dB (with 10dB pad)						
	Bass Filter: 10dB/octave at 100Hz						
	Power Requirements: 48V DC Phantom Power						
	Body Dimensions: Ø22 x 145mm						
	Heavy duty microphone tripod						
7	Materail: All Metal	- 8	unit				
,	Adjust Height Clutch Control	0	unic				
	with Mic Holder						
		0.1	T. 4.1.1	(0)			
	Sub Total Amount (3)						
8 8 8		0 00 00	8 8 8	)			
Purpose:	Purchase of Audio Equipment for use in Regional Office IV-A						
Brand ar	nd Model :	Warranty	,				
		-					
Delivery	Period :	Price Valid	ity	:			
	ving carefully read and accepted your General Conditions. I/We q						
	rery Period, Warranty and Price Validity are left blank, it means the	at I concui	r with the	Terms and Con	ditons specified by		
DPWH F	Region IV - A.						
	Tel. No.: (049) 3481-02-14 to 15	F	Printed Na	me / Signature / [	Designation / Date		
	r4a.procurement@gmail.com			<b>5</b>	•		
	DPWH REGION IV-A-Procurement Unit		Tel No	/Cellphone No. &	F-mail Address		
			. 01. 140./	Compriorio 110. G	_ man / idd/ ood		



## **DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS**

REGIONAL OFFICE NO. IV-A





		Canlubang Interchange, Brgy. Mayapa,	City of Calamba, Laguna	BAGONG PILIPINAS
Name of Procuring Entity:	:		Request for Quotation (P.R.	No.): 2024-06-0043 (RE-ADVERTISED)
Revised on	:			Date: August 5, 2024
Standard Form/Title	:	REQUEST FOR QUOTATION	Office/End-	User: ADMIN
COMPANY NAME	:			
ADDRESS	:			

Please quote your lowest price on the item(s) listed below, subject to the Terms and Conditions stated below and submit your quotation duly signed by your representative not later than 10:00 A.M. of August 12, 2024 in the return envelope attached herewith.

#### TERMS and CONDITIONS:

TEL. NO./FAX NO.

- 1. All entries must be typewritten or legibly written.
- 2. Delivery period within (60) sixty Calendar days or upon receipt of the approved funded Purchase Order (P.O). Administrative penalties pursuant to Sec.69 of the Revised IRR-RA 9184 shall be imposed for non-delivery without valid reason
- 3. Warranty shall be for a mininum of three (3) months for supplies & materials; one year for Equipment; one (1) year IT Equipment from date of acceptance by the end-user.
- 4. Price validity shall be for a period of sixty (60) calendar days.
- 5. PhilGEPS Registration Certificate/Mayor's Permit/Tax Clearance/Income/Business Tax Return(For ABCs above Php500k)/Omnibus Sworn Statement (For ABCs above Php50k) shall be attached upon submission of the quotation enclosed with Brown Envelope. (CERTIFIED TRUE COPY)
- 6. Please indicate the brand for each items being offered.

accordance with GPPB Circular 06-2005

- 7. In case two or more bidders are determined to have submitted the Lowest Calculated Quotation/Lowest Calculated and Responsive Quotation, the Department shall adopt and employ "Toss Coin or Draw Lots" as the tie-breaking method to finally determine the single winning provider in
- 8. The approved budget ceiling for this procurement is **Php 313,555.00**

#### **SIGNED** ATTY. CHERYLL C. ANTONIO-DAVID

TIN:

Chief, Administrative Division BAC Vice - Chairperson

Item No.	ITEMS & DESCRIPTION	QTY.	UNIT	UNIT PRICE	TOTAL PRICE				
	Digital voice recorder with usb								
	Built-in memory: 4 GB internal memory								
	expandable to 32 GB with micro SD								
	S-microphone system records distant or quiet sounds clearly								
8	Focus and Wide-Stereo recording captures the voices you want to hear	6	unit						
	Auto voice recording reduces background noise								
	Built-in USB connector makes transferring files easy								
	• input and output teminals: [PC I/F] Hi-Speed								
	USB [Input] Stereo Mic-in jack [Output] Stereo Earphone jack								
		Sul	b Total A	mount (1)					
		Sul	b Total A	mount (2)					
		Sul	b Total A	mount (3)					
Sub Total Amount (4)									
Total Amount									
⊕ ⊕ €									
Purpose:	Purchase of Audio Equipment for use in Regional Office IV-A								
	Terential Control Cont								
Brand a	nd Model :	Warrant	V						
			,		<del></del>				
Delivery	Delivery Period : Price Validity :								
After having carefully read and accepted your General Conditions. I/We quote you on the item(s) at prices note above. If the space for Delivery Period, Warranty and Price Validity are left blank, it means that I concur with the Terms and Conditons specified by DPWH Region IV - A.									
	Tel. No.: (049) 3481-02-14 to 15	Printed Na	me / Signature / I	Designation / Date					
	r4a.procurement@gmail.com								
	DPWH REGION IV-A-Procurement Unit  Tel. No./Cellphone No. & E-mail Address								