

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS METRO MANILA 2ND DISTRICT ENGINEERING OFFICE

Dr. A. Santos Ave. cor. West Service Access Road, Sucat, Parañaque City

TEAM NCR-03
DPWH-MM2ndDEO
RECEIVED

No observation and extended an experience of the contract of t

BACOMORUUMIS

Appendik 61 PURCHASE ORDER 2025-06-0019 P.O. No.: **GLL 818 CONSUMER GOODS TRADING** Supplier: 06/24/2025 Date: Address: #48 Zone 1, Santo Domingo Camaligan, Camarines Sur Tel No. 0919-0819117 601-638-802-00000 TIN: Small Value Procurement Mode of Procurement: Email Add: under Sec.53.9 of IRR of R.A. 9184

Gentlemen:

NOTE:

lace of Delive		sh this Office the following articles subject to the terms and conditions contained he MMIIDEO Supply & Property Mgt. Unit	Delivery Term:	w/in forty-five Working Days upon		
ate of Delive	ry:			receipt of Approved P.O		
		1	Payment Term:	Charge Account		
Stock / Property No.	Unit	Description	Quantity	Unit Cost	Amount	
	liter	Fully Synthetic Diesel Engine Oil	26	1,085.00	28,210.00	
	liter	Fully Synthetic Gasoline Engine Oil	20	1,240.00	24,800.00	
	_set	Acetyline Welding & Cutting Outfit Set	1	29,600.00	29,600.00	
	tank	Oxygen Tank w/ Content (minimum 50lbs)	2	13,850.00	27,700.00	
l l	tank	Acetyline Tank w/ Content (min. 50lbs)	2	15,800.00	31,600.00	
	can	Brake Parts Cleaning Spray (min.450ml)	25	485.00	12,125.00	
		Non-Chlorinated	E			
	can	WD40 (min.333ml)	25	270.00	6,750.00	
	pails	Hydraulic Oil	· 15	7,480.00	112,200.00 \	
	can	Throttle Body & Mass Air Flow Sensor Cleaner (min. 400ml)	25	370.00	9,250.00	
	can	Car Aircon Cleaner (min. 500ml)	25	350.00	8,750.00	
	xod	Grinding Disc 100mm (25 pcs per box)	2	745.00	1,490.00	
	pcs.	1/2" Drive Torque Wrench (Heavy Duty)	2	9,150.00	18,300.00	
		Click Type				
		Capacity (minimum): 40-200Nm				
	set	1/2" Drive Deep Socket Set	2	7,950.00	15,900.00~	
		Inclusions (min.)				
		1 pc. Flexible Handle 15"				
*		15 pcs. Deep Socket, 10-24mm				
		With Carrying Case				
	set	3/4" Drive Impact Socket Wrench Set	2	14,850.00	29,700.00	
		Inclusions (min).:				
		Quick release ratchet handle 20"				
		1 pc. Sliding Tee Handle 18"				
		2 pcs. Socket Extension Bar 4" x 8"				
		13 pcs. Impact Socket 19, 21, 22, 23, 24, 27, 30, 32, 36, 41, 46, 50mm With Carrying Case				
		Supply and Delivery of Equipment & Lubrican		Stand Page - 1	Consideration of Page	

Supply and Delivery of Equipment & Lubricants for the use of Land Based Equipment of DPWH MM2DEO, Parañaque City, Metro Maniia.

page 1 of 5



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS METRO MANILA 2ND DISTRICT ENGINEERING OFFICE Dr. A. Santos Ave. cor. West Service Access Road, Sucat, Parañaque City



BAGONG PILIPINAS

page 2 of 5

		PURCHASE ORI	DER			
upplier:		L8 CONSUMER GOODS TRADING	P.O. No.: 2025-06-00)19	
iddress:		ne 1, Santo Domingo Camaligan, Camarines Sur	Date:	06/24/2025		
el No. IN:	0919-08	3-802-00000	_			
mail Add:	001-030	00200000	Mode of Proce	rement.	Small Value Procuremen	
			1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		under Sec.53.9 of IRR of	
					R.A. 9184	
entlemen:	Planca fura	ich this Office the following extistes subject to the house and an illinois to the	h a continu			
ace of Deliv		ish this Office the following articles subject to the terms and conditions contained MMIIDEO Supply & Property Mgt. Unit	Delivery Term:	w/in forty-five Work	ing Days upon	
ate of Deliv	ery:			receipt of Approved P.O.		
Stock /	1	T	Payment Term:	Charge Account		
roperty No.	Unit	Description	Quantity	Unit Cost	Amount	
	unit	Portable Tire Inflator (Rechargeable)	2	4,900.00	9,800.00	
		SPECS (min.):		1,500.00	3,000,000	
		Inflation pressure range: 0-2-10.3 bar/3-				
		150psi				
	\$	Battery: 2000mAh*2 lithium batteries				
		(14,4Wh)				
		Charging port: Type-C				
		Input 5V 2A				
	}	Sensor accurancy: ± 1psi				
		Working Temperature: 10°C-45°C				
		With storage bag				
					*	
	unit	Wet & Dry Vacuum Cleaner	2	7,950.00	15,900.00 <	
	1	SPECS (min.): Input Power: 1000W				
		VoltageL 220V-240V - 50/60Hz				
		Dust Capacity: 15L				
		Suction Hose Diameter: 32mm				
		Suction Hose Length: 1.5m				
		Wet & Dry Cleaning				
	1	Inclusions: 1 set Pastic tube (3pcs), 1 pc				
		Foam Filter				
		1 pc Crevice Tool, 1 pc Dust Collecting Cloth	,			
		Bag				
	}	1 pc Dust Grid				
		2 in 1 TIG/MMA Portable Inverter Welding		22 750 00	44 500 00	
	unit	Machine	2	20,750.00	41,500.00	
		SPECS (min.): Input Voltage: 220-240V				
		Frequency: 50/60Hz				
		TIG Output Current A: 15-160				
		MMA Output Current A: 15-140				
		TIG No-Load Voltage: 85V				
		MMA No-Load Voltage: 85V				
		MMA Electrode Diameter: 1.6-4.0mm				
		Supply and Delivery of Equipment & Lubrican	te for the use	of Land Passal	Engriphmenne me enemal	
1.0	NOTE:	MM2DEO, Parañag			referefatterente en eng. 60	



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS

METRO MANTLA 2ND DISTRICT ENGINEERING OFFICE Dr. A. Santos Ave. cor. West Service Access Road, Sucat, Parañaque City



Gentlemen: Please furnish this Office the following articles subject to the terms and conditions contained herein: Please of Delivery: Date of Delivery: Wini forty-five Working Days upon receipt of Approach Term: Wini forty-five Working Days upon Teached P.O. Charge Account Unit Cost Unit	West of the second		PURCHASE ORD	ER			
The No. 1993-0819117 GOT-638-802-000000 Gentleman: Please of Delibery: Please formish title Office the following strides subject to the towns and conditions contained herein: Please of Delibery: Statick / Property Mg. Unit Description With 1 pc. Electrode Holder with Cable With 1 pc. TIG Gun Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detechable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder	Supplier:	GLL 81			2025-06-0019		
Mode of Procurement: Small Value Prounder Sec. 53.9 RA. 510				Date:	06/24/2025		
Gerdientees: Please formish this Office the following actists subject to the borns and conditions contained herein: Please of Delivery: MRITIDEO Supply & Property Mgt. Unit Date of Delivery: MRITIDEO Supply & Property Mgt. Unit Date of Delivery: MRITIDEO Supply & Property Mgt. Unit Date of Delivery: MRITIDEO Supply & Property Mgt. Unit Date of Delivery: MRITIDEO Supply & Property Mgt. Unit Date of Delivery: MRITIDEO Supply & Property Mgt. Unit Date of Delivery: MRITIDEO Supply & Property Mgt. Unit Description Payment Term: Mrith 1 pc. Electrode Holder with Cable With 1 pc. Earth Clamp with Cable With 1 pc. Helmet With 1 pc. TIG Gun Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000 prm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual Brushless Cordiess Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder	1						
Corribonation Corribonatio Corribonation Corribonation Corribonation Corribonation		001-030-	802-00000	Mode of Procu	rement:	Small Value Procurement	
Gentlemen: Place of Delivery: Place of Delivery: Date of Delivery: Description With 1 pc. Electrode Holder with Cable With 1 pc. Helmet With 1 pc. Helmet With 1 pc. Helmet With 1 pc. TIG Gun Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max: 1.5/13mm With Charger 23-piece Drilling and Screwdriving Bit Set with Holder						under Sec.53.9 of IRR of	
Presse formient this office the following and denditions outsided herein: Date of Delivery: Milliped Supply & Property Mg. Unit Delivery Term: Payment Term: Stock / Property Mo. Unit Description Quantity Unit Cox Amount						R.A. 9184	
Piloce of Delivery: Date of Delivery: Description Slock / Property No. With 1 pc. Electrode Holder with Cable With 1 pc. Electrode Holder with Cable With 1 pc. Helmet With 1 pc. TIG Gun Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soff/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder		Please fornis	b this Office the following articles subject to the terms and conditions contained by	erein:			
Stack / Description					w/in forty-five Work	ring Days upon	
Stock/ Property No. With 1pc. Electrode Holder with Cable With 1 pc. Earth Clamp with Cable With 1 pc. Wire Brush With 1 pc. TIG Gun unit Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Dlameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-lon Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder	Date of Delive	ery:		Bayes ant Tarmi		P.O.	
With 1pc. Efectrode Holder with Cable With 1 pc. Earth Clamp with Cable With 1 pc. Wire Brush With 1 pc. Helmet With 1 pc. TIG Gun unit Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-1900rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder	Stock /				T	Amount	
With 1 pc. Earth Clamp with Cable With 1 pc. Wire Brush With 1 pc. Helmet With 1 pc. TIG Gun Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Dlameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder		Unit		Quantity	Unit Cost	Amount	
With 1 pc. Wire Brush With 1 pc. Helmet With 1 pc. TIG Gun unit Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordiess Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			With 1pc. Electrode Holder with Cable				
With 1 pc. Helmet With 1 pc. TIG Gun unit Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-lon Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			With 1 pc. Earth Clamp with Cable				
With 1 pc. TIG Gun unit Hand Grinder SPECS (min.): Input Power: 710W Voitage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder	Ne		With 1 pc. Wire Brush				
With 1 pc. TIG Gun unit Hand Grinder SPECS (min.): Input Power: 710W Voitage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			With 1 pc. Helmet				
unit Hand Grinder SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder							
SPECS (min.): Input Power: 710W Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder		unit		4	4 050 00	19,800.00	
Voltage: 220-240V - 50/60Hz No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder		CHIL			4,550.00	25/000100	
No-Load Speed: 12,000rpm Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual Unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder							
Disc Diameter: 100mm (4") Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder							
Detachable Dust Cover Auxiliary Handle With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder					Ì		
Auxiliary Handle With Safety Switch With Warranty Card & User Manual Unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			1				
With Safety Switch With Warranty Card & User Manual unit Brushless Cordless Impact Drill 4 19,750.00 79,000 SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			A CONTROL OF THE CONT				
With Warranty Card & User Manual unit Brushless Cordless Impact Drill SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			Auxiliary Handle				
unit Brushless Cordless Impact Drill 4 19,750.00 79,000 SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder	1		With Safety Switch				
SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			With Warranty Card & User Manual		į		
SPECS (min.): Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder		unit	Brushless Cordless Impact Drill	4	19.750.00	79,000.00-	
Battery Capacity: 2Ah Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0 19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			SPECS (min.):		1		
Battery Voltage: 18.0V Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder							
Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder							
No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			, -				
19000rpm Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder							
Max Impact Rate: 27,000bpm Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder			· · · · · · · · · · · · · · · · · · ·				
Battery Type: Litium-ion Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder	1		provided and any contract the property				
Chuck Capacity, Min./Max.: 1.5/13mm With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder						9	
With 2x Battery 18V, 2.0Ah With Charger 23-piece Drilling and Screwdriving Bit Set with Holder							
With Charger 23-piece Drilling and Screwdriving Bit Set with Holder							
23-piece Drilling and Screwdriving Bit Set with Holder							
Holder			With Charger				
			23-piece Drilling and Screwdriving Bit Set with				
Carrying Case							
			Carrying Case				
Supply and Delivery of Equipment & Lubricants for the use of Land Based Equipment of			Currie and Palivors of Kassimmont 2. I shekara	 s for the use	 of Land Bases	 Equipment of DPW#	
MOTE: MMZDEO, Parañaque City, Metro Manila.		NOTE:				familiar	
		1	I was a source on an A in a real part and a real	-,,		page 3 of 5	



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS METRO MANILA 2ND DISTRICT ENGINEERING OFFICE Dr. A. Santos Ave. cor. West Service Access Road, Sucat, Parañaque City



BAGONG PILIPINAS

		PURCHASE ORD	ER		
Supplier:		18 Consumer goods trading	P.O. No.:	2025-06-001	9
iddress:	#48 Zo	ne 1, Santo Domingo Camaligan, Camarines Sur	Date:	06/24/2025	
el No. IN:	0919-0				
mail Add:	601-638-802-00000				
			Mode of Procu	urement:	Small Value Procuren
					under Sec.53.9 of IRF R.A. 9184
entlemen:	Diagram Com				
ace of Deliv	rerv:	hish this Office the following articles subject to the terms and conditions contained he MMIIDEO Supply & Property Mgt. Unit			
ate of Delive		Three days a reperty right onit	Delivery Term:	w/in forty-five Work receipt of Approved	
	 		Payment Term:	Charge Account	F.U.
Stock / roperty No.	Unit	Description	Quantity	Unit Cost	Amount
operty No.		Multi-Purpose Aluminum Folding Steps Ladder			Amount
	unit	4x4	1	10,800.00	10,800.00 ~
1				, , , , , , , , , , , , , , , , , , , ,	20,000,00
		SPECS (min.):		1	
- 1		Material: Aluminum			
		Surface Finish: Oxidation			
		No. of Steps: 4 x 4			
.		Step Rise: 28cm			
		Total Length: 475cm			
		Step Ladder Height: 228cm			
		Scaffold Height: 130cm			
		Fold Height: 127cm			
		Fold Width: 37cm			
		Max: Load: 150kg			
		With 2 pcs. Scaffold Plates			
1					
-	unit	Multi-Purpose Aluminum Folding Steps Ladder 4x3	1	7,950.00	7,950.00~
				,	7,200.00
		SPECS (min.): Material: Aluminum			
1				1	
		Surface Finish: Oxidation			
		No. of Steps: 4 x 3			
		Step Rise: 27cm			
		Total Length: 336cm		1	
1		Step Ladder Height: 162cm			
- 1					
		Scaffold Height: 91cm			
		Fold Height: 91cm			
		Fold Width: 35cm			
		Max: Load: 150kg			
		With 2 pcs. Scaffold Plates		j	
		F			
	NOTE:	Supply and Delivery of Equipment & Lubricants	for the use c	i of Land Based F	quipment of DPW
- 1	ACLO A dos	MM2DEO, Parañaque			E F man and man a sect. E ;



Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS METRO MANILA 2ND DISTRICT ENGINEERING OFFICE Dr. A. Santos Ave. cor. West Service Access Road, Sucat, Parañaque City



BAGONG PILIPINAS · Appendix 61

		PURCHASE ORE	DER			
Supplier:		8 CONSUMER GOODS TRADING	P.O. No.:	2025-06-001	9	
Address:	#48 Zon	e 1, Santo Domingo Camaligan, Camarines Sur	Date:	06/24/2025		
Tel No.	0919-08:	19117				
TIN:	601-638	-802-00000				
Email Add:			Mode of Procu	rement:	Small Value Procurement	
Ì					under Sec.53.9 of IRR of	
					R.A. 9184	
Gentlemen:						
		sh this Office the following articles subject to the terms and conditions contained				
Place of Deliv	9509/AB/ C-	MMIIDEO Supply & Property Mgt. Unit	Delivery Term:	w/in forty-five Work		
Date of Deliv	ery:		-	receipt of Approved	P.O.	
	1		Payment Term:	Charge Account		
Stock / Property No.	Unit	Description	Quantity	Unit Cost	Amount	
Tropercy 180.	· · · ·	Soldering Station	-	0.000.00	0.000.00	
	unit)	1	9,900.00	9,900.00	
ĺ	į	SPECS (min.):				
		Power Input: 220-240V				
		Hot Air Power: 700W		Ì		
	ĺ	Soldering Power: 60W				
		Hot Air Temperature Range: 100-500°C				
	1					
	1	Soldering Temperature Range: 200-480°C				
		Digital Display: LED				
	1	Hot Air Volume: 120L/Min. (Max)				
		Equipment Noise: <45dB				
		Temperature Range: 200°C-500°C				
	1	Heating Element: Plug-in Heating Element				
				l l		
	pcs.	3/4" Drive Flexible Power Handle (Heavy	2	5,900.00	11,800.00	
		[Duty]		3,500.00	11,000.00	
		-x-x-x-x-x-x-x-x-x-x-x-x	1		,	
-	NOTE:	Supply and Delivery of Equipment & Lubricant			Equipment of DPWH	
	1200 3 346	MM2DEO, Parañaq	ue City, Metro	The second secon		
	<u> </u>			TOTAL:	562,825.00 \	
(Total Ame		ords) FIVE HUNDRED SIXTY-TWO THOUSAND EIGHT HUI			Y	
6		f failure to make the full delivery within the time specified above,	a penalty of (1/10) or one percent		
for every da	ly or detay	shall be imposed.				
	Conform	ne ·	Very truly your	·s. 8		
			, , ,	-, /i	,	
		1		\ /	/	
		gulaga	•	\ [
		GIV Q, O LANDO 312		RUŖŸ.Hréį		
		Signature over Printed Name of Supplier	Signatur		a of Authorited Official	
		06/26/2018		District En		
		Date		Designat	ion	
Fund Clus	in a	011055765	OPS/RHPS No	. 011055652	025-06-00028	
Funds Ava		M 2525-07-009897		:5/BURS: 6		
I SHOO PLUC		Chr. Sec. 201	1 ~		1	
			Amount:	562,825.0	ØØ	
				7		
		(15-				
		RAQUELAZ)GUTTERREZ	-		*	
1		Accountant III				
1					page 5 of 5	







Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS National Capital Region METRO MANILA 2nd DISTRICT ENGINEERING OFFICE Dr. A. Santos Ave. Cor., West Service Access Road, Sucat, Parañague City



PURCHASE REQUEST

Entity Name: Metro Manila 2nd District Engineering Office

Fund Cluster: _


		P.R. No. 2025-05-0073 Responsibility Center Code:			
tock / operty No.	Unit	ITEM / DESCRIPTION	Quantity	UNIT COST	TOTAL COST
.,,,,	' liter	Fully Synthetic Diesel Engine Oil	26	1,100.00	28,600.00
	liter	Fully Synthetic Gasoline Engine Oil	20	1,250.00	25,000.00
	set	Acetyline Welding & Cutting Outfit Set	1	30,124.22	30,124.22
	tank	Oxygen Tank w/ Content (minimum 50lbs)	2	14,000.00	28,000.00
	tank	Acetyline Tank w/ Content (min. 50lbs)	2	16,000.00	32,000.00
	2000000	Brake Parts Cleaning Spray (min.450ml)	25	490.00	12,250.00
	can	Non-Chlorinated			
		WD40 (min.333ml)	25	275.00	6,875.00
	can	I s	15	7,500.00	112,500.00
	pails	Hydraulic Oil Throttle Body & Mass Air Flow Sensor Cleaner (min. 400ml)	25	375.00	9,375.00
	can	- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	25	355.00	8,875.00
	can	Car Aircon Cleaner (min. 500ml)		750.00	1,500.00
	kox	Grinding Disc 100mm (25 pcs per box)	2 2		18,400.00
	pcs.	1/2" Drive Torque Wrench (Heavy Duty)	2	9,200.00	10,400.00
		Click Type		1	
		Capacity (minimum): 40-200Nm	-	0.000.00	16,000.00
	set	1/2" Drive Deep Šockèt Set	2	8,000.00	10,000.00
		Inclusions (min.)			
		1 pc. Flexible Handle 15"			
		15 pcs. Deep Socket, 10-24mm			
		With Carrying Case			22 222 22
	set	3/4" Drive Impact Socket Wrench Set	2	15,000.00	30,000.00
		Inclusions (min).:			
		Quick release ratchet handle 20"			
		1 pc. Sliding Tee Handle 18"			500
		2 pcs. Socket Extension Bar 4" x 8"			
		13 pcs. Impact Socket 19, 21, 22, 23, 24, 27, 30, 32, 36, 41, 46,			
		50mm			
		With Carrying Case			
	unit	Portable Tire Inflator (Rechargeable)	2	5,000.00	10,000.00
		SPECS (min.):	ĺ		
		Inflation pressure range: 0-2-10.3 bar/3-150psi			
		Battery: 2000mAh*2 lithium batteries (14.4Wh)			
		Charging port: Type-C			
		Input 5V 2A	1		
		Sensor accurancy: ± 1psi			
		Working Temperature: 10°C-45°C			
		With storage bag			
	unit	Wet & Dry Vacuum Cleaner	2	8,000.00	16,000.00
	Grie	SPECS (min.): Input Power: 1000W			
		VoltageL 220V-240V - 50/60Hz			
	1	Dust Capacity: 15L			
		Suction Hose Diameter: 32mm			
		Suction Hose Length: 1.5m			
		Wet & Dry Cleaning			
		Inclusions: 1 set Pastic tube (3pcs), 1 pc Foam Filter			
		1 pc Crevice Tool, 1 pc Dust Collecting Cloth Bag			
	1	1 pc Dust Grid			
	1	CERTIFICATION This is to certify that items herein requisitioned			
		are included in the Approved Annual Program/			
		APP FY-2025			
urpose	Consult	y and Delivery of Equipment & Lubricants for the use of Land Basec	Equipment	of DPWH MM2DE	Ö,
	יוכוטוטוכ .	V did Denvery of Equipment & Edbricants for the dest of			







Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS National Capital Region METRO MANILA 2nd DISTRICT ENGINEERING OFFICE Dr. A. Santos Ave. Cor., West Service Access Road, Sucat, Parañaque City





PURCHASE REQUEST

Entity Name: Metro Manila 2nd District Engineering Office

Fund Cluster: ___


Stock /					
Property No.	Unit	ITEM / DESCRIPTION	Quantity	UNIT COST	TOTAL COST
	unit	2 in 1 TIG/MMA Portable Inverter Welding Machine	2	21,000.00	42,000.00
		SPECS (min.): Input Voltage: 220-240V			
- 1		Frequency: 50/60Hz			
1		TIG Output Current A: 15-160			
1		MMA Output Current A: 15-140			
1		TIG No-Load Voltage: 85V			
1		MMA No-Load Voltage: 85V MMA Electrode Diameter: 1.6-4.0mm			
ŀ		With 1 pc. Electrode Holder with Cable			
		With 1 pc. Earth Clamp with Cable			
		With 1 pc. Wire Brush			
		With 1 pc. Helmet			
	e constan	With 1 pc. TIG Gun Hand Grinder			
	unit	SPECS (min.): Input Power: 710W	4	5,000.00	20,000.00
- 1					
1		Voltage: 220-240V - 50/60Hz	1		z
		No-Load Speed: 12,000rpm			
		Disc Diameter: 100mm (4")			
		Detachable Dust Cover			
1		Auxiliary Handle			
		With Safety Switch			
		With Warranty Card & User Manual			
	unit	Brushless Cordless Impact Drill	4	20,000.00	80,000.00
		SPECS (min.):			
		Battery Capacity: 2Ah			
		Battery Voltage: 18.0V	1		
		Torque (Soft/Hard/Max): 21/50/-Nm No-Load Speed: (1st Gear/2nd Gear): 0-500/0-19000rpm			
		Max Impact Rate: 27,000bpm			
		Battery Type: Litium-ion			
		Chuck Capacity, Min./Max.: 1.5/13mm			
		With 2x Battery 18V, 2.0Ah			
		With Charger			
		23-piece Drilling and Screwdriving Bit Set with Holder			
1		Carrying Case			
	unit	Multi-Purpose Aluminum Folding Steps Ladder 4x4	1	11,000.00	11,000.00
	CHIL	SPECS (min.):	1	11,000,00	11,000.00
		Material: Aluminum			
		Surface Finish: Oxidation			
		No. of Steps: 4 x 4			
		Step Rise: 28cm			
		Total Length: 475cm			
1		Step Ladder Height: 228cm			
		Scaffold Height: 130cm			
		CERTIFICATION			
		This is to certify that items herein requisitioned			
		are included in the Approved Annual Program/			
		APP FY-2025			
pose: :	Supply:	and Delivery of Equipment & Lubricants for the use of Land Base	d Fauinment of	DBINH MM3DEO	•





Designation:

Republic of the Philippines DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS National Capital Region METRO MANILA 2nd DISTRICT ENGINEERING OFFICE Dr. A. Santos Ave. Cor., West Service Access Road, Sucat, Parañaqu





PURCHASE REQUEST

Entity Name: Metro Manila 2nd District Engineering Office

The state of the s
BAGONG PILIPINA

Entity Name: Metro Manila 2nd District Engineering Office				Fund Cluster:				
Office Secti	ion: Mainte	nance Section	P.R. No. 2025-05-0073 Responsibility Center Code:		Date: _	05/28/2025		
			Responsibility Center Code:					
Stock / Property No.	Unit		ITEM / DESCRIPTION	Quantity	UNIT COST	TOTAL COST		
		Fold Height:						
		Fold Width:						
		Max: Load:	=					
			Scaffold Plates					
	unit		e Aluminum Folding Steps Ladder 4x3	1	8,000.00	8,000.00		
		SPECS (min.	•					
		Material: Alu				8		
		The state of the s	sh: Oxidation					
		No. of Steps						
		Step Rise: 2						
		Total Length						
			Height: 162cm					
		Scaffold Heigh	ght: 91cm					
	1	Fold Height:	91cm					
		Fold Width:	35cm					
		Max: Load: 1	150kg					
		With 2 pcs. S	Scaffold Plates					
	unit	Soldering Sta	ation	1	10,000.00	10,000.00		
		SPECS (min.):		25,000.00			
		Power Input	: 220-240V					
		Hot Air Powe	er: 700W					
		Soldering Po	wer: 60W					
		_	perature Range: 100-500°C					
	1	1	mperature Range: 200-480°C					
		Digital Displa						
			me: 120L/Min. (Max)					
		1	loise: <45dB					
			e Range: 200°C-500°C					
		1						
			nent: Plug-in Heating Element			3		
	pcs.	3/4" Drive H	exible Power Handle (Heavy Duty)	2	6,000.00	12,000.00		
			21 Y W T Y F Y 2 A T T A 31					
			CERTIFICATION					
			s to certify that items herein requisitioned	1				
			in the Approved Annual Program/	1				
		APP FY-2025	,		,#C			
i S			(M) of an					
			AKEX H. BALAAN, PhD.					
			Head, Procurement Unit			200 100 00		
Purpose:	Supply	Supply and Delivery of Equipment & Lubricants for the use of Land Base			DBWH WMSDEO	568,499.22		
, arpose.	Parañaque City, Metro Manila.			asea Equipment of	sed Equipment of Dr Wit Min2DLO,			
						Page 3 of 3		
		Requested b	v:		Approved by:			
					1			
			<i>(</i> , '		/ /			
Signature:								
Printed Nar	ne:		FLORENZINO I PALMA		RUBY-HTCA	NĮAS		
Designation	1:		Chief, Maintenance Section		District Engli	neer		